
HEC2 VERSION UPDATED JAN 1975
ERROR CORRECTIONS 01,02,03,04,05,06,07,08
MODIFICATIONS 52,53,54,55,56,57,58

JENKINS SWAMP

5	SB1305	1798	21.5	31.5	31.5	31.5	31.5	1798	21.5	31.5
	X15.3	0.	0.	0.	31.5	31.5	31.5			
	X2		1.	24.55	28.5					
	X310.									
	BT6.	1700.	26.4	26.4	1955.	26.6	26.6	1955.	28.5	24.5
	BT2045.	25.5	24.5	2045.	26.6	26.6	2300.	26.9	26.9	
5	X15.4	12.			100	100	100			
	GR30.	0.	26.	700.	20.	1600.	20.5	1970.	15.5	1990.
	GR13.7	2000.	15.5	2010.	18.6	2030.	19.7	2200.	26.3	2700.
	GR32.8	3150.	40.	3400.						
6	X16.	28.	1972.	2000.	500	400	600			
	GR31.	0.	30.	1190.	26.25	1480.	20.9	1500.	20.	1550.
	GR20.3	1600.	20.	1700.	19.66	1600.	20.2	1900.	19.8	1972.
	GR17.5	1980.	16.	1988.	17.5	1996.	21.5	2000.	19.66	2100.
	GR19.3	2200.	20.	2300.	20.4	2400.	22.8	2500.	25.80	2550.
	GR26.3	2580.	32.8	2800.	38.	3200.	32.	3420.	25.	3510.
	GR32.	3600.	40.	3700.	46.	4300.				
7	X17.	23.	1950.	2000.	3700	3900	4400			
	GR43.	6.	39.4	500.	32.8	1030.	28.3	1550.	27.6	1600.
	GR27.7	1637.	25.1	1654.	24.2	1700.	22.6	1800.	22.5	1900.
	GR24.	1950.	20.7	1958.	18.6	1976.	20.7	1993.	24.1	2000.
	GR22.4	2043.	26.4	2100.	26.1	2200.	27.9	2300.	21.5	2400.
	GR39.4	2500.	46.	3400.	52.5	4000.				
8	X18.1	15.	2969.	3000.	1150	1500	1800			
	GR42.	400.	39.4	800.	39.4	1100.	32.8	2100.	25.5	2600.
	GR26.8	2880.	25.	2969.	18.5	2978.	18.5	2988.	25.	3000.
	GR26.25	3160.	32.8	3230.	36.4	3300.	40.	3360.	41.	4000.
8	X18.2				120.	400.	100.			
	X310.									
	SB1.75	1.56	2.9	19.5		252.4		1.74	10.5	18.5
8	X18.3			21.2		21.2				
	X2									
	X310.		1.	28.5	33			29.8	29.8	
	BT6.	2600.	29.5	29.5	29.5	29.8	29.8	29.8	29.8	25.
	BT30.	29.9	25.	3000.	29.9	29.9	3230.	32.8	32.8	
8	X18.4				5.	5.				
9	X19.	36.	1925.	2000.	1500	1600	2000			
	GR55.	50.	46.	1200.	39.4	1500.	36.	1600.	27.5	1700.
	GR36.9	1200.	36.9	1845.	28.7	1857.	29.9	1861.	30.3	1872.
	GR31.5	1820.	28.5	1889.	27.6	1900.	26.4	1940.	26.	1985.
	GR23.4	1590.	22.9	1594.	24.4	1997.	28.	2000.	27.1	2100.
	GR27.30	2200.	24.1	2700.	29.	2400.	32.8	2450.	39.4	2600.
	GR52.5	31	52.5	3500.	41.	3800.	52.5	3820.	52.5	4320.
	GR46.	50.	40.	5150.	30.	5150.	40.	5160.	40.	5200.
	GR46.	5420.	50.5	5200.	50.	6240.				
16	X11.1	22.	955.	1000.	760	700	820			
	GR46.	60.	46.	500.	32.7	500.	36.2	545.	28.7	557.
	GR29.9	480.	30.3	570.	30.5	553.	26.5	559.	30.6	570.
	GR26.4	943.	26.	965.	23.4	990.	22.9	994.	24.8	997.
	GR28.	1000.	27.5	1100.	32.7	1230.	29.7	1200.	40.	1230.
	GR52.5	2000.	50.	3200.						
10	X11.2	44.	1960.	2000.	80	80	100			
	X310.							33.13	33.13	
	GR55.8	60.	52.5	600.	46.	1500.	42.	1600.	29.	1720.
	GR33.5	185.	33.8	1900.	33.0	1950.	30.	1960.	27.5	1960.5
	GR27.4	1569.	27.0	1570.	26.75	1971.	26.25	1972.	26.	1973.
	GR25.7	1574.	25.	1575.	24.0	1976.	24.5	1977.	21.	1977.5
	GR27.	1575.	27.	1581.	25.	1971.5	24.5	1982.	24.50	1983.
	GR24.5	1904.	24.5	1980.	24.5	1985.	24.5	1987.	24.50	1988.
	GR24.5	1985.	25.	1990.	27.	1990.5	27.	1991.	28.	2000.
	GR33.	2004.	34.3	2100.	35.	2200.	26.1	2300.	37.0	2400.
	GR39.4	2560.	46.	2200.	52.5	3100.	17.	4200.		
	SB1.25	1.56	2.9	10	10	10	10	1.13	25.21	25.10
10	X11.3	0.	0.	0.	0.	0.	0.	0.	0.	0.
	X2		1.	32.	34.25					
	X310.									
	BT6.	1800.	27.0	2700.	18.0	2700.	18.0	2700.	27.0	2700.

	BT12.8	1980.	37.8	37.8	1982.	37.8	37.8	1985.8	37.8	37.8
	BT1968.	537.8	27.4	1969.	37.8	29.	1970.	37.8	30.5	1971.
	BT37.8	31.	1972.	37.8	31.5	1973.	37.8	31.8	1974.	37.8
	BT31.8	1975.	37.8	31.5	1976.	37.8	31.	1977.	37.8	30.5
	BT1977.	537.8	29.	1978.	37.8	27.	1978.	37.8	37.8	1981.
	BT37.8	37.8	1981.	37.8	27.	1981.5	37.8	29.	1982.	37.8
	BT30.5	1983.	37.8	31.	1984.	37.8	31.5	1985.	37.8	31.8
	BT1986.	37.8	31.8	1987.	37.8	31.5	1988.	37.8	31.	1989.
	BT37.8	30.5	1990.	37.8	29.	1990.5	37.8	27.	1990.5	37.8
	BT37.8	2000.	37.8	37.8	2100.	37.8	37.8			
10	X110.4	15.	960.	1000.	50.	50.	50.			
	GR57.	0.	52.5	550.	46.	680.	39.4	810.	32.8	870.
	GR31.	960.	30.	962.	25.	976.	25.	990.	31.	1000.
	GR32.8	1240.	39.4	1350.	46.	1500.	48.	2700.	52.5	3100.
11	X111.	21.	1986.	2000.	1300	1000	1100			
	GR60.	0.	59.	50.	52.5	790.	46.	1200.	25.	1560.
	GR38.	1600.	37.7	1700.	37.5	1986.	37.2	1988.	36.2	1990.
	GR35.9	1994.	36.2	1998.	37.2	1999.	37.6	2000.	37.7	2075.
	GR39.	2200.	45.2	2350.	49.5	2400.	52.2	2500.	59.	2800.
	GR65.6	3100.								
12	X112.1	25.	964.5	1000.	1900	1000	1200			
	GR70.	0.	65.6	200.	59.	380.	52.5	500.	47.	800.
	GR46.2	900.	45.2	964.5	40.33	964.5	40.2	968.5	38.2	972.5
	GR37.5	981.5	38.1	978.	40.8	984.5	40.2	1000.	45.2	1000.
	GR44.3	1100.	47.9	1200.	49.6	1300.	51.7	1400.	52.5	1500.
	GR59.	1560.	65.6	2250.	70.	2700.				
12	X112.2	0.	0.	0.	100.	100.	100.			
	X310.							45.12	45.12	
	S91.05	1.56	2.9	✓	13.	2.	115.	.42	27.53	37.53
12	X112.3	0.	0.	0.	22.	22.	22.			
	X2		1.	42.8	47.6					
	X310.							45.18	45.12	
	BT7.	900.	46.2	46.2	964.5	45.2	45.2	964.5	45.2	40.33
	BT1000.	45.2	40.8	1000.	45.2	45.2	1100.	44.3	44.3	1200.
	BT47.9	47.9								
12	X112.4				50.	50.	50.			
13	X113.	18.	900.	993.	3700	3200	3920			
	GR72.	200.	65.6	400.	59.	500.	56.	640.	54.	700.
	GR51.	800.	47.	900.	46.7	980.	42.3	987.	47.6	993.
	GR47.5	1000.	46.8	1100.	53.	1200.	54.5	1300.	55.2	1340.
	GR59.	1400.	65.6	1600.	72.	2000.				
14	X114.1	15.	785.	800.	275	800	500			

GR65.6	0.	59.	400.	56.	500.	54.	600.	53.	700.
GR52.29	785.	44.49	785.	44.65	800.	52.45	800.	54.5	900.
GR56.8	1000.	59.5	1100.	61.	1200.	65.6	1400.	65.6	2000.
X114.2	0.	0.	0.	100.	100.	100.			
X310.									
SB1.25	1.56	2.9	14.5	14.5	.5	84.	5999.	44.65	44.49
X114.3				20.	20.	20.			
X2		1.	50.7	53.25					
X310.							53.25	53.25	
BT8.	600.	54.	54.	700.	53.	53.	785.	52.29	52.29
BT785.	52.29	50.59	800.	52.45	50.75	800.	52.45	52.45	900.
BT56.8	56.8	1000.	59.5	59.5					
X114.4		0.	0.	50.	50.	50.			
X11.	18.	431.	450.						
GR17.1	0.	16.7	50.	15.5	150.	15.3	250.	15.8	283.
GR4.4	326.	2.7	350.	2.9	431.	3.	435.	3.1	436.
GR.4	440.	3.	448.	2.4	450.	4.9	478.	13.1	550.
GR15.5	650.	14.8	750.	15.	850.				
Y12.1	0.	0.	0.					6.0	
NC		.014	.3	.5					
X12.2	14.	396.5	403.5						
X310.							10.3	10.3	
GR20.	0.	18.9	100.	18.	200.	16.8	300.	11.2	392.5
GR8.3	392.5	6.7	396.5	6.1	403.5	6.3	407.6	11.2	407.8
GR17.1	5.1	17.8	600.	18.2	700.	18.4	800.		
SB1.	3.1	2.8		4.1	0.	19.24	.43	.65	6.6
X12.3	0.	0.	0.						
X2		1.	9.5	11.2			11.2	11.2	
X310.									
BT16.	0.	20.	20.	10.	18.9	18.9	200.	18.	18.
BT300.	18.9	16.8	392.5	11.2	5.3	396.5	11.2	5.7	396.97
BT11.3	7.8	4.0	11.2	9.5	411.75	11.2	5.8	40.03	11.2
BT7.5	403.5	11.2	6.	407.8	11.2	6.3	406.7	11.2	11.2
BT500.	17.1	17.1	600.	17.8	17.8	700.	18.2	18.2	800.
BT18.4	10.4								
NC		.016	.1	.3					
Y12.4	17.							10.5	
GR21.5	0.	24.	100.	27.	200.	17.7	300.	11.6	362.
GR9.6	384.	6.5	390.	6.7	395.	6.8	395.	5.9	400.
GR10.4	419.	17.5	500.	19.2	516.	21.0	600.	20.2	650.
GR21.6	7.0	22.4	600.						
X13.	0.	0.	0.						
X14.1	0.	0.	0.					4.9	
NC		.014	.3	.5					
X14.2	15.	397.2	412.8						
X310.							17.7	17.7	
GR21.4	0.	21.3	100.	20.8	200.	19.5	300.	14.2	397.2
GR12.8	397.6	11.8	398.6	11.4	400.	11.8	401.4	12.8	412.4
GR14.2	402.5	18.2	500.	18.8	500.	19.4	700.	19.3	800.
SB1.	2.25	2.8		4.5	0.	24.6	.11	12.1	12.1
X14.3	0.	0.	0.						
X2		1.	17.	17.7					
X310.							17.7	17.7	
BT15.	0.	21.4	21.4	10.0	21.3	21.3	200.	20.8	20.8
BT300.	19.5	19.5	397.2	17.7	14.2	397.6	17.7	15.6	398.6
BT17.7	16.6	400.	17.7	17.	401.4	17.7	16.6	402.4	17.7
BT15.6	402.8	17.7	14.2	500.	18.2	182.	600.	18.8	18.8
BT700.	19.4	19.4	800.	19.3	19.3				
NC		.016	.1	.3					
X14.4	0.	0.	0.						
X15.1	13.								
GR23.3	0.	23.5	100.	23.6	200.	22.8	300.	21.7	390.1

50 ←

GR22.2	600.	21.9	700.	22.5	800.					
NC		.014	.3	.5						
X15.2	0.	0.	0.							
X310.							20.8	20.8		
SB1.	2.27	2.8		3.8	0.	23.8	.17	15.2	15.2	
X15.3	0.	0.	0.							
X2	1.	20.3	21.4							
X3							21.4	21.4		

BT18.	0.	23.3	23.3	100.	23.5	23.5	200.	23.6	23.6
BT300.	22.8	22.8	390.1	21.7	21.7	397.2	21.4	17.5	297.6
BT21.4	18.9	398.6	21.4	19.9	400.	21.4	20.3	401.4	21.4
BT19.9	402.4	21.4	18.9	402.8	21.4	17.5	403.1	21.4	17.5
BT408.2	21.4	21.4	500.	22.2	22.2	600.	22.2	22.2	700.
BT21.9	21.9	800.	22.5	22.5					
X15.4	0.	0.	0.						
X113.		4962.	4982.						
GR75.	0.	70.	3100.	66.	4500.	54.3	4600.	53.2	4700.
GR53.	4800.	44.	4900.	44.89	4962.	41.2	4966.	40.5	4972.
GR41.2	4979.	44.7	4982.	44.7	4992.	48.5	5000.	44.9	5010.
GR43.8	5100.	44.6	5200.	48.7	5239.	50.	5300.	52.2	5400.
GR60.	5600.	70.	7200.						
X112A		968.	1000.						
GR65.6	0.	59.	200.	52.5	430.	46.	670.	38.7	900.
GR38.9	966.	37.1	980.	34.4	926.	37.1	993.	38.6	1000.
GR38.5	1050.	46.0	1100.	52.5	1200.	52.5	1900.	59.	2360.
GR65.6	2800.								
X113A	19.	962.	982.						
GR70.	0.	65.6	600.	59.	700.	52.5	780.	46.	860.
GR44.	900.	44.9	962.	41.2	966.	40.5	972.	41.2	979.
GR44.7	982.	44.7	992.	48.5	1000.	44.9	1010.	43.8	1100.
GR52.	1150.	59.	1225.	65.6	1400.	70.	2000.		
X113B	21.	1962.	1982.						
GR75.	0.	72.2	1000.	65.6	1300.	65.6	1340.	59.	1600.
GR52.5	1790.	44.	1900.	44.9	1962.	41.2	1966.	40.5	1972.
GR41.2	1979.	44.7	1982.	44.7	1992.	48.5	2000.	44.9	2010.
GR43.8	2100.	52.5	2275.	60.	2500.	65.6	2950.	65.6	3350.
GR70.	4500.								
X114.1	13.	2975.	3010.						
GR70.	0.	70.	900.	70.	2500.	65.1	2800.	67.	2975.
GR49.5	2981.	49.	3000.	61.	3010.	64.	3000.	67.	3300.
GR70.	3400.	73.	4400.	74.	5000.				
Y114.2	22.	2981.5	3000.	60.	60.	60.			
X317.							50.	62.	
GR70.	0.	70.	900.	70.	2500.	70.3	2575.	70.	2600.
GR67.9	2700.	60.1	2800.	62.6	2900.	61.7	2981.5	53.24	2981.5
GR49.5	2982.5	49.	2995.5	49.6	2997.5	50.	2998.	53.8	3000.
GR61.4	3000.	61.8	3100.	63.9	3200.	67.2	3300.	70.	3400.
GR73.	4400.	74.	5000.						
36	1.55	2.9		5.5		165.	135	49.04	49.04
X114.3				26.3	26.3	26.3			
X2	1.	59.8	64.2						
X317.							64.2	64.2	
BT5.	29.1.	62.6	62.6	2981.5	61.3	61.3	2981.5	61.3	53.24
BT300.	51.4	53.8	3000.	61.4	61.4	3100.	61.8	61.9	
X114.4	13.	2975.	3010.					2.	

New Post Piece