

SE0J (SUPPLIED BY COURTESY OF HARPER)

\*\*\*\*\*JOB EXITED ON 5 FEB 62 10:36:02 \*\*\*\*\*

\*\*\*\*\*CPU TIME= 0MINS 21.08SECS \*\*\*\*\*

\*\*\*\*\*CONNECT TIME= 0MINS 56SECS \*\*\*\*\*

LITTLE DEEP CREEK

3-12  
14113

12  
11  
10  
9  
8  
7  
6  
5  
4  
1

3  
4  
5  
6  
7  
8  
9  
10  
11  
12

14113



BT2000.	1973.	10.3	10.3	1973.	10.2	9.61	2000.	10.2	9.61
X13.8	12.	1973.	2000.	150.	150.	150.			
GR17.	0.	16.3	1573.	13.	1773.	10.3	1973.	5.6	1980.
GR4.6	1985.5	5.6	1991.	10.8	2900.	11.5	2170.	16.9	2370.
GR17.2	2470.	23.	3000.						
X14.	12.	1971.	2000.						
GR18.	0.	17.	1575.	16.5	1775.	12.2	1971.	6.3	1982.
GR5.5	1986.5	6.3	1991.	11.6	2000.	13.8	2145.	17.5	2350.
GR17.8	2455.	20.	2900.						

FR  
T1 NEWPORT, NORTH CAROLINA, FLOOD INSURANCE STUDY

T2 DEEP CREEK  
T3 FOUR FLOODS

J1  
J2  
J3  
NC

GT									
X11.1	22.	2950.	3000.	0.	0.	0.			
GR6.	400.	2.	500.	1.4	2500.	1.2	2600.	1.8	2700.
GR1.	2800.	1.1	2900.	2.11	2950.	1.31	2953.	-1.29	2955.
GR-2.59	2960.	-4.	2970.	-4.	2975.	-3.59	2980.	-1.59	2990.
GR1.11	2991.	2.71	3100.	1.75	3100.	1.8	3200.	3.2	3300.
GR4.9	3400.	5.	3800.						
X11.2	18.	2950.	3000.	100.	100.	100.			
GR6.2	2800.	5.5	2600.	5.5	2900.	6.3	2950.	2.11	2950.
GR1.31	2953.	-1.29	2955.	-2.59	2960.	-4.	2970.	-4.	2975.
GR-3.59	2980.	-1.59	2990.	1.01	2991.	2.71	3000.	6.2	3000.
GR6.1	3100.	6.6	3300.	6.4	3400.				
GR.55	1.56	2.9		22.3	3.	325.	1.69	-0.4	-4.

NC									
X11.3		0.	0.	27.	27.	27.			
X2		1.	4.75	5.5					
X311.							5.5	5.5	
BT7.	2500.	6.2	6.2	2900.	5.5	5.5	2950.	6.28	6.28
BT295.	8.53	4.76	3100.	8.53	4.78	3100.	6.1	6.1	3400.
X13.4	0.4								
X11.4	22.	2950.	3000.	140.	140.	140.			
GR1.	1000.	5.	2100.	2.	2240.	2.1	2500.	2.1	2600.
GR2.6	2700.	1.4	2800.	2.	2900.	2.1	2950.	1.31	2957.
GR-1.59	2960.	-4.	2971.	-3.8	2981.	-1.2	2992.	1.2	2994.
GR2.4	3000.	2.1	3100.	1.9	3200.	2.9	3300.	4.8	3400.
GR3.	3700.	5.4	3750.						
X12.	17.	2937.	3000.						
GR1.	2100.	5.6	2544.	6.7	2744.	1.8	2808.	1.6	2937.
GR1.4	294	-2.2	2954.	-0.7	2969.	-0.6	2984.	1.4	2998.
GR1.5	300	1.9	3189.	1.9	3425.	2.	3557.	5.	3700.
GR1.	398	15.	4400.						

JT									
X13.			3000.						
GR1.	2000.	0.	2150.	0.	2669.	1.1	2670.	7.3	2684.
GR2.1	2730.	4.4	2750.	1.4	2758.	1.4	2818.	0.	2820.
GR.	2854.	2.	2856.	1.6	2928.	4.2	2938.	2.3	2952.
GR2.1	2961.	0.4	2964.	-0.4	2973.	-1.1	2982.	-2.1	2991.
GR.4	3000.	1.8	3000.	2.3	3013.	1.7	3173.	1.7	3277.
GR3.1	3348.	5.	3500.	10.	4200.	13.	5000.		
X14.	29.	2960.	3000.						
GR25.	600.	20.	1295.	15.	1810.	10.	2440.	8.7	2543.
GR3.5	2584.	2.8	2634.	3.1	2939.	4.6	2952.	4.4	2960.
GR2.0	2964.	0.8	2964.	-0.41	2971.	-4.5	2978.	-4.4	2985.
GR.8	2992.	2.2	2992.	3.1	2995.	5.6	3000.	5.1	3024.
GR3.1	3041.	4.3	3121.	3.	3203.	4.9	3305.	5.4	3405.
GR5.	4000.	10.	4180.	15.	5260.	18.	6360.		
X15.1	25.	2969.	3000.						

GR9.6	2600.	8.	2700.	5.8	2800.	4.2	2900.	3.2	2969.
GR3.1	2900.	1.3	2971.	1.1	2976.	.8	2984.	.7	2994.
GR3.4	2997.	4.6	2999.	4.7	3000.	8.6	3200.	9.4	3300.
GR11.	3400.	12.4	3500.	15.	3800.	20.	4730.	22.	5000.
X15.2	20.	2969.	3000.	150.	150.	150.			
X310.							8.94	8.94	
GR27.	500.	25.	700.	20.	1450.	15.	1820.	10.	2300.
GR9.8	2600.	9.2	2700.	8.9	2800.	8.3	2900.	8.4	2969.
GR3.2	2969.	1.3	2971.	.8	2984.	.7	2994.	3.4	2997.
GR4.7	3000.	8.5	3000.	8.2	3100.	8.9	3200.	9.8	3300.
GR10.7	3400.	12.	3500.	15.	3800.	20.	4730.	22.	5000.
SB.95	1.56	2.9		17.	3.	168.	1.	.2	.7
X15.3	0.	0.	0.	21.	21.	21.			
X2		1.	6.92	8.2					
X310.							8.43	8.43	
BT6.	2900.	8.3	8.3	2969.	8.4	8.4	2969.	10.96	6.92
BT3000.	10.96	6.92	3000.	8.5	8.5	3100.	8.2	8.2	
X15.4	25.	2969.	3000.	150.	150.	150.			
GR27.	500.	25.	700.	20.	1450.	15.	1820.	10.	2300.
GR9.6	2600.	6.9	2700.	6.8	2800.	4.	2900.	2.8	2970.
GR2.9	2971.	1.7	2974.	1.6	2977.	.3	2987.	.2	2992.
GR2.	2994.	3.5	3000.	4.1	3100.	4.2	3200.	8.	3300.
GR10.6	3400.	12.4	3500.	15.	3800.	20.	4730.	22.	5000.
X16.	20.	1964.	2000.						
GR28.	0.	25.	350.	20.	630.	15.	1300.	12.4	1334.
GR10.	1400.	.9	1744.	6.2	1964.	2.1	1975.	.6	1985.
GR2.1	1995.	6.3	2000.	6.7	2316.	1.	2319.	1.	2329.
GR7.	2333.	12.	2523.	10.	2675.	15.	2740.	15.	3500.
X17.	17.	1965.	2000.						
GR20.	0.	15.	1000.	10.	1300.	8.4	1565.	8.4	1765.
GR8.	1965.	3.3	1973.	1.9	1972.5	3.3	1992.	8.1	2000.
GR9.3	2215.	10.	2270.	4.	2336.	8.	2661.	15.	3250.
GR17.7	3800.	19.	4800.						
X18.1	18.	1945.	1974.						
GR20.	100.	15.	1400.	10.3	1500.	10.2	1600.	10.4	1700.
GR7.	1800.	10.2	1900.	11.	1945.	4.6	1952.	4.2	1960.
GR4.8	1965.	10.9	1974.	10.5	2100.	11.5	2200.	13.2	2300.
GR14.	2400.	14.4	2500.	18.	4000.				
X18.2	24.	1938.8	2000.	120.	120.	120.			
X310.							13.4	13.4	
GR20.	100.	15.	1400.	13.8	1700.	13.4	1600.	13.4	1700.
GR13.3	1800.	13.3	1900.	13.4	1938.8	8.1	1940.	9.	1949.
GR6.	1954.	4.8	1967.	4.3	1970.	5.4	1977.	6.	1980.
GR9.6	1990.	8.6	1999.	13.4	2000.	13.5	2100.	13.8	2200.
GR14.6	2300.	15.2	2400.	15.9	2500.	18.	4000.		
SB1.95	1.56	2.9		25.2	1.	324.	2.4	5.5	4.3
X18.3	23.	1938.8	2000.	25.8	25.8	25.8			
X2		1.	11.8	16.1					
X310.							14.	14.	
GR20.	100.	15.	1400.	13.6	1500.	13.4	1600.	13.4	1700.
GR13.7	1800.	13.3	1900.	13.4	1938.8	8.	1940.	6.6	1960.
GR5.2	1962.	5.5	1964.	5.6	1968.	6.3	1971.	5.8	1992.
GR7.8	1999.	13.4	2000.	13.5	2100.	13.8	2200.	14.6	2300.
GR15.2	2400.	15.9	2500.	18.	4000.				
BT6.	1900.	13.4	13.4	1938.8	13.4	13.4	1938.8	16.1	11.8
BT2000.	16.1	11.8	2000.	13.4	13.4	2100.	13.5	13.5	
X18.4	18.	1948.	1975.	150.	150.	150.			
GR20.	100.	15.	1400.	10.5	1500.	9.8	1600.	10.2	1700.
GR9.2	1800.	8.8	1900.	9.4	1948.	4.7	1954.	3.8	1961.
GR4.9	1969.	10.2	1975.	10.7	2100.	10.4	2200.	12.6	2300.
GR13.7	2400.	14.8	2500.	18.	4000.				

C  
C  
C  
C

6CAUTION WITH STATIONING FOR XSECNO 6  
6STATIONS 2523, 2675, 2740 AND 3500 A COMBINATION OF SURVEY AND QUAD