

3  
4  
5  
6  
7  
8  
9  
10  
11  
12

-----80/60 LIST OF INPUT DATA-----

FINDRIN

# NEWPORT RIVER

3-11  
14113

OFFICE AUTOMATIC INC. 814 214

12  
11  
10  
9  
8  
7  
6  
5  
4  
3

OFFICE AUTOMATIC INC. 814 214

C  
 C 4  
 C 110 ATLANTIC & EAST CAROLINA RAILROAD  
 C 2300 SECONDARY ROAD 1247  
 C 7000 US 70  
 C 29300 SECONDARY ROAD 1124  
 T1 CARTERET COUNTY FIS  
 T2 NEWPORT RIVER  
 T3 NATURAL

NEWPORT ~ 132  
 No BT for BRIDGES

J1	-1	2					-1		2.0	
J2	-1		-1							
J3	34	1	26	3	27	28	4	21	22	
NC	.1	.1	.04	.2	.4					
QT	1	3160								
X1	1	29	500	672	0	0	0	1		
GR	2.5	0	1.7	100	1.4	200	1.3	300	2.6	400
GR	3.4	500	.4	503	-1.1	510	-3.6	520	-4.6	530
GR	-0.6	540	1.8	545	4.0	565	2.6	584	0.1	586
GR	-1.4	600	-4.1	610	-3.9	620	-3.6	630	-3.3	640
GR	-0.6	650	-0.1	660	0	669	2.0	672	4.7	800
GR	3.5	900	3.0	1000	2.8	1100	2.7	1200		
X1	5	0	0	0	5	5	5	1		
X1	10	0	0	0	5	5	5	1		
X1	50	0	0	0	40	40	40	1		
X1	100	37	500	710	50	50	50	1		
GR	2.5	0	1.7	100	1.4	200	1.3	300	2.6	400
GR	3.4	500	-2.0	503	-4.1	506	-6.1	515	-5.7	521
GR	-5.7	527	1.9	530	1.6	543	1.5	549	1.5	557
GR	1.1	561	-1.7	570	-4.8	580	-3.6	590	-2.7	600
GR	-2.7	605	-1.7	615	-3.9	625	-3.2	635	-4.3	645
GR	-4.4	655	-2.6	665	-0.3	675	-0.2	677	1.3	680
GR	1.5	700	2.9	710	4.7	800	3.5	900	3.0	1000
GR	2.8	1100	2.7	1200						
X1	110	37	500	712	10	10	10	1	0	
GR	10.9	0	11.4	500	6.5	500	-2.0	503	-4.1	506
GR	-6.1	515	-5.7	521	7.6	521	7.6	527	-5.7	527
GR	1.9	530	1.6	543	1.5	549	7.6	549	7.6	553
GR	1.5	553	1.5	557	1.1	561	-1.7	570	-4.8	580
GR	-3.6	590	9.6	590	9.6	600	-2.7	600	-1.7	615
GR	-3.9	625	-3.2	635	-4.3	645	-4.4	655	-2.6	665
GR	-0.3	675	-0.2	677	1.3	680	1.5	700	2.9	712
GR	11.6	712	11.0	1200						
X1	120	31	500	712	10	10	10	1		
GR	10.9	0	11.4	500	6.5	500	-2.6	503	-5.9	517
GR	-2.2	521	7.6	521	7.6	527	-2.2	527	1.5	531
GR	1.2	549	7.6	549	7.6	553	-1.4	553	-2.5	570
GR	-1.1	590	9.6	590	9.6	600	-1.1	600	1.8	608
GR	1.7	616	-1.5	620	-4.1	630	-4.3	645	-4.0	660
GR	-1.7	675	0.8	680	1.7	700	3.2	712	11.6	712
GR	11.0	1200								
X1	130	29	500	712	10	10	10	1		
GR	2.3	0	3.4	100	3.1	200	0.8	300	2.4	400
GR	1.6	500	-2.6	503	-5.9	517	-2.2	521	1.5	531
GR	1.2	549	-1.4	553	-2.5	570	-1.1	600	1.8	608
GR	1.7	616	-1.5	620	-4.1	630	-4.3	645	-4.0	660
GR	-1.7	675	0.8	680	1.7	700	3.2	712	3.0	800
GR	1.9	900	1.3	1000	2.6	1100	3.6	1200		
X1	230	22	550	648	100	100	100	1		
GR	2.3	0	3.4	100	3.1	200	0.8	300	2.4	400
GR	1.6	550	-0.4	553	-1.4	563	-3.3	573	-6.9	583
GR	-5.8	593	-3.8	603	-3.3	613	-4.8	623	-3.0	633
GR	-1.3	646	1.5	648	3.0	850	1.9	950	1.3	1050
GR	2.6	1150	3.6	1250						

APPEARS TO BE LEFT BANK P/S ✓

RR

ON THE RIGHT SIDE OF THE RIVER

X1	2190	28	550	632	1960	1960	1960	1		
GR	2.7	0	1.7	100	2.4	200	1.8	300	3.0	400
GR	1.6	500	1.6	550	-1.5	553	-4.7	560	-6.9	570
GR	-8.8	580	-7.6	590	-7.4	600	-7.0	610	-2.4	620
GR	-0.9	629	2.1	632	2.6	750	2.0	850	1.9	950
GR	3.0	1050	2.3	1150	2.6	1250	4.0	1350	5.9	1450
GR	6.9	1550	10.1	1650	12.4	1750				
X1	2290	30	500	632	100	100	100	1		
GR	2.7	0	1.7	100	2.4	200	1.8	300	3.0	400
GR	1.6	500	0.4	508	-0.4	515	-3.0	525	-3.4	535
GR	-6.0	545	-8.9	555	-10.4	567	-8.2	575	-6.0	585
GR	-1.6	600	1.6	612	2.9	614	3.6	632	2.6	700
GR	2.0	800	1.9	900	3.0	1000	2.3	1100	2.6	1200
GR	4.0	1300	5.9	1400	6.9	1500	10.1	1600	12.4	1700
X1	2300	22	500	634	10	10	10	1		
X4	5	12.3	555.1	12.3	557	-8.9	557	12.3	612.1	12.3
X4	613.9									
GR	9.6	0	12.1	500	1.6	500	0.4	508	-0.4	515
GR	-3.0	525	-3.4	535	-6.0	545	-8.9	555	-10.4	567
GR	-8.2	575	-6.0	585	-1.6	600	1.6	612	2.9	614
GR	3.6	632	12.2	634	10.1	800	9.0	900	8.2	1000
GR	8.1	1100	9.4	1400						
X1	2330	30	500	637	30	30	30	1		
GR	9.6	0	12.1	500	1.6	500	1.6	509	-0.6	517
GR	-1.4	525	-4.2	535	-5.6	545	-5.6	555	12.3	555
GR	12.3	557	-5.6	557	-8.2	565	-10.8	575	-10.4	585
GR	-10.6	595	-3.4	600	-2.6	610	12.3	610	12.3	612
GR	-2.6	612	-1.2	620	-0.4	626	0.9	635	3.2	637
GR	12.2	637	10.1	800	9.0	900	8.1	1100	9.4	1400
X1	2340	30	500	637	10	10	10	1		
GR	4.1	0	2.0	100	1.6	200	1.7	300	2.1	400
GR	1.6	500	1.6	509	-0.6	517	-1.4	525	-4.2	535
GR	-5.6	545	-5.6	555	-8.2	565	-10.8	575	-10.4	585
GR	-10.6	595	-3.4	600	-2.6	610	-1.2	620	-0.4	624
GR	0.9	635	3.2	637	3.9	700	1.8	800	1.9	900
GR	1.9	1000	2.2	1100	1.8	1300	2.9	1400	4.5	1600
X1	2440	28	500	620	100	100	100	1		
GR	4.1	0	2.0	100	1.6	200	1.7	300	2.1	400
GR	2.3	500	-2.2	503	-6.8	510	-7.8	520	-7.9	530
GR	-6.9	540	-4.4	550	-2.6	560	-1.8	570	-1.4	580
GR	-1.4	600	-0.8	614	2.1	620	3.9	700	1.8	800
GR	1.9	900	1.9	1000	2.2	1100	2.0	1200	1.8	1300
GR	2.9	1400	3.4	1500	4.5	1600				
X1	6890	19	477	530	4450	4450	4450	1		
GR	5.2	0	6.3	100	5.4	200	3.9	300	3.7	424
GR	3.0	446	2.1	477	-1.5	481	-4.2	491	-6.7	501
GR	-6.5	511	-3.7	521	-2.8	525	1.4	530	2.8	540
GR	3.3	547	4.4	640	1.7	740	2.3	840		
X1	6990	24	477	589	100	100	100	1		
GR	5.2	0	6.3	100	5.4	200	3.9	300	3.7	424
GR	3.0	446	2.1	477	-0.2	482	-4.3	490	-4.7	500
GR	-5.8	510	-5.4	514	-3.8	525	-2.7	535	-0.3	545
GR	0	555	0.9	565	0.5	584	2.8	589	2.8	600
GR	3.3	607	4.4	700	1.7	800	2.3	900		
X1	7000	25	477	589	10	10	10	1		
X4	14	3.0	443	12.1	443.1	12.1	444	3.0	444.1	12.1
X4	490.1	12.1	491	-4.3	491.1	12.1	535.1	12.1	536	-2.7
X4	536.1	0.5	580	12.1	580.1	12.1	581	0.5	581.1	
GR	15.9	0	16.0	400	11.9	404	10.9	411	3.7	424
GR	3.0	446	2.1	477	-0.2	482	-4.3	490	-4.7	500
GR	-5.8	510	-5.4	514	-3.3	525	-2.7	535	-0.3	545
GR	0	555	0.9	565	0.5	584	2.8	589	2.8	600
GR	3.3	607	10.9	619	11.9	626	16.0	626	14.4	900
X1	7100	23	472	557	100	100	100	1		
X4	9	12.1	442.1	12.1	443	2.9	443.1	12.1	485.1	12.1
X4	486	-5.8	486.1	12.1	535.1	12.1	537	-0.6	537.1	

1242

3-AR  
14113

3570

OFFICE ELECTRONICS

REI

GR	15.9	0	16.0	400	11.9	402	10.9	409	3.4	422
GR	2.9	442	1.0	472	-1.2	476	-5.8	485	-6.4	500
GR	-6.5	510	-3.9	520	-1.3	530	-0.6	535	-0.1	544
GR	2.8	557	1.6	575	1.3	600	2.4	604	10.8	617
GR	10.8	625	16.0	625	14.4	900				
X1	7110	21	472	557	10	10	10	1		
GR	5.0	0	5.6	100	5.7	200	5.4	300	3.4	420
GR	2.9	442	1.0	472	-1.2	476	-5.8	485	-6.4	500
GR	-6.5	510	-3.9	520	-1.3	530	-0.6	535	-0.1	544
GR	2.8	557	1.6	575	1.3	600	4.8	700	3.6	800
GR	4.1	900								
X1	7210	19	472	528	100	100	100	1		
GR	5.0	0	5.6	100	5.7	200	5.4	300	3.4	420
GR	2.9	442	1.0	472	-3.3	474	-6.2	484	-7.1	494
GR	-7.2	504	-5.0	514	-1.9	524	0.9	528	1.6	575
GR	1.3	600	4.8	700	3.6	800	4.1	900		
QT	1	1000								
X1	29190	16	410	430	21980	21980	21980	1		
GR	11.9	0	11.4	100	11.4	200	11.6	300	12.9	410
GR	9.2	412	6.2	415	5.7	421	9.5	428	12.5	430
GR	12.5	510	12.7	610	12.1	710	13.3	810	15.8	910
GR	18.5	1010								
X1	29290	17	410	459	100	100	100	1		
GR	11.9	0	11.4	100	11.4	200	11.6	300	12.9	410
GR	5.1	414	2.9	425	3.0	436	4.8	445	6.6	454
GR	12.9	459	12.5	510	12.7	610	12.1	710	13.3	810
GR	15.8	910	18.5	1010						
X1	29300	20	410	471	10	10	10	1		
GR	17.3	0	17.2	300	17.5	400	13.9	400	12.9	410
GR	5.1	414	2.9	425	3.0	436	17.6	436	17.6	437
GR	3.0	437	4.8	445	6.6	454	12.9	459	13.2	471
GR	17.4	471	17.2	500	17.4	700	18.6	800	21.0	1000
X1	29320	22	408	461	20	20	20	1		
GR	17.3	0	17.2	300	17.5	400	12.8	400	11.9	408
GR	6.7	411	2.2	420	2.2	430	2.2	436	17.6	436
GR	17.6	437	2.2	437	3.2	440	5.6	450	7.1	454
GR	11.5	461	11.9	471	17.4	471	17.2	500	17.4	700
GR	18.6	800	21.0	1000						
X1	29330	19	408	461	10	10	10	1		
GR	13.9	0	13.8	100	12.8	200	11.3	300	11.9	400
GR	11.9	408	6.7	411	2.2	420	2.2	430	3.2	440
GR	5.6	450	7.1	454	11.5	461	13.5	500	12.5	600
GR	12.1	700	14.5	800	15.0	900	17.1	1000		
X1	29430	17	408	434	100	100	100	1		
GR	13.9	0	13.8	100	12.8	200	11.3	300	11.9	400
GR	9.9	408	8.3	414	5.8	419	4.7	425	5.7	432
GR	10.2	434	13.5	470	12.5	570	12.1	670	14.5	770
GR	15.0	870	17.1	970						

See 8-10-64 Summary, 6-1-64

EOF..

3-13 1413

3

12  
11  
10  
9  
8  
7  
6  
5  
4  
3

CHIEF ELECTRONICS INC.