

ET	5				7.1	1169	1369		
X1 68840	14	1400	1435	300	300	300			
GR 688.7	1000	689.0	1100	689.3	1200	689.5	1300	690.2	1400
GR 682.8	1400	680.8	1418	683.0	1425	685.8	1435	690.2	1435
GR 690.5	1500	690.9	1600	691.7	1700	693.9	1800		
SB 0.9	1.5	2.0	0	35	1	211			
ET	5				7.1	1000	1568		
X1 68861	0	0	0	21	21	21			
X2		1	688.6	688.7					
BT 10	1000	688.7	0	1100	689.0	0	1200	689.3	0
BT 1300	689.5	0	1400	690.2	688.6	1435	690.2	688.6	1500
BT 690.5	0	1600	690.9	0	1700	691.7	0	1800	693.9
BT	0						//		
NC 0.055	0.055	0.035	0.1	0.3					
ET	5				7.1	1020	1560		
X1 69161	12	1400	1415	300	300	300			
GR 683.0	1000	683.5	1100	683.8	1200	684.2	1300	685.4	1400
GR 683.0	1402	682.8	1407	683.0	1413	685.4	1415	683.9	1500
GR 693.8	1600	698.6	1665						
QT 5	1720	2800	3720	5200	3720				
ET	5				7.1	1100	1700		
X1 69573	15	1455	1482	412	412	412			
GR 697.8	1000	686.1	1064	685.2	1100	685.4	1200	685.5	1300
GR 687.5	1400	687.4	1455	683.4	1456	683.3	1466	683.9	1476
GR 687.9	1482	687.6	1500	687.5	1600	690.8	1700	695.3	1800
NC 0.025	0.025	0.025	0.1	0.3					
ET	5				-10.4				
X1 69623	15	1399	1420	50	50	50			
GR 696.4	944	684.7	1008	683.8	1044	684.0	1144	685.5	1244
GR 686.1	1344	686.0	1399	681.9	1399	681.9	1420	686.5	1420
GR 686.2	1444	686.1	1544	689.4	1644	693.9	1744	701.3	1800
SB 0.9	1.5	2.5	0	21	.25	166			
X1 69677	0	0	0	54	54	54			
X2		1	689.9	693.8					
BT 12	944	696.4	0	1000	695.3	0	1100	694.4	0
BT 1200	693.9	0	1300	693.8	0	1399	694.1	689.9	1420
BT 694.1	689.9	1500	695.3	0	1600	697.2	0	1700	699.3
BT	0	1750	700.3	0	1800	701.3	0		
NC 0.055	0.055	0.035	0.1	0.3					
ET	5				-5.4				
X1 69727	15	1455	1482	50	50	50			
GR 697.8	1000	686.1	1064	685.2	1100	685.4	1200	685.5	1300
GR 687.5	1400	687.4	1455	683.4	1456	683.3	1466	683.9	1476
GR 687.9	1482	687.6	1500	687.5	1600	690.8	1700	695.3	1800
QT 5	1590	2600	3400	4900	3400				
ET	5				-8.4				
X1 73475	14	1400	1413	3748	3748	3748			
GR 695.5	1000	695.5	1100	695.4	1200	696.9	1300	698.2	1400
GR 692.0	1402	691.1	1407	692.0	1411	697.3	1413	696.2	1500
GR 696.6	1600	695.8	1628	703.4	1700	710.4	1800		

QT	5	2190	3450	4790	6600	4790				
X1	59450	14	1330	1354	2475	2475	2475			
GR	679.2	1000	665.8	1058	665.2	1107	665.3	1200	666.0	1300
GR	667.6	1330	663.4	1331	663.4	1341	663.4	1352	667.5	1354
GR	666.2	1400	666.4	1500	668.9	1600	669.4	1700		
X1611.10					1660	1660	1660		2.7	
QT	5	2150	3450	4500	6400	4500				
X1	62775	11	1038	1060	1665	1665	1665			
GR	686.9	1000	674.7	1030	674.6	1038	669.1	1039	668.8	1047
SR	669.1	1057	674.7	1060	673.3	1100	672.2	1200	671.5	1300
GR	671.3	1400								
X1638.65					1090	1190	1090		1.9	
QT	5	2100	3450	4500	6400	4500				
ET	5					-7.4				
X1	64955	11	1210	1233	1090	1090	1090		-4.4	
GR	682.8	1000	676.7	1100	676.6	1200	676.8	1210	672.9	1215
GR	672.7	1222	672.9	1230	676.8	1233	676.7	1300	676.1	1400
GR	676.7	1500								
NC	0.025	0.025	0.025	0.1	0.3					
ET	5					-10.4				
X1	65030	16	1340	1397	75	75	75			
GR	701.3	1000	695.5	1100	690.5	1200	686.7	1300	687.7	1340
GR	675.7	1340	673.3	1348	670.5	1365	673.6	1388	676.9	1392
GR	677.3	1397	686.3	1397	685.1	1500	685.2	1600	685.1	1700
GR	688.2	1800								
SB	0.9	1.5	2.5	0	29	1.7	550.8	1.3		
X1	65065	0	0	0	35	35	35			
X2			1	683.3	685.1					
BT	10	1000	701.3	0	1100	695.5	0	1200	690.5	0
BT	1300	685.7	0	1340	685.7	682.7	1397	686.3	683.3	1500
BT	685.1	0	1600	685.2	0	1700	685.1	0	1800	688.2
BT	0									
NC	0.055	0.055	0.035	0.1	0.3					
X1	65140	11	1210	1233	75	75	75			
GR	682.8	1000	676.7	1100	676.6	1200	676.8	1210	672.9	1215
GR	672.7	1222	672.9	1230	676.8	1233	676.7	1300	676.1	1400
GR	676.7	1500								
QT	5	1790	2900	3800	5400	3800				
X166.232		0	0	0	1092	1092	1092		3.9	
ET	5					-7.4				
X1	67325	12	1370	1386	1093	1093	1093			
GR	681.3	1000	680.8	1100	680.8	1200	682.1	1300	683.3	1370
GR	680.9	1371	680.5	1375	680.9	1383	683.3	1386	683.3	1400
GR	688.1	1416	697.2	1500						
QT	5	1720	2800	3720	5200	3720				
X1	68540	12	1400	1415	1215	1215	1215		-2.0	
GR	683.0	1000	683.5	1100	683.8	1200	684.2	1300	685.4	1400
GR	683.0	1402	682.8	1407	683.0	1413	685.4	1415	683.9	1500
GR	693.8	1600	698.6	1665						
NC	0.060	0.060	0.040	0.3	0.5					

ET	5	11	1300	1338	3455	3455	-7.4
X1	44950	11	1300	1338	3455	3455	
GR	651.5	1000	650.7	1100	650.5	1200	650.9
GR	644.7	1321	645.3	1336	651.8	1338	661.0
GR	666.2	1500					
QT	5	2900	4750	6100	8700	6100	-10.4
ET	5						
X1	48400	11	1188	1232	3450	3450	3450
GR	669.0	1000	668.7	1100	653.0	1140	654.1
GR	648.6	1211	650.0	1224	655.9	1232	653.2
GR	653.2	1400					
QT	5	2900	4750	6100	8700	6100	835
X1	49235	10	1170	1226	835	1170	649.2
GR	669.9	1000	661.5	1100	660.5	1170	649.2
GR	649.3	1225	654.6	1226	655.1	1256	663.7
NC	0.060	0.060	0.040	0.1	0.3		
X1	49285	12	1454.5	1513.5	50	50	50
GR	694.0	1000	691.5	1274	663.3	1376	662.1
GR	652.0	1462	650.5	1484	652.0	1506	660.5
GR	652.2	1576	688.3	1800			
SB	0.9	1.5	2.5	0	2	0.01	1262
SB	0.9						0.45
X1	49314	0					
X2							
BT	1300	1000	691.3	0	1400	690.5	690.2
BT	690.2	670.5	1484	690.0	680.5	1506	670.5
BT	660.5	1600	689.2	0	1700	688.7	0
NC	0.055	0.055	0.035	0.1	0.3		
X1	49364	10	1170	1226	50	50	50
GR	669.9	1000	661.5	1100	660.5	1170	649.2
GR	649.3	1225	654.6	1226	656.1	1256	663.7
QT	5	2900	4750	6100	8700	6100	835
X1	51730	13	1400	1430	2366	2366	2366
GR	654.7	1000	654.6	1100	655.2	1200	655.5
GR	651.2	1402	651.4	1415	651.5	1428	657.8
GR	655.3	1600	655.8	1700	656.1	1800	656.1
NC	0.060	0.060	0.040	0.1	0.3		
X1	51830	20	1443	1576	100	100	100
GR	683.5	1000	678.7	1100	673.8	1200	670.4
GR	669.0	1443	664.1	1443	664.1	1448	655.4
GR	651.6	1500	651.6	1516	651.6	1527	654.7
GR	664.4	1576	669.0	1576	668.9	1600	668.7
SB	0.9	1.5	2.5	0	23	3	1075.2
SB	0.9						3.3
X1	51865	0					
X2							
BT	10	1000	683.5	0	1100	678.7	0
BT	1300	670.4	0	1400	668.9	0	1443
BT	669.0	665.6	1600	668.8	0	1700	668.7
NC	0.055	0.055	0.035	0.1	0.3		
BT	10	1000	683.5	0	1100	678.7	0
X2							
X1	51865	0					
SB	0.9	1.5	2.5	0	23	3	1075.2
SB	0.9						3.3
GR	664.4	1576	669.0	1576	668.9	1600	668.7
GR	651.6	1500	651.6	1516	651.6	1527	654.7
GR	669.0	1443	664.1	1443	664.1	1448	655.4
GR	683.5	1000	678.7	1100	673.8	1200	670.4
GR	669.9	1462	664.4	1495	656.4	1495	656.4
GR	656.6	1576	669.0	1576	668.9	1600	668.7
X1	51865	0					
X2							
BT	10	1000	683.5	0	1100	678.7	0
BT	1300	670.4	0	1400	668.9	0	1443
BT	669.0	665.6	1600	668.8	0	1700	668.7
NC	0.055	0.055	0.035	0.1	0.3		
BT	10	1000	683.5	0	1100	678.7	0
X2							
X1	51865	0					
SB	0.9	1.5	2.5	0	23	3	1075.2
SB	0.9						3.3
GR	664.4	1576	669.0	1576	668.9	1600	668.7
GR	651.6	1500	651.6	1516	651.6	1527	654.7
GR	669.0	1443	664.1	1443	664.1	1448	655.4
GR	683.5	1000	678.7	1100	673.8	1200	670.4
GR	669.9	1462	664.4	1495	656.4	1495	656.4
GR	656.6	1576	669.0	1576	668.9	1600	668.7
X1	51865	0					
X2							
BT	10	1000	683.5	0	1100	678.7	0
BT	1300	670.4	0	1400	668.9	0	1443
BT	669.0	665.6	1600	668.8	0	1700	668.7
NC	0.055	0.055	0.035	0.1	0.3		
BT	10	1000	683.5	0	1100	678.7	0
X2							
X1	51865	0					
SB	0.9	1.5	2.5	0	23	3	1075.2
SB	0.9						3.3
GR	664.4	1576	669.0	1576	668.9	1600	668.7
GR	651.6	1500	651.6	1516	651.6	1527	654.7
GR	669.0	1443	664.1	1443	664.1	1448	655.4
GR	683.5	1000	678.7	1100	673.8	1200	670.4
GR	669.9	1462	664.4	1495	656.4	1495	656.4
GR	656.6	1576	669.0	1576	668.9	1600	668.7
X1	51865	0					
X2							
BT	10	1000	683.5	0	1100	678.7	0
BT	1300	670.4	0	1400	668.9	0	1443
BT	669.0	665.6	1600	668.8	0	1700	668.7
NC	0.055	0.055	0.035	0.1	0.3		
BT	10	1000	683.5	0	1100	678.7	0
X2							
X1	51865	0					
SB	0.9	1.5	2.5	0	23	3	1075.2
SB	0.9						3.3
GR	664.4	1576	669.0	1576	668.9	1600	668.7
GR	651.6	1500	651.6	1516	651.6	1527	654.7
GR	669.0	1443	664.1	1443	664.1	1448	655.4
GR	683.5	1000	678.7	1100	673.8	1200	670.4
GR	669.9	1462	664.4	1495	656.4	1495	656.4
GR	656.6	1576	669.0	1576	668.9	1600	668.7
X1	51865	0					
X2							
BT	10	1000	683.5	0	1100	678.7	0
BT	1300	670.4	0	1400	668.9	0	1443
BT	669.0	665.6	1600	668.8	0	1700	668.7
NC	0.055	0.055	0.035	0.1	0.3		
BT	10	1000	683.5	0	1100	678.7	0
X2							
X1	51865	0					
SB	0.9	1.5	2.5	0	23	3	1075.2
SB	0.9						3.3
GR	664.4	1576	669.0	1576	668.9	1600	668.7
GR	651.6	1500	651.6	1516	651.6	1527	654.7
GR	669.0	1443	664.1	1443	664.1	1448	655.4
GR	683.5	1000	678.7	1100	673.8	1200	670.4
GR	669.9	1462	664.4	1495	656.4	1495	656.4
GR	656.6	1576	669.0	1576	668.9	1600	668.7
X1	51865	0					
X2							
BT	10	1000	683.5	0	1100	678.7	0
BT	1300	670.4	0	1400	668.9	0	1443
BT	669.0	665.6	1600	668.8	0	1700	668.7
NC	0.055	0.055	0.035	0.1	0.3		
BT	10	1000	683.5	0	1100	678.7	0
X2							
X1	51865	0					
SB	0.9	1.5	2.5	0	23	3	1075.2
SB	0.9						3.3
GR	664.4	1576	669.0	1576	668.9	1600	668.7
GR	651.6	1500	651.6	1516	651.6	1527	654.7
GR	669.0	1443	664.1	1443	664.1	1448	655.4
GR	683.5	1000	678.7	1100	673.8	1200	670.4
GR	669.9	1462	664.4	1495	656.4	1495	656.4
GR	656.6	1576	669.0	1576	668.9	1600	668.7
X1	51865	0					
X2							
BT	10	1000	683.5	0	1100	678.7	0
BT	1300	670.4	0	1400	668.9	0	1443
BT	669.0	665.6	1600	668.8	0	1700	668.7
NC	0.055	0.055	0.035	0.1	0.3		
BT	10	1000	683.5	0	1100	678.7	0
X2							
X1	51865	0					
SB	0.9	1.5	2.5	0	23	3	1075.2
SB	0.9						3.3
GR	664.4	1576	669.0	1576	668.9	1600	668.7
GR	651.6	1500	651.6	1516	651.6	1527	654.7
GR	669.0	1443	664.1	1443	664.1	1448	655.4
GR	683.5	1000	678.7	1100	673.8	1200	670.4
GR	669.9	1462	664.4	1495	656.4	1495	656.4
GR	656.6	1576	669.0	1576	668.9	1600	668.7
X1	51865	0					
X2							
BT	10	1000	683.5	0	1100	678.7	0
BT	1300	670.4	0	1400	668.9	0	1443
BT	669.0	665.6	1600	668.8	0	1700	668.7
NC	0.055	0.055	0.035	0.1	0.3		
BT	10	1000	683.5	0	1100	678.7	0
X2							
X1	51865	0					
SB	0.9	1.5	2.5	0	23	3	1075.2
SB	0.9						3.3
GR	664.4	1576	669.0	1576	668.9	1600	668.7
GR	651.6	1500	651.6	1516	651.6	1527	654.7
GR	669.0	1443	664.1	1443	664.1	1448	655.4
GR	683.5	1000	678.7	1100	673.8	1200	670.4
GR	669.9	1462	664.4	1495	656.4	1495	656.4
GR	656.6	1576	669.0	1576	668.9	1600	668.7
X1	51865	0					
X2							
BT	10	1000	683.5	0	1100	678.7	0
BT	1300	670.4	0	1400	668.9	0	1443
BT	669.0	665.6	1600	668.8	0	1700	668.7
NC	0.055	0.055	0.035	0.1	0.3		
BT	10	1000	683.5	0	1100	678.7	0
X2							
X1	51865	0					
SB							

ET	5					-7.4				
X1	44950	11	1300	1338	3455	3455	3455			
GR	651.6	1000	650.7	1100	650.5	1200	650.9	1300	645.5	1306
GR	644.7	1321	645.3	1336	651.8	1338	661.0	1380	662.8	1400
GR	666.2	1500								
QT	5	2900	4750	6100	8700	6100				
ET	5					-10.4				
X1	48400	11	1188	1232	3450	3450	3450			
GR	669.0	1000	659.7	1100	653.0	1140	654.1	1188	648.6	1194
GP	648.6	1211	650.0	1224	655.9	1232	653.2	1300	654.9	1315
GR	653.2	1400								
QT	5	2900	4750	6100	8700	6100				
X1	49235	10	1170	1226	835	835	835			
GR	669.9	1000	661.5	1100	660.5	1170	649.2	1185	648.8	1205
GR	649.3	1225	654.6	1226	656.1	1256	663.7	1300	669.9	1330
NC	0.060	0.060	0.040	0.1	0.3					
X1	49285	12	1454.5	1513.5	50	50	50			
GR	694.0	1000	691.5	1274	663.3	1376	662.1	1447	660.5	1454.5
GR	652.0	1462	650.5	1484	652.0	1506	660.5	1513.5	660.0	1547
GR	652.2	1576	688.3	1800						
SB	0.9	1.5	2.5	0	2	0.01	1202	0.45		
X1	45314	0	0	0	29	29	29			
X2			1	680.5	688.3					
BT	13	1000	694.0	0	1100	693.0	0	1200	692.1	0
BT	1300	691.3	0	1400	690.5	0	1454.5	690.2	660.5	1462
BT	690.2	670.5	1484	690.0	680.5	1506	690.0	670.5	1513.5	689.7
BT	660.5	1600	689.2	0	1700	688.7	0	1800	688.3	0
NC	0.055	0.055	0.035	0.1	0.3					
X1	49364	10	1170	1226	50	50			3.4	
GR	669.9	1000	661.5	1100	660.5	1170	649.2	1185	648.8	1205
GR	649.3	1225	654.6	1226	656.1	1256	663.7	1300	669.9	1330
QT	5	2900	4750	6100	8700	6100				
X1	51730	13	1400	1430	2366	2366	2366			
GR	654.7	1000	654.6	1100	655.2	1200	655.5	1300	656.9	1400
GR	651.2	1402	651.4	1415	651.5	1428	657.8	1430	654.5	1500
GR	655.3	1600	655.8	1700	656.1	1800				
NC	0.060	0.060	0.040	0.1	0.3					
X1	51830	20	1443	1576	100	100	100			
GR	683.5	1000	678.7	1100	673.8	1200	670.4	1300	668.9	1400
CP	669.0	1443	664.1	1443	664.1	1448	655.4	1462	656.4	1495
GP	651.6	1500	651.6	1516	651.6	1527	654.7	1529	656.4	1559
GR	664.4	1576	669.0	1576	668.8	1600	668.7	1700	669.3	1800
CP	0.9	1.5	2.5	0	23	3	1075.2	3.3		
X1	51865	0	0	0	35	35	35			
X2			1	665.6	668.7					
BT	10	1000	683.5	0	1100	678.7	0	1200	673.8	0
BT	1300	679.4	0	1400	668.9	0	1443	669.0	665.6	1576
BT	669.0	665.6	1600	668.8	0	1700	668.7	0	1800	669.3
BT	0									
NC	0.055	0.055	0.035	0.1	0.3					

ET	5					-7.4				
X1	35555	13	1272	1322	4169	4169	4169	0.220		
GR	643.4	1000	646.0	1100	642.5	1200	635.4	1272	631.3	1276
GR	629.6	1298	630.7	1320	634.0	1322	636.3	1400	637.3	1429
GR	642.6	1450	642.8	1500	647.4	1550				
NC	0.060	0.060	0.040	0.1	0.3					
ET	5					-10.4				
X1	35585	16	1400	1506	30	30	30			
GR	639.1	1900	638.2	1100	638.9	1200	640.1	1300	643.7	1400
GR	635.1	1400	635.1	1406	631.1	1409	627.1	1424	633.5	1450
GP	635.1	1452	639.1	1506	643.7	1506	645.1	1600	650.0	1700
GR	655.4	1800								
SB	0.9	1.5	2.5	0	30	1	996.8	2.9		
X1	35614	0	0	0	29	29	29			
X2			1	641.8						
BT	9	1000	639.1		1100	639.2		1200	638.5	
BT	1300	640.1		1400	643.7	641.8	1506	643.7	641.8	1600
BT	645.1		1700	650.0		1800	655.4			
NC	0.055	0.055	0.035	0.1	0.3					
ET	5					-7.4				
X1	35644	13	1272	1322	30	30	30			
GR	643.4	1000	646.0	1100	642.5	1200	635.4	1272	631.3	1276
GR	629.6	1298	630.7	1320	634.0	1322	636.3	1400	637.3	1429
GR	642.6	1450	642.8	1500	647.4	1550				
QT	5	3000	5000	6500	9000	6500				
X1	38900	12	1350	1394	3256	3256	3256			
GR	641.8	1000	640.0	1100	639.3	1200	641.3	1300	640.8	1350
GR	634.5	1351	631.2	1371	634.4	1390	641.1	1394	640.7	1414
GR	647.9	1425	651.1	1452						
QT	5	3000	5000	6400	9000	6400				
ET	5					-10.4				
X1	41405	10	1030	1075	2505	2505	2505		-0.2	
GR	657.0	1000	641.2	1030	634.8	1036	634.3	1053	634.8	1071
GR	640.4	1075	649.0	1093	650.0	1100	652.4	1170	655.8	1180
NC	0.060	0.060	0.040	0.1	0.3					
X1	41440	15	1401	1520	35	35	35			
GR	667.2	1000	664.3	1100	661.6	1200	658.9	1300	656.7	1401
GR	640.6	1401	637.4	1424	634.4	1440	635.5	1462	643.0	1464
GR	651.4	1520	656.7	1520	657.0	1600	656.5	1700	657.2	1800
SB	0.9	1.5	2.5	0	70	1	1645	1.5		
X1	41460	0	0	0	20	20	20			
X2			1	651.4	656.5					
BT	9	1000	667.2	0	1100	664.8	0	1200	661.6	0
BT	1300	658.9	0	1401	656.7	649.6	1520	656.7	651.4	1600
BT	657.0	0	1700	656.5	0	1800	657.2	0		
NC	0.055	0.055	0.035	0.1	0.3					
X1	41495	10	1030	1075	35	35	35			
GR	657.0	1000	641.2	1030	634.8	1036	634.3	1053	634.8	1071
GR	640.4	1075	649.0	1093	650.0	1100	652.4	1170	655.8	1180
QT	5	2975	4900	6300	8950	6300				

ET	5	0	0	0	0	-10.4	23810	23810	1183	-2.2	1195
X1	23810	13	1183	1248	23810	23810	621.7	621.7	1300	619.3	1400
GR	635.3	1000	622.1	1083	619.6	1100	623.3	623.3	1300	624.3	1400
GR	618.4	1215	617.9	1233	622.9	1248	1700	1700			
GR	626.8	1500	629.5	1600	630.9	1700					
NC	0.060	0.060	0.040	0.1	0.3						
X1	23910	16	1270	1406	100	100					
GR	647.9	1000	639.8	1100	634.4	1200	632.9	632.9	1270	626.3	1270
GR	626.3	1288	619.9	1300	617.3	1326	619.3	619.3	1362	624.3	1367
GR	625.3	1406	632.9	1406	632.2	1500	631.6	631.6	1600	630.4	1700
GR	631.2	1800									
SB	0.9	1.5	2.5	0	70	1	1453.3	1453.3	2.9		
X1	23939	0	0	0	29	29					
X2			1	630.7	630.7	639.8			1200	634.4	1600
BT	9	1000	647.9	1406	632.9	630.7	1500	632.2			
BT	1270	632.9	630.7	630.7		1800	631.2				
BT	631.6		1700								
NC	0.055	0.055	0.035	0.1	0.3						
X1	24039	13	1183	1248	100	100					
GR	635.3	1000	622.1	1083	619.6	1100	621.7	621.7	1183	619.3	1195
GR	618.4	1215	617.9	1233	622.9	1248	623.3	623.3	1300	624.3	1400
GR	626.8	1500	629.5	1600	630.9	1700					
QT	5	3150	5400	7000	9800	7000					
X1	26650	12	1133	1170	2611	2611	2611	2611			
GR	640.1	1000	631.4	1066	628.9	1100	625.2	625.2	1133	620.0	1135
GR	615.8	1147	620.0	1159	625.2	1170	625.4	625.4	1200	625.5	1300
GR	626.1	1400	641.2	1460							
QT	5	3100	5150	6900	9600	6900					
X1	31270	15	1395	1432	4620	4620	4620	4620			
GR	642.0	1000	639.0	1100	638.2	1200	637.2	637.2	1300	636.5	1340
GR	629.1	1359	629.0	1395	626.0	1398	624.8	624.8	1413	625.7	1428
GR	629.2	1432	629.2	1500	631.9	1600	635.4	635.4	1700	634.1	1800
NC	0.060	0.060	0.040	0.1	0.3						
X1	31320	15	1401	1439	50	50					
GR	641.5	1000	636.2	1100	637.2	1200	635.0	635.0	1300	630.4	1401
GR	629.2	1401	625.4	1406	625.4	1418	624.8	624.8	1430	629.2	1439
GR	630.4	1439	630.2	1500	631.2	1600	634.4	634.4	1700	635.7	1800
SB	0.9	1.5	2.5	0	39	0.01	107	107			
X1	31336	0	0	0	16	16					
X2			1	629.2	0	0					
BT	10	1000	641.5	0	1100	636.2	0	0	1200	637.2	0
BT	1307	635.0	0	1401	630.4	629.2	1439	1439	630.4	629.2	1500
BT	630.2	0	1600	631.2	0	1700	634.4	634.4	0	1800	635.7
BT	0										
NC	0.055	0.055	0.035	0.1	0.3						
X1	31346	15	1395	1432	50	50					
GR	642.0	1000	639.0	1100	638.2	1200	637.2	637.2	1300	636.5	1340
GR	629.1	1359	629.0	1395	626.0	1398	624.8	624.8	1413	625.7	1428
GR	629.2	1432	629.2	1500	631.9	1600	635.4	635.4	1700	634.1	1800
QT	5	3100	5150	6900	9600	6900					

BT	0									
NC	0.055	0.055	0.035	0.1	0.3					
X1	41470	11	1062	1101	50	50	50	1.7		
GR	744.8	1000	729.2	1048	728.6	1062	722.6	1070	720.5	1086
GR	722.4	1056	728.6	1101	729.8	1130	740.0	1174	742.8	1200
GR	744.7	1230								
X1	41520	0	0	0	50	50	50	0.5		
QT	5	1200	2000	2400	3320	2400				
X1	43090	11	1152	1180	1570	1570	1570	-0.4		
GR	754.6	1000	744.2	1100	739.3	1152	735.7	1159	734.6	1168
GR	735.5	1177	738.3	1180	739.5	1195	746.1	1200	750.0	1300
GR	754.5	1364								
X1	43140	0	0	0	50	50	50	0.4		
EJ										
T1	THOMASVILLE-DAVIDSON CO. STRM 21-1T HANBY CREEK									
T2	FLOODPLAIN STUDY AT ROWAN & DAVIDSON COUNTIES M-G JOB NO. 6918									
T3	100 YEAR FLOODWAY									
J1	-10	6								647.48
J2	15		-1							
EJ										

ER
 //RMAK1 JOB RTI.A25.P03078.MAK.M=1.T=2.P=200.PRT=1
 //*PROCLIB=RTI.MG.PROCLIB
 // EXEC HEC2
 //SYSIN DD *

C	11									
C	23939	RDNO	JERSEY CH. RD.	MXLCEL	630.7			RDELV	632.8	
C	31336	RDNO	FARM ROAD	MXLCEL	629.2			RDELV	630.4	
C	35614	RDNO	NCSR 1130	MXLCEL	641.8			RDELV	643.7	
C	41460	RDNO	NCSR 1130	MXLCEL	651.4			RDELV	656.7	
C	49314	RDNO	SOUTHERN RR	MXLCEL	680.5			RDELV	690.0	
C	51865	RDNO	NBL I-85	MXLCEL	665.6			RDELV	669.0	
C	52085	RDNO	SRL I-85	MXLCEL	665.8			RDELV	667.4	
C	54160	RDNO	OLD US 29	MXLCEL	670.1			RDELV	674.0	
C	65065	RDNO	OLD 64	MXLCEL	683.3			RDELV	686.3	
C	68861	RDNO	NCSR 1231	MXLCEL	688.6			RDELV	690.2	
C	69677	RDNO	RT 64	MXLCEL	689.9			RDELV	694.1	
T1	DAVIDSON COUNTY BASIN C STREAM 1 SWEARING CREEK									
T2	FLOODPLAIN STUDY AT ROWAN & DAVIDSON COUNTIES M-G JOB NO. 6918									
T3	100 YEAR FLOOD WATER SURFACE PROFILE									
J1	-1	4								626.67
J2	0		-1							
J3	38	39	40	41	43	42	1	2	26	53
J5	54	25	50	0	200					
NC	0.055	0.055	0.035	0.1	0.3					
QT	5	3600	5800	7500	10500	7500				