



GR	641	1000	636.3	1018	633.2	1027	632.5	1050	631.8	1074
GR	631.4	1100	630.5	1150	630.1	1174	629.7	1200	629.1	1241.4
GR	629.1	1241.5	625.9	1242.8	624.6	1246	625.9	1249.2	629.1	1250.5
GR	628.9	1256.5	625.7	1257.0	624.4	1261	625.7	1264.2	628.9	1265.5
GR	628.9	1265.6	630.4	1277	636.1	1300	638.4	1350	641	1385
NC	.08	.10	.045							
X1	1075	0			1	1	1		0.01	
X1	1100	12	1275	1303	25.0	25.0	25.0		-0.06	
GR	633.6	1000	636.4	1044	633.3	1053	631.9	1100	630.2	1200
GR	630.5	1275	625.1	1279	624.5	1287	625.1	1293	630.5	1303
GR	636.6	1316	631.1	1344						
ET	5					7.1	1178	1308		
X1	1125	0			25.0	25.0	25.0		0.06	
NC	.09	.09	.05							
ET	5					7.1	996.33	1129.34		
X1	2.51	11	1069	1097	1385	1385	1385			
GR	645	900	639	1000	638	1069	634.2	1073	633.3	1078
GR	633	1087	634.2	1096	638	1097	640	1150	642	1200
GR	645	1250								
ET	5					-10.4				
X1	3.90	11	1069	1097	1390	1390	1390			
GR	649	900	647	1000	646.4	1069	642.6	1073	641.7	1078
GR	641.4	1087	642.6	1096	646.4	1097	648	1150	652	1200
GR	660	1250								
ET	5					7.1	1048.82	1115.78		
X1	5290	12	1069	1097	4165	4165	4165			
GR	667.4	1000	659.8	1049	656.7	1059	654.8	1069	651	1073
GR	650.1	1078	649.8	1087	651	1096	654.8	1097	656.1	1102
GR	660.7	1119	666.4	1152						
NC	.077	.062	.06							
QT	5	700	1230	1480	2080	1480				
ET	5					7.1	1070.88	1124.60		
X1	6879	13	1084	1109	1589	1589	1589		0.00	
GR	683.9	1000	682	1042	677.8	1059	672.5	1073	670.9	1084
GR	669.1	1087	667.2	1095	669.1	1108	671.1	1109	672	1120
GR	680.5	1150	681.3	1168	685.9	1184				
ET	5					7.1	1070.84	1124.64		
X1	6904	0			25.0	25.0	25.0		1.04	
ET	5					-10.4				
X1	6929	16	1166	1196.3	25.0	25.0	25.0		0.00	
GR	687.4	1000	685.1	1050	683.1	1100	681.7	1150	673.4	1166
GR	673.4	1166.1	670	1173	669.4	1181.2	669.3	1182.3	670.3	1192.3
GR	672.5	1196.3	681.4	1196.4	681.5	1200	682.5	1250	684.7	1300
GR	687.4	1347.5								
NC	.06	.06	.05							
X1	6930	0			1	1	1		0.00	
BT	13	1000	687.4	0	1050	685.1	0	1100	683.1	0
BT	1150	681.7	0	1166	681.6	673.4	1166.1	681.6	679.6	1181.2
BT	681.4	679.4	1196.3	681.4	679.4	1196.4	681.4	0	1200	681.5
BT	0	1250	682.5	0	1300	684.7	0	1347.5	687.4	0

X1	6949	16	1166	1196.3	19.3	19.3	19.3		0		
BT	13	1000	687.4	0	1050	685.1	0	1100	683.1	0	
BT	1150	681.7	0	1166	681.6	673.4	1166.1	681.6	679.6	1181.2	
BT	681.4	679.4	1196.3	681.4	679.4	1196.4	681.4	0	1200	681.5	
BT	0	1250	682.5	0	1300	684.7	0	1347.5	687.4	0	
GR	687.4	1000	685.1	1050	683.1	1100	681.7	1150	673.4	1166	
GR	673.4	1166.1	670	1173	669.4	1181.2	669.3	1182.3	670.3	1192.3	
GR	672.5	1196.3	681.4	1196.4	681.5	1200	682.5	1250	684.7	1300	
GR	687.4	1347.5									
NC	.105	.09	.05								
X1	6950	0		1	1	1			0.00		
ET	5				7.1	1067.52	1129.09				
X1	6975	13	1084	1109	25.0	25.0	25.0		1.82		
GR	683.9	1000	682	1042	677.8	1059	672.5	1073	670.9	1084	
GR	669.1	1087	667.2	1095	669.1	1108	671.1	1109	672	1120	
GR	680.5	1150	681.3	1168	685.9	1184					
ET	5				-10.4						
X1	7000	0			25.0	25.0	25.0		-0.26		
NC	.07	.08	.04								
X1	7575	20	1160	1190	575.0	575.0	575.0		0.00		
GR	684.3	1000	682.8	1021	678.5	1027	677.3	1050	676.4	1100	
GR	676.3	1138	675.0	1145	674.6	1160	672.8	1165	672.4	1168	
GR	669.8	1172	668.8	1185	669.5	1186	672.8	1188	676.6	1190	
GR	677	1200	677	1250	679	1300	683.3	1350	684.6	1363	
X1	7600	0			25.0	25.0	25.0		1.08		
X1	7625	18	1216.5	1223.5	25.0	25.0	25.0		0.00		
GR	686.6	1000	685.4	1050	680.4	1100	676.5	1150	676.3	1165	
GR	677.3	1200	674.9	1200	674.5	1203	674.4	1216.5	672	1217.5	
GR	670.9	1220	672	1222.5	674.4	1223.5	680.1	1250	682.6	1268	
GR	683.3	1300	684	1333	686.1	1350					
X1	7626	0			1	1	1		0.00		
BT	16	1000	686.6	0	1050	685.4	0	1100	680.4	0	
BT	1150	676.5	0	1165	676.3	0	1200	677.3	0	1216.5	
BT	678.2	674.4	1217.5	678.3	676.9	1220	678.4	677.9	1222.5	678.6	
BT	676.9	1223.5	678.6	674.4	1250	680.1	0	1268	682.6	0	
BT	1300	683.3	0	1333	684	0	1350	686.1	0		
X1	7638	18	1216.5	1223.5	12.0	12.0	12.0		0.00		
BT	16	1000	686.6	0	1050	685.4	0	1100	680.4	0	
BT	1150	676.5	0	1165	676.3	0	1200	677.3	0	1216.5	
BT	678.2	674.4	1217.5	678.3	676.9	1220	678.4	677.9	1222.5	678.6	
BT	676.9	1223.5	678.6	674.4	1250	680.1	0	1268	682.6	0	
BT	1300	683.3	0	1333	684	0	1350	686.1	0		
GR	686.6	1000	685.4	1050	680.4	1100	676.5	1150	676.3	1165	
GR	677.3	1200	674.9	1200	674.5	1203	674.4	1216.5	672	1217.5	
GR	670.9	1220	672	1222.5	674.4	1223.5	680.1	1250	682.6	1268	
GR	683.3	1300	684	1333	686.1	1350					
X1	7639	0			1	1	1		0.00		
ET	5				7.1	1125	1205				
X1	7664	20	1160	1190	25.0	25.0	25.0		2.37		
GR	684.3	1000	682.8	1021	678.5	1027	677.3	1050	676.4	1100	

GR	676.3	1138	675	1145	674.6	1160	672.8	1165	672.4	1168
GR	669.8	1172	668.8	1185	669.5	1186	672.8	1188	676.6	1190
GR	677	1200	677	1250	679	1300	683.3	1350	684.6	1363
ET	5					7.1	1100	1220		
X1	7689	0			25.0	25.0	25.0		0.22	
NH	5	.06	1100	.035	1184	.04	1208	.035	1270	.08
NH	1330									
ET	5					7.1	1090	1255		
X1	7844	17	1184	1208	155.0	155.0	155.0		0.00	
GR	681.5	1000	684	1050	681.7	1073	676.9	1089	676.6	1100
GR	677.2	1150	675	1184	673.9	1187	673.4	1188	673.2	1191
GR	672.7	1201	673.9	1207	676.1	1208	677.7	1246	683.4	1270
GR	684.4	1300	679.7	1330						
ET	5					7.1	1095	1250		
X1	7867	0			23.5	23.5	23.5		0.32	
ET	5					7.1	1095	1250		
X1	7891	21	1153	1185	23.5	23.5	23.5		0.00	
GR	689.9	1000	684.4	1050	680.6	1092	679.3	1100	677.3	1116
GR	677.8	1152.9	676.4	1153	674	1160.7	672.1	1167.3	672.6	1169.0
GR	674.1	1173.4	676.5	1173.4	676.5	1174.4	674.1	1174.4	676.5	1185
GR	677.9	1185.1	677.5	1200	677.2	1250.0	680.6	1300.0	687.2	1350
GR	689.9	1362								
ET	5					7.1	1095	1250		
X1	7892	0			1	1	1		0.00	
BT	15	1000	689.9	0	1050	684.4	0	1092	680.6	0
BT	1100	679.3	0	1116	677.3	0	1152.9	677.8	0	1153.0
BT	677.8	676.4	1169.0	677.9	676.5	1185.0	677.9	676.5	1185.1	677.9
BT	0	1200.0	677.5	0	1250.0	677.2	0	1300.0	680.6	0
BT	1350.0	687.2	0.0	1362.0	689.9	0.0				
ET	5					7.1	1095	1250		
X1	7896	21	1153	1185	4.1	4.1	4.1		0.00	
BT	15	1000	689.9	0	1050	684.4	0	1092	680.6	0
BT	1100	679.3	0	1116	677.3	0	1152.9	677.8	0	1153.0
BT	677.8	676.4	1169	677.9	676.5	1185	677.9	676.5	1185.1	677.9
BT	0	1200.0	677.5	0	1250.0	677.2	0	1300.0	680.6	0
BT	1350.0	687.2	0	1362.0	689.9	0				
GR	689.9	1000	684.4	1050	680.6	1092	679.3	1100	677.3	1116
GR	677.8	1152.9	676.4	1153	674.0	1160.7	672.1	1167.3	672.6	1169.0
GR	674.1	1173.4	676.5	1173.4	676.5	1174.4	674.1	1174.4	676.5	1185.0
GR	677.9	1185.1	677.5	1200.0	677.2	1250.0	680.6	1300.0	687.2	1350.0
GR	689.9	1362.0								
ET	5					7.1	1095	1250		
X1	7897	0			1	1	1		0.00	
ET	5					7.1	1095	1250		
X1	7921	17	1184	1208	23.5	23.5	23.5		-0.32	
GR	681.5	1000	684	1050	681.7	1073	676.9	1089	676.6	1100
GR	677.2	1150	675.0	1184	673.9	1187	673.4	1188	673.2	1191
GR	672.7	1201	673.9	1207	676.1	1208	677.7	1246	683.4	1270
GR	684.4	1300	679.7	1330						
ET	5					7.1	1090	1255		

X1	7944	0		23.5	23.5	23.5		0.32		
NC	.11	.11	.065							
QT	5	660	1170	1410	1970	1410				
ET	5					-10.4				
X1	8.87	15	1232	1258	926	926	926			
GR	682	1000	680	1050	679.8	1100	679.5	1150	679.3	1200
GR	679	1232	678.7	1235	678.2	1237	678.6	1243	678.7	1253
GR	679	1258	679.4	1300	681	1350	682	1367	688	1400
ET	5					7.1	1215	1300		
X1	9790	15	1232	1258	1846	1846	1846			
GR	702.7	1000	698.8	1050	696.6	1100	693.9	1150	691.2	1210
GR	686.8	1232	683.8	1235	683.3	1237	683.7	1243	683.8	1253
GR	689.1	1258	689.5	1300	690.6	1350	691.6	1367	699.9	1400
NC	.06	.09	.045							
ET	5					7.1	1075	1160		
X1	10455	13	1088	1105	665.0	665.0	665.0		0.00	
GR	703.3	1000	697	1042	695.8	1071	694.6	1086	693.8	1088
GR	690.5	1092	688.8	1094	688	1096	690.5	1104	692.8	1105
GR	694.3	1150	695.5	1188	703.3	1226				
ET	5					-10.4				
X1	10479	0			23.5	23.5	23.5		0.23	
X1	10502	17	1169.6	1190	23.5	23.5	23.5		0.00	
GR	705.7	1000	702.9	1050	698.1	1100	696.9	1150	694.9	1168
GR	693.0	1169.6	688.5	1175.6	689.9	1180.5	691.6	1186.1	692.7	1188.5
GR	693.2	1190	694.5	1192.5	694.5	1200	694.5	1250	695.7	1271
GR	701.6	1300	705.9	1319						
X1	10503	0			1	1	1		0.00	
BT	14	1000	705.7	0	1050	702.9	0	1100	698.1	0
BT	1150	696.9	0	1168	694.9	0	1169.6	694.8	693.6	1180.5
BT	694.6	693.4	1190	694.5	693.2	1192.5	694.5	0	1200	694.5
BT	0	1250	694.5	0	1271	695.7	0	1300	701.6	0
BT	1319	705.9	0							
X1	10507	17	1169.6	1190	4	4	4		0.00	
BT	14	1000	705.7	0	1050	702.9	0	1100	698.1	0
BT	1150	696.9	0	1168	694.9	0	1169.6	694.8	693.6	1180.5
BT	694.6	693.4	1190	694.5	693.2	1192.5	694.5	0	1200	694.5
BT	0	1250	694.5	0	1271	695.7	0	1300	701.6	0
BT	1319	705.9	0							
GR	705.7	1000	702.9	1050	698.1	1100	696.9	1150	694.9	1168
GR	693	1169.6	688.5	1175.6	689.9	1180.5	691.6	1186.1	692.7	1188.5
GR	693.2	1190	694.5	1192.5	694.5	1200	694.5	1250	695.7	1271
GR	701.6	1300	705.9	1319						
X1	10508	0			1	1	1		0.00	
ET	5					-8.4				
X1	10532	13	1088	1105	23.5	23.5	23.5		0.56	
GR	703.3	1000	697	1042	695.8	1071	694.6	1086	693.8	1088
GR	690.5	1092	688.8	1094	688	1096	690.5	1104	692.8	1105
GR	694.3	1150	695.5	1188	703.3	1226				
X1	10555	0			23.5	23.5	23.5		0.10	
NC	.06	.1	.045							

X1 10882	15	1259	1294	327.0	327.0	327.0		0.00	
GR 708.9	1000	704.7	1050	701.9	1100	699.5	1150	699.2	1200
GR 699.6	1259	695.1	1263	693.7	1267	694.2	1272	695.1	1276
GR 696.9	1280	697.9	1288	700.4	1294	700.9	1300	708.9	1345
X1 10907	0			25.0	25.0	25.0		0.89	
X1 10932	18	1288	1294	25.0	25.0	25.0		0.00	
GR 709.5	1000	706.1	1050	703	1100	700.7	1150	700.1	1200
GR 702.3	1250	698.5	1288	696.4	1288.9	695.5	1291	696.4	1293.1
GR 698.5	1294	698.6	1300	698.7	1304	699.7	1312	702.2	1318
GR 702.7	1324	704.7	1356	709.5	1373				
X1 10933	0			1	1	1		0.00	
BT 14	1000	709.5	0	1050	706.1	0	1100	703	0.0
BT 1150	700.7	0	1200	700.1	0	1250	702.3	0	1288
BT 702.6	698.5	1288.9	702.6	700.6	1291	702.6	701.5	1293.1	702.7
BT 700.6	1294	702.7	698.5	1300	702.7	0	1356	704.7	0
BT 1373	709.5	0							
X1 10949	18	1288	1294	16.0	16.0	16.0		-0.00	
BT 14	1000	709.5	0	1050	706.1	0	1100	703	0
BT 1150	700.7	0	1200	700.1	0	1250	702.3	0	1288
BT 702.6	698.5	1288.9	702.6	700.6	1291	702.6	701.5	1293.1	702.7
BT 700.6	1294	702.7	698.5	1300	702.7	0	1356	704.7	0
BT 1373	709.5	0							
GR 709.5	1000	706.1	1050	703	1100	700.7	1150	700.1	1200
GR 702.3	1250	698.5	1288	696.4	1288.9	695.5	1291	696.4	1293.1
GR 698.5	1294	698.6	1300	698.7	1304	699.7	1312	702.2	1318
GR 702.7	1324	704.7	1356	709.5	1373				
X1 10950	0			1	1	1		0.00	
ET 5					-7.4				
X1 11000	15	1261	1274	50.0	50.0	50.0		0.00	
GR 709.2	1000	705.4	1050	702.9	1100	700.7	1150	700.7	1200
GR 700.6	1250	699.9	1261	696.3	1267	694.2	1268.5	696.3	1271
GR 698.2	1274	698.9	1285	703.7	1300	706	1349	709.2	1363
X1 11024	0			24	24	24		1.33	
X1 11048	20	1328.8	1344.9	24	24	24		0.00	
GR 711.3	1000	709.7	1050	706.5	1100	704.1	1150	701.8	1200
GR 700.6	1250	700.1	1300	700.7	1319.9	699.4	1320.0	699.1	1328.8
GR 697.5	1329.8	696.8	1334.0	696.8	1334.1	697.6	1337.9	698.4	1344.9
GR 700.0	1348.0	701.5	1348.1	703.6	1373.0	703.9	1400.0	711.3	1432.0
X1 11049	0			1	1	1		0.00	
BT 16	1000	711.3	0	1050	709.7	0	1100	706.5	0
BT 1150	704.1	0	1200	701.8	0	1250	700.6	0	1300
BT 700.1	0	1319.9	700.7	0	1320	700.7	699.4	1334.0	700.8
BT 699.4	1344.9	701.4	699.9	1348	701.5	700	1348.1	701.5	0.0
BT 1373	703.6	0	1400	703.9	0	1432	711.3	0.0	
X1 11051	20	1328.8	1344.9	1.8	1.8	1.8		0.00	
BT 16	1000	711.3	0	1050	709.7	0	1100	706.5	0
BT 1150	704.1	0	1200	701.8	0	1250	700.6	0	1300
BT 700.1	0	1319.9	700.7	0	1320.0	700.7	699.4	1334	700.8
BT 699.4	1344.9	701.4	699.9	1348	701.5	700.0	1348.1	701.5	0.0
BT 1373	703.6	0	1400	703.9	0	1432	711.3	0	

GR 711.3	1000	709.7	1050	706.5	1100	704.1	1150	701.6	1200
GR 700.6	1250	700.1	1300	700.7	1319.9	699.4	1320	699.1	1328.8
GR 697.5	1329.8	696.8	1334.0	696.8	1334.1	697.6	1337.9	698.4	1344.9
GR 700.0	1348.0	701.5	1348.1	703.6	1373.0	703.9	1400.0	711.3	1432.0
X1 11052	0			1.0	1.0	1.0		0.00	
ET 5					-2.4				
X1 11100	13	1576	1611	48.0	48.0	48.0		0.00	
GR 710.2	1000	710.9	1100	706.7	1200	705.8	1300	703.4	1400
GR 701.1	1500	700.3	1576	696.7	1589	695.8	1591	696.7	1600
GR 705.4	1611	708.2	1676	711.4	1739				
X1 11148	17	1516	1538	48.0	48.0	48.0		0.00	
GR 710.3	1000	711.2	1100	707.2	1200	704.5	1300	702.5	1400
GR 702	1500	702.0	1515	701.1	1516	698.4	1517	696.3	1526.2
GR 696.5	1527	698.3	1533.7	701.1	1538	702.0	1539	703.9	1547
GR 704.8	1600	711.2	1638						
X1 11149	0			1.0	1.0	1.0		0.00	
BT 14	1000	710.3	0	1100	711.2	0	1200	707.2	0
BT 1300	704.5	0	1400	702.5	0	1500	702	0	1515
BT 702	0	1516	702	701.1	1527	702	701.1	1538	702
BT 701.1	1539	702	0	1547	703.9	0	1600	704.8	0
BT 1638	711.2	0							
X1 11151	17	1516	1538	1.5	1.5	1.5		0.00	
BT 14	1000	710.3	0	1100	711.2	0	1200	707.2	0
BT 1300	704.5	0	1400	702.5	0	1500	702	0.0	1515
BT 702	0	1516	702	701.1	1527	702.0	701.1	1538	702.0
BT 701.1	1539	702	0.0	1547	703.9	0	1600	704.8	0
BT 1638	711.2	0							
GR 710.3	1000	711.2	1100	707.2	1200	704.5	1300	702.5	1400
GR 702	1500	702	1515	701.1	1516	698.4	1517	696.3	1526.2
GR 696.5	1527	698.3	1533.7	701.1	1538	702	1539	703.9	1547
GR 704.8	1600	711.2	1638						
X1 11152	0			1	1	1		0.00	
X1 11176	13	1576	1611	24.1	24.1	24.1		0.74	
GR 710.2	1000	710.9	1100	706.7	1200	705.8	1300	703.4	1400
GR 701.1	1500	700.3	1576	696.7	1589	695.8	1591	696.7	1600
GR 705.4	1611	708.2	1676	711.4	1739				
X1 11200	0			24.1	24.1	24.1		0.20	
NC .11	.11	.065							
QT 5	600	1040	1260	1760	1260				
ET 5					7.1	1156.16	1198.56		
X1 12941	14	1158	1189	1741	1741	1741		0.00	
GR 726.3	1000	716.8	1050	713.1	1100	712.7	1150	712.4	1158
GR 708.3	1166	707.2	1176	707.8	1184	711.6	1189	712.6	1200
GR 713.3	1250	714.7	1300	717.2	1324	726.3	1341		
ET 5					7.1	1157.93	1197.83		
X1 12975	0			34.0	34.0	34.0		2.47	
NC .06	.06	.025							
ET 5					-10.4				
X1 13008	27	1249	1251	33.0	33.0	33.0		0.00	
GR 728.4	1000	723.7	1031	723.0	1100	723.2	1108	721.8	1124

GR 721.2	1131	710.1	1174	717.9	1200	717.7	1224	717.4	1232
GR 713.3	1240	713.2	1249	712.5	1249.3	712.2	1250	712.5	1250.7
GR 713.2	1251	716.6	1263	717.6	1274	717.9	1300	718.3	1324
GR 719.0	1350	719.7	1374	722.2	1398	726.9	1400	727.0	1450
GR 727.0	1462	731	1472						
SB 0.0	4.2	2.5	0	2.0	0.0	3.14		713.3	712.2
X1 13092	27	1249	1251	84.0	84.0	84.0		-0.01	
X2		1	715.3	723.0					
BT 17	1000	728.4	0	1031	723.7	0	1100	723.0	0.0
BT 1108.0	723.2	0.0	1131	726.7	0.0	1200	726.7	0.0	1249
BT 727.3	714.3	1249.3	727.3	715	1250	727.3	715.3	1250.7	727.3
BT 715.0	1251	727.3	714.3	1300	727.2	0.0	1350	726.7	0.0
BT 1400	726.9	0.0	1450	727	0.0	1462	727.0	0.0	1472
BT 731.0	0								
GR 728.4	1000	723.7	1031	723	1100	723.2	1108	722.9	1124
GR 722.4	1131	719.2	1174	719.0	1200	718.8	1224	718.5	1232
GR 714.4	1240	714.3	1249	713.6	1249.3	713.3	1250	713.6	1250.7
GR 714.3	1251	717.7	1263	718.7	1274	719.1	1300	719.4	1324
GR 720.1	1350	720.8	1374	723.3	1398	726.9	1400	727.0	1450
GR 727.0	1462	731.0	1472						
X1 13122	14	1158	1189	30.0	30.0	30.0		6.17	
GR 726.3	1000	716.8	1050	713.1	1100	712.7	1150	712.4	1158
GR 708.3	1166	707.2	1176	707.8	1184	711.6	1189	712.6	1200
GR 713.3	1250	714.7	1300	717.2	1324	726.3	1341		
ET 5					7.1	1110	1245		
X1 13150	0			28.0	28.0	28.0		0.10	
NC .06	.06	.06							
ET 5					7.1	1205	1330		
X1 14071	16	1262	1297	921.0	921.0	921.0		-0.61	
GR 734.6	1000	730.0	1050	726.1	1100	724.9	1150	726.1	1200
GR 722.9	1262	720.1	1264	717.6	1270	717.2	1280	718.8	1293
GR 723	1297	723.2	1300	724.4	1350	724.5	1400	725.9	1450
GR 734.6	1500								
ET 5					10.4				
X1 14083	0			12.0	12.0	12.0		0.15	
X1 14096	26	1323.5	1346.8	13.0	13.0	13.0		0.00	
GR 733.8	1000	728.7	1100	724.3	1200	723.1	1300	723.4	1323
GR 721.1	1323.4	720.5	1323.5	719.9	1324	719.8	1326.6	722.4	1326.6
GR 722.4	1327.4	719.8	1327.4	716.9	1332	717.2	1335.3	717.5	1338
GR 719.8	1340.6	722.5	1340.6	722.5	1341.4	719.8	1341.4	720.9	1344.3
GR 720.6	1346.8	721.0	1346.9	723.5	1347.6	723.8	1400	725.9	1500
GR 732.9	1550								
X1 14097	0			1.0	1.0	1.0		0.00	
BT 14	1000	733.8	0	1100	728.7	0	1200	724.3	0
BT 1300	723.1	0	1323	723.4	0	1323.4	723.4	0	1323.5
BT 723.4	722.4	1335.3	723.4	722.4	1346.8	723.5	722.5	1346.9	723.5
BT 0	1347.6	723.5	0	1400	723.8	0	1500	725.9	0
BT 1550	732.9	0							
X1 14103	26	1323.5	1346.8	6.0	6.0	6.0		0.00	
BT 14	1000	733.8	0	1100	728.7	0	1200	724.3	0



BT	1300	723.1	0	1323	723.4	0	1323.4	723.4	0	1323.5
BT	723.4	722.4	1335.3	723.4	722.4	1346.8	723.5	722.5	1346.9	723.5
BT	0.0	1347.6	723.5	0.0	1400	723.8	0.0	1500	725.9	0.0
BT	1550	732.9	0.0							
GR	733.8	1000	728.7	1100	724.3	1200	723.1	1300	723.4	1323
GR	721.1	1323.4	720.5	1323.5	719.9	1324	719.8	1326.6	722.4	1326.6
GR	722.4	1327.4	719.8	1327.4	716.9	1332	717.2	1335.3	717.5	1338
GR	719.8	1340.6	722.5	1340.6	722.5	1341.4	719.8	1341.4	720.9	1344.3
GR	720.6	1346.8	721.0	1346.9	723.5	1347.6	723.8	1400	725.9	1500
GR	732.9	1550								
X1	14104	0								
X1	14116	16	1262	1297	12.0	12.0	12.0		0.00	
GR	734.6	1000	730.0	1050	726.1	1100	724.9	1150	726.1	1200
GR	722.9	1262	720.1	1264	717.6	1270	717.2	1280	718.8	1293
GR	723.0	1297	723.2	1300	724.4	1350	724.5	1400	725.9	1450
GR	734.6	1500								
X1	14129	0								
NC	.05	.05								
X1	14600	12	1352	1368	471	471	471			
GR	734.3	1000	728.4	1100	724.8	1200	723.4	1300	724.0	1352
GR	721.0	1355	718.4	1365	719.2	1367	723.0	1368	724.1	1400
GR	723.9	1468	734.1	1500	169.0	169.0	169.0			
X1	14769	14	1347	1355	729.4	1200	727.0	1300	724.5	1347
GR	737.7	1000	731.0	1100	729.4	1200	724.5	1355	726.6	1372
GR	721.8	1349	721.7	1350	722.1	1352	724.5	1355	726.6	
GR	726.6	1400	728.6	1447	734.0	1475	737.4	1500	0.33	
X1	14794	0								
ET	5									
X1	14819	19	1431.5	1436.5	25.0	25.0	25.0			
GR	737.7	1000	732.8	1100	730.3	1200	728.6	1300	726.6	1384
GR	725.8	1400	724.1	1431	723.8	1431.5	722	1432.2	721.3	1434
GR	722.0	1435.8	723.8	1436.5	724.1	1439	726.2	1456	726.2	1476
GR	726.2	1484	726.9	1500	728.2	1531	737.7	1551		
X1	14820	0								
BT	1300	1000	737.7	0	1100	732.8	1.0	1200	730.3	0
BT	1300	728.6	1400	1400	726.6	1431.5	0	727	723.8	1432.2
BT	727.0	725.6	1434	727.1	726.3	1435.8	727.1	725.6	1436.5	727.1
BT	723.8	1476	727.4	0	1500	729.3	0	1551	737.7	0
X1	14836	19	1431.5	1436.5	16.0	16.0	16.0			
BT	1300	1000	737.7	0	1100	732.8	0	1200	730.3	0
BT	1300	728.6	1434	727.1	726.6	1435.8	1431.5	727	723.8	1432.2
BT	727	725.6	1476	727.4	726.3	1435.8	727.1	725.6	1436.5	727.1
BT	723.8	1476	727.4	0	1500	729.3	0	1551	737.7	0
GR	737.7	1000	732.8	1100	730.3	1200	728.6	1300	726.6	1384
GR	725.8	1400	724.1	1431	723.8	1431.5	722	1432.2	721.3	1434
GR	722.0	1435.8	723.8	1436.5	724.1	1439	726.2	1456	726.2	1476
GR	726.2	1484	726.9	1500	728.2	1531	737.7	1551		
X1	14837	0								
X1	14862	14	1347	1355	25.0	25.0	25.0			
GR	737.7	1000	731.0	1100	729.4	1200	727.0	1300	724.5	1347

GR	721.8	1349	721.7	1350	722.1	1352	724.5	1355	726.6	1372
GR	726.6	1400	726.6	1447	734	1475	737.4	1500		
X1	14887	0			25.0	25.0	25.0		0.21	
NC	.045	.045	.04							
ET	5					7.1	1221	1340		
X1	15500	15	1236	1263					0.00	
GR	741.9	1000	735.6	1100	733.6	1200	731.6	1228	732.3	1236
GR	727.3	1249	726.6	1253	727.9	1258	731	1263	731.5	1300
GR	730.2	1326	731.4	1400	732.4	1500	733.2	1539	741.9	1580
ET	5					-10.4				
X1	15523	0			23.5	23.5	23.5		0.48	
X1	15547	22	1245	1262	23.5	23.5	23.5		0.00	
GR	743.7	1000	737.7	1100	733.6	1200	733.5	1241	732.1	1245
GR	727.9	1249	727.6	1253	727.7	1253.2	728.1	1259	731.7	1262
GR	732.9	1265.4	732.3	1300	730.7	1339	732	1400	733.1	1500
GR	730.6	1504	730.1	1507	729.1	1509	730.0	1512	731.3	1513
GR	733.7	1533	743.7	1597						
X1	15548	0			1.0	1.0	1.0		0.00	
BT	19	1000	743.7	0	1100	737.7	0	1200	733.6	0
BT	1241	733.5	0	1245	733.4	732.1	1253.2	733.0	731.8	1262
BT	732.9	731.7	1265.4	732.9	0	1300	732.3	0	1339	730.7
BT	0	1400	732	0	1500	733.1	0	1504	730.6	0
BT	1507	730.1	0	1509	729.1	0	1512	730.0	0	1513
BT	731.3	0	1533	733.7	0	1597	743.7	0		
X1	15552	22	1245	1262	4.0	4.0	4.0		0.00	
BT	19	1000	743.7	0	1100	737.7	0	1200	743.6	0
BT	1241	733.5	0.0	1245	733.4	732.1	1253.2	733	731.8	1262
BT	732.9	731.7	1265.4	732.9	0	1300	732.3	0	1339	730.7
BT	0	1400	732	0	1500	733.1	0	1504	730.6	0
BT	1507	730.1	0	1509	729.1	0	1512	730	0	1513
BT	731.3	0	1533	733.7	0	1597	743.7	0		
GR	743.7	1000	737.7	1100	733.6	1200	733.5	1241	732.1	1245
GR	727.9	1249	727.6	1253	727.7	1253.2	728.1	1259	731.7	1262
GR	732.9	1265.4	732.3	1300	730.7	1339	732	1400	733.1	1500
GR	730.6	1504	730.1	1507	729.1	1509	730	1512	731.3	1513
GR	733.7	1533	743.7	1597						
X1	15553	0			1.0	1.0	1.0		0.00	
ET	5					7.1	1225	1305		
X1	15576	15	1236	1263	23.5	23.5	23.5		1.43	
GR	741.9	1000	735.6	1100	733.6	1200	731.6	1228	732.3	1236
GR	727.3	1249	726.6	1253	727.9	1258	731	1263	731.5	1300
GR	730.2	1326	731.4	1400	732.4	1500	733.2	1539.0	741.9	1580.0
ET	5					7.1	1222	1312		
X1	15600	0			23.5	23.5	23.5		0.48	
NC	.05	.05	.04							
QT	5	260	490	620	930	620				
ET	5					7.1	1105	1170		
X1	15746	12	1145	1161	146.0	146.0	146.0		-3.31	
GR	750.8	1000	741.4	1053	738.7	1100	738.2	1145	735.2	1147
GR	734.4	1150	734.8	1154	735.5	1155	738.6	1161	741.2	1245

GR	747.2	1345	750.8	1378						
ET	5				-10.4					
X1	15769	0			23.5	23.5	23.5	0.41		
X1	15793	15	1137.0	1134.0	23.5	23.5	23.5	0.00		
GR	747.9	1000	738.3	1044	737.9	1100	737.9	1135	736.5	1137
GR	732.3	1140	731.9	1143.5	732.1	1145.6	732.3	1147.5	732.7	1149.5
GR	736.6	1154	738.0	1156.2	738.6	1200.0	744.2	1300.0	747.9	1346.0
X1	15794	0			1.0	1.0	1.0		0.00	
BT	12	1000	747.9	0.0	1044	738.3	0	1100	737.9	0
BT	1135	737.9	0	1137.0	737.8	736.5	1145.6	737.8	736.4	1149.5
BT	737.8	736.5	1154.0	738.0	736.6	1156.2	738.0	0.0	1200.0	738.6
BT	0.0	1300.0	744.2	0.0	1346.0	747.9	0.0			
X1	15798	15	1137.0	1154.0	4.0	4.0	4.0		0.00	
BT	12	1000	747.9	0	1044	738.3	0	1100	737.9	0
BT	1135.0	737.9	0	1137.0	737.8	736.5	1145.6	737.8	736.4	1149.5
BT	737.8	736.5	1154	738.0	736.6	1156.2	738.0	0	1200	738.6
BT	0	1300	744.2	0	1346	747.9	0			
GR	747.9	1000	738.3	1044	737.9	1100	737.9	1135	736.5	1137
GR	732.3	1140	731.9	1143.5	732.1	1145.6	732.3	1147.5	732.7	1149.5
GR	736.6	1154	738.0	1156	738.6	1200	744.2	1300	747.9	1346
X1	15799	0			1.0	1.0	1.0		0.00	
X1	15822	12	1145	1161	23.5	23.5	23.5		-1.26	
GR	750.8	1000	741.4	1053	738.7	1100	738.2	1145	735.2	1147
GR	734.4	1150	734.8	1154	735.5	1155	738.6	1161	741.2	1245
GR	747.2	1345	750.8	1378						
X1	15846	0			23.5	23.5	23.5		1.26	
NC	.05	.08	.04							
ET	5				7.1	1112	1170			
X1	16462	15	1138	1150	616.0	616.0	616.0		-1.24	
GR	760.6	1000	756.4	1050	750.4	1090	750	1100	749.4	1138
GR	746	1140	745.4	1145	746.1	1147	747.1	1150	749.4	1161
GR	748.7	1173	750.5	1180	751.5	1200	756.7	1250	760.6	1273
ET	5				7.1	1112	1170			
X1	16487	0			25.0	25.0	25.0		0.28	
ET	5				7.1	1140	1200			
X1	16512	19	1169.5	1174.5	25.0	25.0	25.0		0.00	
GR	760.8	1000	756.6	1067	755.7	1077	752.2	1100	749.7	1117
GR	749.3	1127	749.1	1137	748.7	1165	747.2	1169.5	745.4	1170.2
GR	744.7	1172	745.4	1173.8	747.2	1174.5	748.7	1188	748	1200
GR	749.4	1200	749.6	1249	755.9	1300	760.8	1325		
ET	5				-4.4					
X1	16513	0			1.0	1.0	1.0		0.00	
BT	13	1000	760.8	0	1067	756.6	0	1100	753.5	0
BT	1137	750.3	0	1169.5	750.8	747.2	1170.2	750.8	749.0	1172
BT	750.8	749.7	1173.8	750.8	749	1174.5	750.7	747.2	1200	749.4
BT	0	1249	749.6	0	1300	755.9	0	1325	760.8	0
X1	16529	18	1149.5	1174.5	16.0	16.0	16.0		-0.00	
BT	13	1000	760.8	0	1067	756.6	0	1100	753.5	0
BT	1137	750.3	0	1169.5	750.8	747.3	1170.2	750.8	749.1	1172
BT	750.8	749.8	1173.8	750.8	749.1	1174.5	750.7	747.3	1200	749.4

BT	0.0	1249	749.6	0	1300	755.9	0	1325	760.8	0
GR	760.8	1000	756.6	1067	753.5	1100	749.8	1117	749.4	1127
GR	749.3	1137	748.8	1165	747.3	1169.5	745.5	1170.2	744.8	1172.0
GR	745.5	1173.8	747.3	1174.5	748.8	1188	748.1	1200	749.4	1200
GR	749.6	1249	755.9	1300	760.8	1325				
X1	16530	0			1.0	1.0	1.0		0.00	
X1	16555	15	1138	1150	25.0	25.0	25.0		-0.28	
GR	760.6	1000	756.4	1050	750.4	1090	750	1100	749.4	1138
GR	746	1140	745.4	1145	746.1	1147	747.1	1150	749.4	1161
GR	748.7	1173	750.5	1180	751.5	1200	756.7	1250	760.6	1273
X1	16580	0			25.0	25.0	25.0		0.28	
NC	.08	.08	.045							
ET	5					7.1	1112.75	1172.44		
X1	17090	11	1127	1141	510.0	510.0	510.0			
GR	777.9	1000	770.6	1050	768.7	1084	765.5	1110	763.3	1127
GR	760.8	1132	760.3	1136	761.1	1139	762.8	1141	767.2	1200
GR	776.4	1262								
NC	.07	.07	.05							
ET	5					7.1	1090.00	1134.50		
X1	17410	14	1124	1129	320.0	320.0	320.0		0.00	
GR	791.0	1000	786.9	1050	779.4	1100	778.0	1124	776.0	1125
GR	775.9	1126	776.2	1128	778.7	1129	781.1	1135	781.5	1150
GR	781.8	1200	782.3	1238	785.2	1250	791.4	1286		
ET	5					7.1	1089.73	1134.60		
X1	17435	0			25.0	25.0	25.0		1.34	
ET	5					-6.4				
X1	17460	20	1126.3	1129.8	25.0	25.0	25.0		0.00	
GR	792.3	1000	788.2	1050	785.9	1100	782.1	1102	780.7	1126
GR	780.3	1126.3	779.1	1126.8	778.6	1128	779.1	1129.2	780.3	1129.8
GR	781.4	1131	783.8	1137	784.1	1150	784.2	1152	784.5	1200
GR	784.5	1202	785	1240	787.4	1250	787.9	1252	792.3	1296
NC	.065	.065	.025							
X1	17461	0			1.0	1.0	1.0		0.01	
BT	12	1000	792.3	0	1050	788.2	0	1100	785.9	0
BT	1126.3	785.5	780.3	1126.8	785.5	781.6	1128	785.5	782.1	1129.2
BT	785.5	781.6	1129.8	785.5	780.3	1150	785.6	0	1200	786.9
BT	0	1250	789	0	1296	792.3	0			
X1	17519	20	1126.3	1129.8	58	58	58		-0.01	
BT	12	1000	792.3	0	1050	788.2	0	1100	785.9	0
BT	1126.3	785.5	781.1	1126.8	785.5	782.3	1128	785.5	782.9	1129.2
BT	785.5	782.3	1129.8	785.5	781.1	1150	785.6	0	1200	786.9
BT	0	1250	789	0	1296	792.3	0			
GR	792.3	1000	788.2	1050	785.9	1100	782.9	1102	781.5	1126
GR	781.1	1126.3	779.9	1126.8	779.4	1128	779.9	1129.2	781.1	1129.8
GR	782.2	1131	784.6	1137	784.9	1150	785.0	1152	785.3	1200
GR	785.3	1202	785.8	1240	788.2	1250	788.7	1252	792.3	1296
X1	17520	0			1	1	1		0.00	
X1	17545	14	1124	1129	25.0	25.0	25.0		4.80	
GR	791.0	1000	786.9	1050	779.4	1100	778.0	1124	776.0	1125
GR	775.9	1126	776.2	1128	778.7	1129	781.1	1135	781.5	1150

