

LOWRY HAM

CREEK

#1

JONATHAN CREEK

HAYWOOD CO., NC
YEAR FLOOD

YEAR FLOOD

YEAR FLOOD

MILL	Q	ELEV	Q	ELEV	Q	ELEV	
0.371	6400.	2374.7	5000.	2373.3	4500.	2372.7	
0.581	6400.	2394.7	5000.	2393.4	4500.	2393.0	
0.861 ds	6400.	2401.5	5000.	2400.3	4500.	2399.9	
0.861 ds	6400.	2402.9	5000.	2401.5	4500.	2401.0	
1.101	6420.	2420.1	5000.	2418.9	4490.	2418.5	
1.451 ds	6420.	2437.1	5000.	2435.7	4480.	2435.2	
1.451	6420.	2437.1	5000.	2436.1	4480.	2435.5	
1.451 ds	6420.	2438.6	5000.	2436.2	4480.	2435.6	
1.911 ds	6440.	2448.7	5000.	2448.0	4460.	2447.5	
A 1.911 ds	6440.	2451.2	5000.	2449.9	4460.	2449.3	
2.681 ds	6470.	2477.3	5000.	2476.1	4440.	2475.8	
2.681 ds	6470.	2479.7	5000.	2477.8	B 4440.	2477.1	
2.670	6480.	2484.7	5000.	2483.4	C 4430.	2482.8	
3.271 ds	6410.	2494.7	5000.	2493.6	4420.	2493.1	
3.271 ds	6490.	2497.1	5000.	2495.5	D 4420.	2494.8	
3.351	6490.	2498.1	5000.	2496.7	E 4420.	2496.1	
3.890 ds	6510.	2509.2	5000.	2508.7	4400.	2508.5	
3.891 ds	6510.	2511.2	5000.	2510.2	F 4400.	2509.8	
4.281	6510.	2519.9	5000.	2519.3	G 4400.	2519.0	
4.531	6510.	2526.5	5000.	2525.8	H 4400.	2525.5	
4.761	6510.	2535.4	5000.	2534.9	4400.	2534.6	
4.761 ds	6510.	2544.3	5000.	2543.6	I 4400.	2542.9	
5.141	6530.	2545.4	5000.	2545.1	J 4400.	2545.0	
5.271 ds	6510.	2556.4	5000.	2555.8	4400.	2555.5	
5.271 ds	6510.	2557.2	5000.	2556.6	K 4400.	2556.4	
5.541	6540.	2564.7	5000.	2564.4	4400.	2564.2	
5.741	6570.	2572.2	5000.	2571.7	4400.	2571.4	
6.130 ds	6640.	2587.3	5000.	2586.8	4400.	2586.5	
						2990.	2584.9

R
E
L
E
A
S
E

AX
 AX
 AD
 AF
 AG
 AR
 AS
 AT
 AU
 AV
 AW
 AX
 AY
 AZ
 BA
 BB
 BC
 BD
 BE
 BF
 BG
 BH
 BI

6.130 US	6670.	2588.5	5000.	2588.1	4407.	2587.8	2990.	2586.7
6.530	6700.	2599.1	5000.	2598.5	4367.	2598.2	2960.	2597.4
6.690	6720.	2610.5	5000.	2610.1	4347.	2609.9	2930.	2609.3
6.790	6740.	2615.4	5000.	2614.6	4337.	2614.2	2920.	2613.4
6.840	6740.	2619.7	5000.	2619.2	4330.	2617.8	2920.	2616.1
6.910	6770.	2621.0	5000.	2620.5	4310.	2620.3	2920.	2619.2
7.110 ds	6800.	2626.1	5000.	2625.7	4300.	2625.6	2900.	2625.3
7.110 us	6800.	2628.4	5000.	2627.9	4300.	2627.6	2900.	2626.9
7.350	6800.	2632.9	5000.	2632.6	4300.	2632.4	2900.	2632.1
7.650	6820.	2642.4	5000.	2641.7	4280.	2641.5	2880.	2640.8
7.650	6820.	2645.0	5000.	2644.6	4280.	2644.3	2880.	2642.5
7.180 ds	6820.	2651.7	5000.	2651.0	4280.	2650.4	2880.	2650.0
7.780	6820.	2652.9	5000.	2652.3	4280.	2652.1	2880.	2650.9
7.780	6820.	2653.1	5000.	2652.5	4280.	2652.3	2880.	2651.5
7.780 us	6820.	2653.2	5000.	2652.6	4280.	2652.4	2880.	2651.6
7.860	6820.	2654.2	5000.	2653.5	4280.	2653.2	2870.	2652.4
7.900	6820.	2654.9	5000.	2654.1	4280.	2653.7	2870.	2652.8
7.910	6820.	2655.1	5000.	2655.4	4280.	2655.1	2870.	2654.3
* 7.960	6820.	2658.4	5000.	2657.6	4280.	2657.2	2870.	2656.3
8.130	6820.	2668.8	5000.	2668.1	4280.	2667.7	2870.	2664.3
8.400 ds	6840.	2678.6	5000.	2677.5	4270.	2677.0	2860.	2676.1
8.400 ds	6840.	2678.8	5000.	2677.7	4270.	2677.2	2860.	2676.3
8.520	6840.	2683.3	5000.	2682.1	4270.	2681.5	2860.	2679.9
8.660	6850.	2693.0	5000.	2691.4	4250.	2690.7	2850.	2689.0
8.820 ds	6850.	2696.8	5000.	2696.0	4250.	2695.5	2850.	2694.2
8.820 us	6850.	2699.0	5000.	2698.0	4250.	2697.5	2850.	2695.9
9.000	6870.	2701.6	5000.	2699.9	4240.	2699.2	2830.	2698.3
9.200	6870.	2711.8	5000.	2710.7	4240.	2710.2	2830.	2708.5
9.400	6880.	2720.4	5000.	2717.3	4220.	2716.8	2820.	2715.7
9.460 ds	6880.	2722.2	5000.	2721.3	4220.	2720.4	2820.	2718.5
9.480	6880.	2723.3	5000.	2722.6	4220.	2722.2	2820.	2724.5
9.480 us	6880.	2723.3	5000.	2722.6	4220.	2722.2	2820.	2720.6
* 9.550	6880.	2724.4	5000.	2723.5	4220.	2723.0	2820.	2722.0

	9.620	AK	6890.	2728.6	5000.	2727.2	4210.	2726.6	2810.	2725.3
	9.720	AL	6890.	2733.3	5000.	2732.2	4210.	2730.6	2810.	2729.2
	9.750	ds	6890.	2734.9	5000.	2733.9	4210.	2733.0	2810.	2732.2
AM	9.750	us	6890.	2738.0	5000.	2737.7	4210.	2736.8	2810.	2733.9
	9.820		6890.	2740.5	5000.	2739.7	4210.	2739.5	2910.	2738.5
AN	9.820	HV	6890.	2741.0	5000.	2740.2	4210.	2739.9	2810.	2739.1
	11.080	ds	6900.	2754.8	5000.	2753.1	4200.	2752.5	2800.	2751.2
AO	11.080	us	6900.	2757.7	5000.	2756.4	4200.	2754.4	2800.	2752.7
AP	11.290		6900.	2764.2	5000.	2763.8	4200.	2763.7	2800.	2761.8
AQ	11.400	ds	6900.	2769.5	5000.	2766.8	4200.	2766.1	2800.	2765.6
	11.400		6900.	2769.6	5000.	2768.5	4200.	2767.9	2800.	2766.2
	11.420		6900.	2770.9	5000.	2768.5	4200.	2767.8	2800.	2766.6
	11.420	us	6900.	2772.8	5000.	2772.0	4200.	2771.1	2800.	2769.1
AR	11.460		6900.	2773.9	5000.	2772.7	4200.	2771.9	2800.	2769.8
AS	11.530		6910.	2778.1	5000.	2777.2	4200.	2776.5	2780.	2775.8
AT	11.790		6910.	2792.6	5000.	2790.4	4200.	2790.1	2780.	2788.4
AU	11.860		6910.	2795.6	5000.	2794.6	4200.	2793.8	2780.	2792.2
AV	11.990		6920.	2802.4	5000.	2801.5	4200.	2800.6	2740.	2799.2
AW	11.150		6920.	2812.9	5000.	2812.3	4200.	2811.9	2740.	2809.8
AX	11.470		6940.	2831.2	5000.	2830.0	4200.	2828.6	2690.	2828.2
AY	11.620		6940.	2839.1	5000.	2838.5	4200.	2838.2	2690.	2837.0
AZ	11.760		6950.	2849.1	5000.	2848.2	4200.	2847.8	2660.	2847.1
BA	11.960		6950.	2856.2	5000.	2855.3	4200.	2854.9	2660.	2853.5
BB	12.080		6960.	2868.2	5000.	2866.2	4200.	2865.3	2630.	2863.8
	12.160	ds	6960.	2874.3	5000.	2872.4	4200.	2871.6	2630.	2869.4
BC	12.160	us	6960.	2875.0	5000.	2873.8	4200.	2873.1	2630.	2871.6
BD	12.250		6970.	2876.2	5000.	2875.0	4200.	2874.4	2610.	2873.2
BE	12.420		6970.	2882.5	5000.	2882.0	4200.	2881.8	2610.	2880.9
BF	12.520		6970.	2893.0	5000.	2892.3	4200.	2891.8	2610.	2888.9
Bb	12.650	ds	6980.	2899.6	5000.	2898.8	4200.	2898.6	2580.	2897.7
	12.650	us	6980.	2901.2	5000.	2900.7	4200.	2900.4	2580.	2899.5
BH	12.710		6980.	2907.3	5000.	2906.7	4200.	2906.3	2580.	2904.3
BI	12.760	ds	6980.	2909.7	5000.	2908.9	4200.	2908.5	2580.	2908.2

12.760	us	6987.	2912.0	5000.	2910.9	4200.	2910.3	2580.	2909.1
12.830	ds	6997.	2913.6	5000.	2912.6	4200.	2912.0	2560.	2908.9
12.830	us	6997.	2917.0	5000.	2916.4	4200.	2915.4	2560.	2912.8
12.840		6997.	2917.0	5000.	2916.4	4200.	2915.4	2560.	2912.9
12.920	ds	6997.	2918.6	5000.	2918.1	4200.	2917.7	2560.	2914.2
12.920	us	6997.	2919.9	5000.	2919.2	4200.	2919.0	2560.	2917.2
12.930		6997.	2920.0	5000.	2919.3	4200.	2919.0	2560.	2917.5
12.970		7007.	2922.2	5000.	2921.0	4200.	2920.1	2540.	2918.3
13.100		7007.	2928.4	5000.	2928.1	4200.	2927.9	2540.	2927.1
13.210		7000.	2940.1	5000.	2939.9	4200.	2939.7	2510.	2939.3
13.300		7007.	2945.4	5000.	2944.9	4200.	2944.5	2510.	2943.6
13.420	ds	7000.	2954.8	5000.	2954.4	4200.	2954.0	2500.	2950.7
13.420	us	7000.	2956.0	5000.	2955.4	4200.	2955.2	2500.	2953.6
13.630		7000.	2966.0	5000.	2965.0	4200.	2964.5	2500.	2963.2

500

100

50

10

JONATHAN CREEK

7-1-82

HAYWOOD CO., NC

500-YEAR FLOOD

100-YEAR FLOOD

50-YEAR FLOOD

10-YEAR FLOOD

MILE	500-YEAR FLOOD		100-YEAR FLOOD		50-YEAR FLOOD		10-YEAR FLOOD	
	Q	ELEV	Q	ELEV	Q	ELEV	Q	ELEV
13.630 BN	7000.	2966.1	5000.	2965.0	4200.	2964.5	2500.	2963.2
13.980 BN	7000.	3000.4	5000.	2999.5	4200.	2997.6	2500.	2995.6
BR 13.960 VS	7000.	3004.4	5000.	3002.5	4200.	3001.8	2500.	2998.4
14.080 RV	5220.	3011.4	3750.	3010.9	3050.	3010.5	1820.	3007.9
BR 14.080	5220.	3011.6	3750.	3011.2	3050.	3010.9	1820.	3008.7
14.130 BQ	5220.	3016.1	3750.	3015.7	3050.	3015.4	1820.	3014.2
14.240 BR	5110.	3028.7	3660.	3028.1	2970.	3027.6	1790.	3026.4
14.320 VS	5040.	3037.0	3610.	3036.5	2910.	3035.9	1760.	3034.9
BS-BS 14.320 VS	5040.	3040.6	3610.	3040.1	2910.	3039.7	1760.	3037.5
VS 14.360 VS	5040.	3041.2	3610.	3040.6	2910.	3040.2	1760.	3036.7
14.510	4950.	3055.6	3500.	3055.2	2840.	3054.9	1710.	3054.0
14.520 VS	4950.	3061.5	3500.	3061.0	2840.	3060.6	1710.	3059.5
14.520 VS	4950.	3063.4	3500.	3062.7	2840.	3062.3	1710.	3061.5
14.580 VS	4950.	3067.6	3500.	3067.5	2840.	3067.0	1710.	3065.6
14.580 VS	4950.	3069.2	3500.	3068.6	2840.	3068.5	1710.	3067.8
14.620 VS	4950.	3073.5	3500.	3071.4	2840.	3069.6	1710.	3067.7
14.620 VS <i>cill</i>	4950.	3073.9	3500.	3073.2	2840.	3072.7	1710.	3071.0
14.670 VS	4810.	3080.6	3400.	3079.1	2750.	3077.9	1660.	3076.2
14.670 VS	4810.	3083.2	3400.	3081.7	2750.	3080.6	1660.	3078.1
14.680 VS	4810.	3082.6	3400.	3081.3	2750.	3080.3	1660.	3078.0
14.680	4810.	3083.0 ²	3400.	3081.6	2750.	3080.4 ²	1660.	3076.1
14.710	4810.	3087.3	3400.	3086.4	2750.	3085.4	1660.	3083.1
14.720 VS	4810.	3088.6	3400.	3087.6	2750.	3085.5	1660.	3084.0
14.720 VS	4810.	3089.5	3400.	3088.4	2750.	3086.0	1660.	3084.9
14.780	4810.	3094.4	3400.	3093.0	2750.	3092.2	1660.	3090.5
14.820	4810.	3099.4	3400.	3097.4	2750.	3096.4	1660.	3094.6

14.840	ds	4700.	3101.6	3310.	3099.8	2670.	3098.9	1610.	3097.3
14.840	vs	4700.	3107.5	3310.	3103.9	2670.	3102.4	1610.	3099.9
14.960	BT	4620.	3121.8	3240.	3120.0	2600.	3119.1	1590.	3117.4
15.040	BU	4570.	3133.2	3190.	3131.4	2570.	3130.5	1560.	3129.0
15.140	ds	4510.	3144.5	3140.	3143.5	2510.	3143.0	1530.	3141.6
15.140	vs	4510.	3147.0	3140.	3146.1	2510.	3145.5	1530.	3144.3
15.150	BW	4510.	3146.8	3140.	3146.4	2510.	3145.4	1530.	3145.9
15.260	BX	4420.	3161.5	3090.	3159.4	2470.	3158.3	1500.	3156.4
15.270	BY	4420.	3167.2	3090.	3166.0	2470.	3165.2	1500.	3164.0
15.500	BZ	4280.	3199.7	2950.	3196.9	2330.	3195.8	1430.	3194.2
15.640	ds	4150.	3219.2	2840.	3218.7	2270.	3218.4	1380.	3217.8
15.640	vs	4150.	3221.7	2840.	3220.7	2270.	3220.1	1380.	3219.1
15.660	CB	4150.	3221.8	2840.	3220.8	2270.	3220.3	1380.	3219.3
15.900	CC	3880.	3251.0	2640.	3250.6	2080.	3250.1	1300.	3249.4
16.170	CD	3560.	3298.6	2430.	3297.0	1900.	3296.2	1190.	3295.0
16.410	ds	3260.	3356.7	2240.	3355.6	1710.	3353.6	1080.	3352.5
16.410	vs	3260.	3358.9	2240.	3357.9	1710.	3357.2	1080.	3355.5
16.420	CE	3260.	3359.2	2240.	3358.1	1710.	3357.4	1080.	3355.7
16.520	CG	3060.	3399.8	2080.	3399.2	1570.	3398.8	1000.	3398.0
16.950	CH	2620.	3478.5	1790.	3478.0	1310.	3477.4	870.	3476.8

500

100

50

10