
 HEC2 RELEASE DATED NOV 76 UPDATED FEB 1977
 ERROR CORR - 01
 MODIFICATION - 50,51,52

C
 T1 EAST SPENCER-ROWAN COUNTY STREAM 2ES UNNAMED STREAM *JACKSON BRANCH*
 T2 FLOODPLAIN STUDY AT ROWAN & DAVIDSON COUNTIES M-G JOB NO. 6918
 T3 10 YEAR FLOOD WATER SURFACE PROFILE

J1 ICHECK INQ NINV IDIR STR7 METRIC HVINS Q WSEL FQ
 -10. 2. 0. 0. 0.017253 0.0 0.0 0. 671,500 0.0

J2 NPROF IPLOT PRFVS XSECV XSECH FN ALLDC IBW CHNIM ITRACE
 0.0 0.0 -1,000 0.0 0.0 0.0 0.0 0.0 0.0 0.0

J3 VARIABLE CODES FOR SUMMARY PRINTOUT
 38.000 39.000 40.000 41.000 43.000 42.000 1.000 2.000 26.000 53.000
 54.000 25.000 50.000 0.0 201.000 0.0 0.0 0.0 0.0 0.0

J5 LPRNT NUMSEC *****REQUESTED SECTION NUMBERS*****
 -10.000 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0

 HEC2 RELEASE DATED NOV 76 UPDATED FEB 1977
 ERROR CORR - 01
 MODIFICATION - 50,51,52

T1 EAST SPENCER-ROWAN COUNTY STREAM 2ES UNNAMED STREAM
 T2 FLOODPLAIN STUDY AT ROWAN & DAVIDSON COUNTIES M-G JOB NO. 6918
 T3 100 YEAR FLOOD WATER SURFACE PROFILE

J1	ICHECK	INQ	NINV	IDIR	STRT	METRIC	HVINS	Q	WSEL	EQ
	-10.	4.	0.	0.	0.017000	0.0	0.0	0.	674.500	0.0

J2	NPROF	IPLT	PRFVS	XSECV	XSECH	FN	ALDC	IBW	CHN1M	ITRACE
	15.000	0.0	-1.000	0.0	0.0	0.0	0.0	0.0	0.0	0.0

MADE IN U.S.A.

 HEC2 RELEASE DATED NOV 76 UPDATED FEB 1977
 ERROR CORR - 01
 MODIFICATION - 50,51,52

NOTE- ASTERISK (*) AT LEFT OF CROSS-SECTION NUMBER INDICATES MESSAGE IN SUMMARY OF ERRORS LIST

10 YEAR FLOOD WATER SURF

SUMMARY PRINTOUT

	SECNO	XLCH	ELTRD	ELIC	Q	ELMIN	CHSEL	CKIWS	VCH	SSTA	ENDST	AREA	DIFWSP
A	200.000	200.00	0.0	0.0	159.00	666.50	670.36	0.0	5.24	1213.61	1243.37	37.67	0.0
	200.000	200.00	0.0	0.0	399.00	666.50	671.62	0.0	6.27	1186.62	1245.32	92.10	1.26
B	1225.000	1025.00	0.0	0.0	74.00	688.50	690.86	0.0	5.13	1253.28	1262.50	14.42	0.0
	1225.000	1025.00	0.0	0.0	204.00	688.50	692.28	691.84	6.75	1252.25	1265.21	30.20	1.42
C	1825.000	600.00	0.0	0.0	37.00	691.40	694.59	0.0	1.34	1171.25	1204.00	37.88	0.0
	1825.000	600.00	0.0	0.0	114.00	691.40	695.99	0.0	1.84	1153.71	1211.23	101.37	1.40
*	1925.000	100.00	0.0	0.0	37.00	695.10	697.26	697.26	5.44	1386.00	1401.61	9.94	0.0
*	1925.000	100.00	0.0	0.0	114.00	695.10	698.08	698.08	6.93	1375.83	1404.94	28.01	0.82
	1993.000	68.00	704.50	698.10	37.00	695.10	697.26	0.0	5.44	1386.00	1401.61	9.94	0.0
	1993.000	68.00	704.50	698.10	114.00	695.10	704.13	0.0	0.37	1299.99	1472.84	577.29	6.87
*D	2093.000	100.00	0.0	0.0	37.00	698.80	700.47	700.47	5.23	1190.06	1199.22	7.11	0.0
	2093.000	100.00	0.0	0.0	114.00	698.80	704.12	0.0	1.32	1144.55	1215.00	148.38	3.65

SUMMARY OF ERRORS

CAUTION SECNO= 1925.000 PROFILE= 1 CRITICAL DEPTH ASSUMED
 CAUTION SECNO= 1925.000 PROFILE= 1 PROBABLE MINIMUM SPECIFIC ENERGY
 CAUTION SECNO= 1925.000 PROFILE= 1 20 TRIALS ATTEMPTED TO BALANCE WSL1
 CAUTION SECNO= 1925.000 PROFILE= 2 CRITICAL DEPTH ASSUMED
 CAUTION SECNO= 1925.000 PROFILE= 2 PROBABLE MINIMUM SPECIFIC ENERGY
 CAUTION SECNO= 1925.000 PROFILE= 2 20 TRIALS ATTEMPTED TO BALANCE WSEL
 CAUTION SECNO= 2093.000 PROFILE= 1 CRITICAL DEPTH ASSUMED
 CAUTION SECNO= 2093.000 PROFILE= 1 MINIMUM SPECIFIC ENERGY