

OK

# PROFILE

12345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012345678901

## THOMASVILLE 18 T

```

1 1 1
2 1 * * ***** ***** *** ** * * 1
3 1 * * * * * * * * * 1
4 1 * * * * * * * * * 1
5 1 ** * * * * * * * * * 1
6 1 ** * * * * * * * * * 1
7 1 * * * * * * * * * 1
8 1 * * * * * * * * * 1
9 1 1 1
10 1 1 1
11 1 ***** * * * * * * * * * * 1
12 1 * * * * * * * * * * 1
13 1 * * * * * * * * * * 1
14 1 ***** * * * * * * * * * * 1
15 1 * * * * * * * * * * 1
16 1 * * * * * * * * * * 1
17 1 * * * * * * * * * * 1
18 1 * * * * * * * * * * 1
19 1 1 1

```

12345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012345678901

PROGRAMMER=KEZIAH ACCOUNT=RTI.A25.P03078

JOB TURN-AROUND			JOB PARAMETERS			TIME USED INCLUDES			MISC. JOB VALUES		
	DATE	TIME	SPECIFIED	USED	NO.	EQUIVALENT					
ENTERED	4/07/77	16:46:28.5	TIME	2:00.0	0:12.5	CPU	0:02.8	LINES IN	70		
EXECUTED	4/07/77	18:37:33.7	PAGES	100	18	UP EXCPS	0:03.5	LINES OUT	725		
RETURNED	4/08/77	11:26:03.5	CARDS	0	0	RISK EXCPS	0:06.3	MEMORY TIME	5315 K-SEC		
JOB ENTERED ON THURSDAY			PLOTS	0	0	TAPE READ-WRITE	0:00.0	PRIORITY	00		
						TAPE FILE SEARCH	0:00.0	APPROX. COST	\$2.85		

### JOB CONSOLE LOG

```

N 16.48.53 JOB 466 -- RMK18T -- JCL INTERPRETED, TUCC CPU #1
N 18.37.33 JOB 466 -- RMK18T -- BEGINNING EXEC - INIT 6 - CLASS
L*18.37.33 JOB 466 +++*+*+S=068,T=02,J=RMK18T 18:37:33 KEZIAH
N 18.38.07 JOB 466 END EXECUTION.

```

\*\*\*\*\*  
 HEC2 VERSION UPDATED JAN 1975  
 ERROR CORRECTIONS 01,02,03,04,05,06,07,08  
 MODIFICATIONS 52,53,54,55,56,57,58  
 \*\*\*\*\*

C  
 1 THOMASVILLE-DAVIDSON CO. STRM 18T  
 T2 FLOODPLAIN STUDY AT ROWAN & DAVIDSON COUNTIES N-G JOB NO. 6918  
 T3 10 YEAR FLOOD WATER SURFACE PROFILE

J1	ICHECK	ING	NINV	IQIR	STRT	METRIC	HVINS	Q	WSEL	FA
	-1.	2.	0.	0.	0.008000	0.0	0.0	0.	863.000	0.0
J2	NPROF	IPLT	PRFVS	XSECV	XSECH	FN	ALLDC	IBW	CHNLM	ITRACE
	0.0	0.0	-1.000	0.0	0.0	0.0	0.0	0.0	0.0	0.0
J3	1.000	34.000	3.000	4.000	27.000	28.000	26.000	0.0	0.0	0.0
NC	0.055	0.055	0.035	0.100	0.300	0.0	0.0	0.0	0.0	0.0
BT	5.000	150.000	302.000	389.000	615.000	389.000	0.0	0.0	0.0	0.0
ET	5.000	0.0	0.0	0.0	0.0	-10.400	0.0	0.0	0.0	0.0
X1	350.000	12.000	1326.000	1340.000	350.000	350.000	350.000	0.0	-5.800	0.0
GP	881.500	1000.000	875.300	1100.000	871.100	1200.000	866.700	1300.000	866.500	1325.000
GR	864.100	1328.000	863.800	1335.000	864.100	1338.000	866.500	1340.000	866.600	1400.000
GR	873.100	1500.000	881.500	1551.000	0.0	0.0	0.0	0.0	0.0	0.0
X1	400.000	0.0	0.0	0.0	50.000	50.000	50.000	0.0	1.400	0.0
NC	0.025	0.025	0.025	0.100	0.300	0.0	0.0	0.0	0.0	0.0
X1	450.000	24.000	1495.500	1504.500	50.000	50.000	50.000	0.0	0.0	0.0
GR	884.600	1000.000	881.900	1100.000	880.900	1131.000	878.800	1165.000	872.600	1265.000
GR	868.400	1365.000	864.000	1465.000	863.800	1491.000	862.600	1495.500	861.500	1496.000
GR	861.100	1497.000	861.500	1498.000	862.500	1498.500	862.600	1501.500	861.500	1502.000
GR	861.100	1503.000	861.500	1504.000	862.600	1504.500	863.800	1505.000	863.900	1565.000
GR	870.400	1665.000	871.900	1672.000	871.900	1700.000	871.600	1800.000	0.0	0.0
SS	0.900	1.500	2.500	0.0	6.000	0.010	14.100	0.0	0.0	0.0
X1	520.000	0.0	0.0	0.0	70.000	70.000	70.000	0.0	0.0	0.0
X2	0.0	0.0	1.000	864.100	0.0	0.0	0.0	0.0	0.0	0.0
BT	18.000	1000.000	884.600	0.0	1100.000	881.900	0.0	1200.000	878.700	0.0
BT	1300.000	875.900	0.0	1400.000	873.800	0.0	1495.500	872.200	862.600	1496.000
BT	872.200	863.700	1497.000	872.200	864.100	1498.000	872.200	863.700	1494.500	872.200
BT	862.600	1501.500	872.200	862.600	1502.000	872.200	863.700	1503.000	872.200	864.100
BT	1504.000	872.200	863.700	1504.500	872.200	862.600	1600.000	871.900	0.0	1700.000
BT	871.900	0.0	1800.000	871.600	0.0	0.0	0.0	0.0	0.0	0.0
NC	0.055	0.055	0.035	0.100	0.300	0.0	0.0	0.0	0.0	0.0
X1	570.000	12.000	1326.000	1340.000	50.000	50.000	50.000	0.0	0.0	0.0
GR	881.500	1000.000	875.300	1100.000	871.100	1200.000	866.700	1300.000	866.500	1325.000
GR	864.100	1328.000	863.800	1335.000	864.100	1338.000	866.500	1340.000	866.600	1400.000
GR	873.100	1500.000	881.500	1551.000	0.0	0.0	0.0	0.0	0.0	0.0
X1	620.000	0.0	0.0	0.0	50.000	50.000	50.000	0.0	1.300	0.0
QT	5.000	121.000	236.000	303.000	475.000	303.000	0.0	0.0	0.0	0.0



\*\*\*\*\*  
 HEC2 VERSION UPDATED JAN 1975  
 ERROR CORRECTIONS 01,02,03,04,05,06,07,08  
 MODIFICATIONS 52,53,54,55,56,57,58  
 \*\*\*\*\*

T1 THOMASVILLE-DAVIDSON CO. STRM 187  
 T2 FLOODPLAIN STUDY AT ROWAN & DAVIDSON COUNTIES M-G JOB NO. 6918  
 T3 50 YEAR FLOOD WATER SURFACE PROFILE

J1	ICHECK	IN9	NINV.	IDIR	STRT	METRIC	HVINS	Q	WSEL	FD
	-10.	3.	0.	0.	0.008000	0.0	0.0	0.	864.000	0.0
J2	NPROF	IPL0T	PRFVS	XSECV	XSECH	FN	ALLOC	IBW	CHNIM	ITRACE
	2.000	0.0	-1.000	0.0	0.0	0.0	0.0	0.0	0.0	0.0

CCHV= 0.100 CEHV= 0.300

3720 ASSUMED CRITICAL DEPTH

SECNO	DEPTH	CWSEL	CRISW	WSELK	EG	HV	HL	OLOSS	BANK ELEV	
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT	
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA	
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	LWDST	
350.00	3.31	861.31	861.31	864.00	861.74	0.43	0.0	0.0	860.70	
302.	20.	232.	50.	15.	39.	36.	0.	0.	860.70	
0.0	1.28	5.97	1.41	0.055	0.035	0.055	0.0	858.00	1290.64	
0.006185	350.	350.	350.	0	11	1	0.0	117.24	1407.88	

3685 20 TRIALS USED WSEL,CWSEL

7185 MIN SPECIFIC ENERGY

3720 ASSUMED CRITICAL DEPTH

SECNO	DEPTH	CWSEL	CRISW	WSELK	EG	HV	HL	OLOSS	BANK ELEV	
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT	
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA	
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST	
400.00	3.31	262.71	262.71	0.0	263.14	0.43	0.31	0.0	862.10	
302.	20.	232.	51.	15.	39.	36.	0.	0.	862.10	
0.00	1.28	5.96	1.41	0.055	0.035	0.055	0.034	859.40	1290.61	
0.006167	50.	50.	50.	30	5	1	0.0	117.29	1407.90	

CCHV= 0.100 CEHV= 0.300  
 3685 20 TRIALS USED WSEL,CWSEL

\*\*\*\*\*  
 HEC2 VERSION UPDATED JAN 1975  
 ERROR CORRECTIONS 01,02,03,04,05,06,07,08  
 MODIFICATIONS 52,53,54,55,56,57,58  
 \*\*\*\*\*

T1 THOMASVILLE-DAVIDSON CO. STRM 18T  
 T2 FLOODPLAIN SYUDY AT ROWAN & DAVIDSON COUNTIES M-G JOB NO. 6918  
 T3 100 YEAR FLOOD WATER SURFACE PROFILE

J1	ICHECK	INQ	NINV	IDIR	STRT	METRIC	HVINS	Q	WSEL	FQ
	-10.	4.	0.	0.	0,008000	0,0	0,0	0.	866,000	0,0
J2	NPROF	IPL0T	PRFVS	XSECV	XSECH	FN	ALLDC	IBW	CHNIM	ITRACE
	3,000	0,0	-1,000	0,0	0,0	0,0	0,0	0,0	0,0	0,0

CCHV= 0,100 CEHV= 0,300

3720 ASSUMED CRITICAL DEPTH

SECNO	DEPTH	CWSEL	CRISW	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST
359,00	3,51	861,51	261,51	866,00	861,96	0,45	0,0	0,0	860,70
389.	36.	267.	86.	23.	42.	49.	0.	0.	860,70
0,0	1,59	6,42	1,76	0,055	0,035	0,055	0,0	858,00	1286,24
0,006540	350.	350.	350.	0	12	1	0,0	124,62	1410,85

3685 20 TRIALS USED WSEL,CWSEL

7285 MIN SPECIFIC ENERGY

3720 ASSUMED CRITICAL DEPTH

SECNO	DEPTH	CWSEL	CRISW	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST
400,00	3,49	352,89	862,89	0,0	863,76	0,47	0,53	0,0	862,10
389.	35.	269.	85.	22.	41.	48.	0.	0.	862,10
0,00	1,60	6,49	1,76	0,055	0,035	0,055	0,034	859,40	1286,52
0,006727	50.	50.	50.	30	5	1	0,0	124,14	1410,66

CCHV= 0,100 CEHV= 0,300

3685 20 TRIALS USED WSEL,CWSEL

\*\*\*\*\*  
 HEC2 VERSION UPDATED JAN 1975  
 ERROR CORRECTIONS 01,02,03,04,05,06,07,08  
 MODIFICATIONS 52,53,54,55,56,57,58  
 \*\*\*\*\*

T1 THOMASVILLE-DAVIDSON CO. STRM 18T  
 T2 FLOODPLAIN STUDY AT ROWAN & DAVIDSON COUNTIES M-G JOB NO. 6918  
 T3 500 YEAR FLOOD WATER SURFACE PROFILE

J1	ICHECK	ING	NINV	IDIR	STRT	METRIC	HVINS	Q	WSEL	EQ
	-10.	5.	0.	0.	0.008000	0.0	0.0	0.	867.000	0.3
J2	NPROF	IPLT	PRFVS	XSECV	XSECH	FN	ALLDC	IBW	CHNIN	ITRACE
	15.000	0.0	-1.000	0.0	0.0	0.0	0.0	0.0	0.0	0.0

CCHV= 0.100 CEHV= 0.300

3720 ASSUMED CRITICAL DEPTH

SECNO	DEPTH	CWSEL	CRIS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST
350.00	3.87	861.87	861.87	867.00	862.39	0.52	0.0	0.0	860.70
615.	84.	340.	184.	38.	47.	73.	0.	0.	860.70
0.0	2.16	7.45	2.42	0.055	0.035	0.055	0.0	858.00	1277.98
0.007559	350.	350.	350.	0	12	1	0.0	130.47	1416.45

3585 20 TRIALS USED WSEL,CWSEL

7185 MIN SPECIFIC ENERGY

3720 ASSUMED CRITICAL DEPTH

SECNO	DEPTH	CWSEL	CRIS	WSELK	EG	HV	HL	OLOSS	BANK ELEV
Q	QLOB	QCH	QROB	ALOB	ACH	AROB	VOL	TWA	LEFT/RIGHT
TIME	VLOB	VCH	VROB	XNL	XNCH	XNR	WTN	ELMIN	SSTA
SLOPE	XLOBL	XLCH	XLOBR	ITRIAL	IDC	ICONT	CORAR	TOPWID	ENDST
400.00	3.85	863.25	863.25	0.0	863.79	0.55	0.39	0.0	862.10
615.	82.	352.	181.	37.	76.	74.	0.	0.	862.10
0.00	2.20	7.59	2.44	0.055	0.035	0.055	0.034	859.40	1278.51
0.007920	50.	50.	50.	30	5	1	0.0	137.58	1416.09

CCHV= 0.100 CEHV= 0.300  
 3685 20 TRIALS USED WSEL,CWSEL

SUMMARY PRINTOUT FOR MULTIPLE PROFILES

500 YEAR FLOOD WATER SUR

SECTION NUMBER	CHANNEL LENGTH	MIN EL OF ROADWAY	MAX EL OF LOW CHORD	MIN EL OF GROUND	DISCHARGE (CFS)	CWSEL	TQ	EG	TOPWID	STENCL	STENCR	VCH	
295	350.00	350.00	0.0	0.0	858.00	150.00	860.48	16.79	860.95	13.64	0.0	0.0	5.49
	350.00	350.00	0.0	0.0	858.00	302.00	861.31	38.39	861.74	117.24	0.0	0.0	5.97
	350.00	350.00	0.0	0.0	858.00	389.00	861.50	48.10	861.96	124.62	0.0	0.0	6.42
	350.00	350.00	0.0	0.0	858.00	615.00	861.87	70.74	862.39	138.47	0.0	0.0	7.45
346	400.00	50.00	0.0	0.0	859.40	150.00	861.38	11.16	862.20	12.80	0.0	0.0	7.26
	400.00	50.00	0.0	0.0	859.40	302.00	862.71	38.46	863.14	117.29	0.0	0.0	5.96
	400.00	50.00	0.0	0.0	859.40	389.00	862.89	47.43	863.36	124.14	0.0	0.0	6.45
	400.00	50.00	0.0	0.0	859.40	615.00	863.24	69.10	863.79	137.58	0.0	0.0	7.59
345	450.00	50.00	0.0	0.0	861.10	150.00	864.13	25.12	864.41	106.70	0.0	0.0	4.97
	450.00	50.00	0.0	0.0	861.10	302.00	864.45	46.96	864.75	118.71	0.0	0.0	5.85
	450.00	50.00	0.0	0.0	861.10	389.00	864.57	57.36	864.91	123.12	0.0	0.0	6.35
	450.00	50.00	0.0	0.0	861.10	615.00	864.76	77.48	865.26	130.48	0.0	0.0	7.79
345 TRINITY CREEK	520.00	70.00	871.60	864.10	861.10	150.00	866.77	499.44	866.77	207.17	0.0	0.0	8.42
	520.00	70.00	871.60	864.10	861.10	302.00	872.03	4108.16	872.03	521.40	0.0	0.0	8.17
	520.00	70.00	871.60	864.10	861.10	389.00	872.21	4323.66	872.21	525.72	0.0	0.0	8.21
	520.00	70.00	871.60	864.10	861.10	615.00	872.50	4688.92	872.50	532.66	0.0	0.0	8.31
345	570.00	50.00	0.0	0.0	863.80	150.00	866.30	19.47	866.89	14.00	0.0	0.0	4.95
	570.00	50.00	0.0	0.0	863.80	302.00	872.03	855.89	872.03	305.56	0.0	0.0	7.53
	570.00	50.00	0.0	0.0	863.80	389.00	872.21	913.84	872.21	312.65	0.0	0.0	8.65
	570.00	50.00	0.0	0.0	863.80	615.00	872.50	1011.26	872.50	324.02	0.0	0.0	8.95
345	620.00	50.00	0.0	0.0	865.10	150.00	867.08	11.20	867.90	12.81	0.0	0.0	7.24
	620.00	50.00	0.0	0.0	865.10	302.00	872.03	505.32	872.03	255.03	0.0	0.0	8.73
	620.00	50.00	0.0	0.0	865.10	389.00	872.21	546.20	872.21	261.94	0.0	0.0	8.95
	620.00	50.00	0.0	0.0	865.10	615.00	872.50	617.20	872.51	273.12	0.0	0.0	1.38
345	1900.00	1280.00	0.0	0.0	877.60	121.00	880.64	15.75	880.90	51.31	0.0	0.0	5.14
	1900.00	1280.00	0.0	0.0	877.60	236.00	881.01	24.33	881.44	63.10	0.0	0.0	7.16
	1900.00	1280.00	0.0	0.0	877.60	303.00	881.16	28.72	881.68	67.35	0.0	0.0	8.08
	1900.00	1280.00	0.0	0.0	877.60	475.00	881.54	42.15	882.18	78.20	0.0	0.0	8.40

SECTION NUMBER	DISCHARGE CFS	CWSEL	CWSEL DIFF EACH @	CWSEL DIFF EACH SECTION	CWSEL-WSELK	TOPWID	T.W. DIFF	LENGTH
350,000	150,000	860.484	0.0	0.0	0.0	13.642	0.0	350,000
350,000	302,000	861.311	0.827	0.0	0.0	117.237	-103.595	350,000
350,000	389,000	861.505	0.194	0.0	0.0	124.616	-110.974	350,000
350,000	615,000	861.868	0.363	0.0	0.0	138.471	-124.829	350,000
400,000	150,000	861.379	0.0	0.895	0.0	12.800	0.0	50,000
400,000	302,000	862.712	1.333	1.401	0.0	117.293	-104.493	50,000
400,000	389,000	862.892	0.180	1.380	0.0	124.141	-111.341	50,000
400,000	615,000	863.245	0.353	1.377	0.0	137.577	-124.777	50,000
450,000	150,000	864.135	0.0	2.756	0.0	106.699	0.0	50,000
450,000	302,000	864.450	0.315	1.738	0.0	118.712	-12.013	50,000
450,000	389,000	864.565	0.116	1.673	0.0	123.122	-16.424	50,000
450,000	615,000	864.759	0.193	1.514	0.0	130.483	-23.784	50,000

	520,000	150,000	856,769	0.0	2,634	0.0	207,166	0.0	70,000	
	520,000	302,000	872,027	5,258	7,578	0.0	521,398	-314,232	70,000	
	520,000	389,000	872,209	0.181	7,643	0.0	525,717	-318,551	70,000	
	520,000	615,000	872,500	0.291	7,741	0.0	532,663	-325,498	70,000	
	570,000	150,000	866,505	0.0	-0,264	0.0	13,998	0.0	50,000	
1	570,000	302,000	872,026	5,521	-0,001	0.0	305,564	-291,566	50,000	1
2	570,000	389,000	872,207	0.181	-0,001	0.0	312,655	-298,656	50,000	2
3	570,000	615,000	872,497	0.290	-0,003	0.0	324,022	-310,024	50,000	3
4										4
5	620,000	150,000	867,084	0.0	0,579	0.0	12,807	0.0	50,000	5
6	620,000	302,000	872,025	4,942	-0,001	0.0	255,035	-242,227	50,000	6
7	620,000	389,000	872,206	0.181	-0,001	0.0	261,735	-249,128	50,000	7
8	620,000	615,000	872,496	0.290	-0,001	0.0	273,115	-260,308	50,000	8
9										9
10	1900,000	121,000	880,639	0.0	13,556	0.0	51,310	0.0	1280,000	10
11	1900,000	236,000	881,009	0.370	8,984	0.0	63,104	-11,794	1280,000	11
12	1900,000	303,000	881,159	0.150	8,953	0.0	67,349	-16,038	1280,000	12
13	1900,000	475,000	881,543	0.384	9,047	0.0	78,203	-26,893	1280,000	13
14										14

DATA FOR LAST CROSS SECTION

	PROFILE	TYPE	ENC	TARGET	TOP WIDTH AREA-ACRES	TOP WIDTH AREA-DIFF	
15							15
16							16
17							17
18							18
19	1		0.0	0.0	1.420	0.0	19
20	2		0.0	0.0	6.255	4.835	20
21	3		0.0	0.0	6.455	5.035	21
22	4		0.0	0.0	6.841	5.421	22
23							23
24							24
25							25
26							26
27							27
28							28
29							29
30							30
31							31
32							32
33							33
34							34
35							35
36							36
37							37
38							38
39							39
40							40
41							41
42							42
43							43
44							44
45							45
46							46
47							47
48							48
49							49
50							50
51							51
52							52
53							53
54							54
55							55
56							56
57							57



1	*****	1
2	HEC2 VERSION UPDATED JAN 1975	2
3	ERROR CORRECTIONS 01,02,03,04,05,06,07,08	3
4	MODIFICATIONS 52,53,54,55,56,57,58	4
5	*****	5
6		6
7		7
8		8
9		9
10	EJ	10
11		11
12		12
13		13
14		14
15		15
16		16
17		17
18		18
19		19
20		20
21		21
22		22
23		23
24		24
25		25
26		26
27		27
28		28
29		29
30		30
31		31
32		32
33		33
34		34
35		35
36		36
37		37
38		38
39		39
40		40
41		41
42		42
43		43
44		44
45		45
46		46
47		47
48		48
49		49
50		50
51		51
52		52
53		53
54		54
55		55
56		56
57		57
58		58
59		59
60		60
61		61
62		62
63		63
64		64
65		65
66		66
67		67
68		68
69		69
70		70
71		71
72		72
73		73
74		74
75		75
76		76