



X1	0.21	30.	300.	320.	150.	100.	100.	0.0	0.0	0.	185
GA	2725.9	35.	2718.6	35.	2718.4	45.	2715.3	50.	2718.2	52.	170
GA	2717.6	90.	2716.6	127.	2716.6	160.	2730.0	160.	2730.0	310.	175
GA	2716.9	210.	2717.0	257.	2717.9	300.	2712.5	300.	2711.4	304.	180
GA	2710.5	308.	2710.9	309.	2711.4	320.	2717.9	320.	2717.6	350.	185
ET	0.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	190
X1	0.21	0.	0.	0.	40.	40.	40.	0.0	0.0	0.	195
ET	0.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	200
X1	0.21	25.	300.	320.	1.	1.	1.	0.0	0.0	0.	205
BT	0.0	257.0	2717.0	0.0	300.0	2717.9	0.	300.0	2717.9	2716.1	210
BT	320.0	2717.9	2716.1	320.0	2717.2	0.0	350.0	2717.6	0.0	0.0	215
GA	2725.0	35.	2718.6	35.	2718.4	45.	2715.3	50.	2718.2	52.	220
GA	2717.6	90.	2716.6	127.	2716.6	160.	2730.0	160.	2730.0	210.	225
GA	2716.9	210.	2717.0	257.	2717.9	300.	2712.5	300.	2711.4	304.	230
GA	2710.5	308.	2710.9	309.	2711.4	320.	2717.9	320.	2717.6	350.	235
GA	2717.2	400.	2718.7	598.	2720.0	620.	0.0	0.	0.0	0.	240
ET	0.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	245
X1	0.21	0.	0.	0.	20.	20.	20.	0.0	0.0	0.	250
X2	0.	0.0	0.	0.0	0.0	0.0	1.	0.0	0.0	0.	255
ET	0.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	260
X1	0.21	20.	300.	320.	1.	1.	1.	0.0	0.0	0.	265
GA	2725.0	35.	2718.6	35.	2718.4	45.	2715.3	50.	2718.2	52.	270
GA	2717.6	90.	2716.6	127.	2716.6	160.	2730.0	160.	2730.0	210.	275
GA	2716.9	210.	2717.0	257.	2717.9	300.	2712.5	300.	2711.4	304.	280
GA	2710.5	308.	2710.9	309.	2711.4	320.	2717.9	320.	2717.6	350.	285
ET	0.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	290
X1	0.21	0.	0.	0.	10.	10.	10.	0.0	0.0	0.	295
MC	0.120	0.120	0.050	0.0	0.0	0.0	0.0	0.0	0.0	0.0	300
ET	0.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	305
X1	0.25	0.	0.	0.	130.	80.	80.	0.0	3.50	0.	310
ET	0.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	315
X1	0.25	0.	0.	0.	40.	40.	40.	0.0	0.0	0.	320
ET	0.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	325
X1	0.25	75.	220.	329.	1.	1.	1.	0.0	0.0	0.	330
BT	14.0	55.0	2723.7	0.0	55.0	2723.7	2721.3	105.0	2723.3	2720.8	335
BT	103.0	2723.3	0.0	125.0	2723.0	0.0	150.0	2722.5	0.0	180.0	340
BT	2722.0	0.0	204.0	2721.7	0.0	220.0	2721.5	0.0	220.0	2721.5	345
BT	2719.1	329.0	2720.0	2717.7	329.0	2720.0	0.0	350.0	2719.8	0.0	350
BT	300.0	2719.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	355
BT	1750.0	55.	2718.5	55.	2718.4	60.	2718.6	68.	2721.2	66.	360
BT	1721.1	67.	2718.7	67.	2719.5	78.	2721.0	78.	2721.0	79.	365
BT	2719.5	79.	2719.5	91.	2721.0	91.	2721.0	92.	2719.5	92.	370
BT	1720.0	103.	2723.3	103.	2723.2	115.	2723.0	125.	2722.5	150.	375



D01

X1	0.43	19.	380.	400.	540.	540.	540.	0.0	0.0	0.	630
GR	2762.0	0.	2762.0	100.	2762.0	250.	2732.7	250.	2734.5	370.	635
GR	2733.5	380.	2730.5	380.	2730.1	389.	2730.5	399.	2733.5	400.	640
GR	2733.8	423.	2734.0	440.	2733.5	460.	2734.4	500.	2734.8	525.	645
GR	2736.0	575.	2734.8	581.	2736.5	700.	2737.1	800.	0.0	0.	650
MC	0.100	0.070	0.040	0.0	0.0	0.0	0.0	0.0	0.0	0.0	655
QT	5.	895.	1595.	1890.	2890.	1890.	0.	0.	0.	0.	660
ET	0.	0.0	0.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	665
X1	0.46	19.	380.	400.	180.	180.	180.	0.0	1.00	0.	670
GR	2770.0	0.	2732.7	0.	2732.5	235.	2732.7	250.	2734.5	370.	675
GR	2733.5	380.	2730.5	380.	2730.1	389.	2730.5	399.	2733.5	400.	680
GR	2733.8	423.	2734.0	440.	2733.5	460.	2734.4	500.	2734.8	525.	685
GR	2736.0	575.	2734.8	581.	2736.5	700.	2737.1	800.	0.0	0.	690
QT	5.	895.	1595.	1890.	2885.	1890.	0.	0.	0.	0.	695
ET	0.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	700
X1	0.48	16.	301.	317.	40.	40.	40.	0.0	0.0	0.	705
GR	2736.7	100.	2736.4	150.	2736.4	200.	2736.7	250.	2736.8	280.	710
GR	2737.	301.	2733.3	302.	2733.2	305.	2733.5	312.	2733.9	317.	715
GR	2737.	317.	2736.7	413.	2736.3	478.	2736.6	478.	2737.0	512.	720
GR	2737.5	800.	0.0	0.	0.0	0.	0.0	0.	0.0	0.	725
ET	0.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	730
X1	0.48	0.	0.	0.	40.	40.	40.	0.0	0.0	0.	735
ET	0.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	740
X1	0.48	16.	301.	317.	1.	1.	1.	0.0	0.0	0.	745
BT	14.0	100.0	2736.7	0.0	150.0	2736.4	0.0	200.0	2736.4	0.0	750
BT	250.0	2737.4	0.0	300.0	2738.3	0.0	302.0	2738.3	0.0	302.0	755
BT	2738.3	2737.9	317.0	2738.3	2737.9	317.0	2738.3	0.0	413.0	2736.7	760
BT	0.0	478.0	2736.5	0.0	478.0	2736.6	0.0	512.0	2737.0	0.0	765
BT	800.0	2737.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	770
GR	2736.7	100.	2736.4	150.	2736.4	200.	2737.4	250.	2738.3	300.	775
GR	2737.9	301.	2733.3	302.	2733.2	305.	2733.5	312.	2738.3	317.	780
GR	2738.3	317.	2736.7	413.	2736.3	478.	2736.6	478.	2737.0	512.	785
GR	2737.5	800.	0.0	0.	0.0	0.	0.0	0.	0.0	0.	790
ET	0.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	795
X1	0.48	0.	0.	0.	30.	30.	30.	0.0	0.0	0.	800
X2	0.	0.0	0.	0.0	0.0	0.0	1.	0.0	0.0	0.	805
ET	0.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	810
X1	0.48	16.	301.	317.	1.	1.	1.	0.0	0.0	0.	815
GR	2736.7	100.	2736.4	150.	2736.4	200.	2736.7	250.	2736.8	280.	820
GR	2737.0	301.	2733.3	302.	2733.2	305.	2733.5	312.	2733.9	317.	825
GR	2737.0	317.	2736.7	413.	2736.3	478.	2736.6	478.	2737.0	512.	830
GR	2737.5	800.	0.0	0.	0.0	0.	0.0	0.	0.0	0.	835
ET	0.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	840
X1	0.48	0.	0.	0.	10.	10.	10.	0.0	0.0	0.	845



## E01

NC	0.090	0.060	0.045	0.0	0.0							850
QT	5.	895.	1590.	1890.	2885.	1890.	0.	0.	0.	0.	0.	855
ET	0.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	860

X1	0.51	10.	347.	363.	130.	130.	130.	0.0	0.0	0.		865
GR	2750.0	285.	2740.2	300.	2739.4	347.	2737.0	350.	2736.0	352.		870
GR	2737.0	361.	2739.2	363.	2740.0	578.	2741.9	604.	2749.2	615.		875
ET	0.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		880

X1	0.51	0.	0.	0.	40.	40.	40.	0.0	0.0	0.		885
ET	0.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		890

X1	0.51	22.	330.	362.	1.	1.	1.	0.0	0.0	0.		895
BT	6.0	300.0	2746.0	0.0	330.0	2745.2	0.0	330.0	2745.2	2741.0		900
BT	362.0	2744.4	2742.0	362.0	2744.4	0.0	450.0	2741.8	0.0	0.0		905
GR	2746.6	255.	2746.0	300.	2745.2	330.	2737.5	330.	2737.0	332.		910
GR	2738.0	340.	2741.3	340.	2741.3	341.	2738.0	341.	2738.3	345.		915
GR	2737.5	351.	2741.7	351.	2741.7	352.	2737.5	352.	2737.0	355.		920
GR	2737.5	362.	2744.3	362.	2741.8	450.	2739.8	512.	2740.0	578.		925
GR	2741.9	604.	2749.2	615.	0.0	0.	0.0	0.	0.0	0.		930
ET	0.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		935

X1	0.54	0.	0.	0.	180.	50.	180.	0.0	0.0	0.		940
X2	0.	0.0	0.	0.0	0.0	0.0	1.	0.0	0.0	0.		945
ET	0.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		950

X1	0.54	20.	347.	364.	1.	1.	1.	0.0	0.0	0.		955
GR	2750.0	267.	2741.2	287.	2741.2	300.	2740.6	347.	2737.0	353.		960
GR	2737.4	355.	2737.4	357.	2738.0	361.	2740.3	364.	2742.0	482.		965
GR	2741.2	512.	2741.7	515.	2741.7	520.	2741.7	525.	2740.8	537.		970
GR	2740.3	537.	2740.3	570.	2740.9	570.	2740.9	575.	2741.8	603.		975
ET	0.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		980

X1	0.54	0.	0.	0.	30.	30.	30.	0.0	0.0	0.		985
NC	0.100	0.100	0.045	0.0	0.0							990
QT	5.	890.	1590.	1885.	2875.	1885.	0.	0.	0.	0.		995
ET	0.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		1000

X1	0.61	22.	200.	225.	300.	300.	300.	0.0	0.0	0.		1005
GR	2746.5	0.	2745.7	47.	2745.7	128.	2746.3	150.	2746.3	175.		1010
GR	2744.8	200.	2740.8	208.	2740.3	211.	2740.8	217.	2746.8	225.		1015
GR	2746.8	253.	2747.0	259.	2746.1	285.	2755.0	285.	2755.0	335.		1020
GR	2745.2	335.	2744.3	370.	2744.7	415.	2744.9	465.	2743.9	505.		1025
GR	2744.5	518.	2760.0	550.	0.0	0.	0.0	0.	0.0	0.		1030
ET	0.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		1035

X1	0.61	24.	200.	225.	40.	40.	40.	0.0	0.0	0.		1040
GR	2746.5	0.	2745.7	47.	2745.7	128.	2746.3	150.	2746.3	175.		1045
GR	2744.8	200.	2743.0	204.	2742.3	205.	2742.0	208.	2742.0	212.		1050
GR	2742.3	212.	2743.3	220.	2746.8	225.	2746.8	253.	2747.0	259.		1055
GR	2746.1	285.	2755.0	285.	2755.0	335.	2745.2	335.	2744.3	370.		1060
GR	2744.7	415.	2744.9	465.	2743.9	505.	2744.5	518.	0.0	0.		1065

F01

ET	0.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1070
X1	0.61	25.	204.	221.	1.	1.	1.	0.0	0.0	0.	1075
BT	6.0	197.0	2746.5	0.0	204.0	2746.7	0.0	204.0	2747.5	2745.5	1080
BT	221.0	2747.8	2746.0	221.0	2747.0	0.0	230.0	2747.2	0.0	0.0	1085
GR	2746.5	0.	2745.7	47.	2745.7	128.	2746.3	150.	2746.5	197.	1090
GR	2746.7	204.	2743.0	204.	2742.4	205.	2742.0	208.	2742.0	212.	1095
GR	2742.3	212.	2743.0	218.	2746.0	221.	2747.0	221.	2747.2	230.	1100
GR	2747.0	258.	2746.1	285.	2755.0	285.	2755.0	335.	2745.2	335.	1105
GR	2744.3	370.	2744.7	415.	2744.9	465.	2743.9	505.	2744.5	518.	1110
X1	0.61	0.	0.	0.	30.	30.	30.	0.0	0.0	0.	1115
X2	0.	0.0	0.	0.0	0.0	0.0	1.	0.0	0.0	0.	1120
ET	0.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1125
X1	0.61	24.	200.	225.	1.	1.	1.	0.0	0.0	0.	1130
GR	2746.5	0.	2745.7	47.	2745.7	120.	2746.3	150.	2746.3	175.	1135
GR	2744.8	200.	2743.0	204.	2742.3	205.	2742.0	208.	2742.0	212.	1140
GR	2742.3	212.	2743.3	220.	2746.8	225.	2746.8	253.	2747.0	259.	1145
GR	2746.1	285.	2755.0	285.	2755.0	335.	2745.2	335.	2744.3	370.	1150
GR	2744.7	415.	2744.9	465.	2743.9	505.	2744.5	518.	0.0	0.	1155
ET	0.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1160
X1	0.61	0.	0.	0.	10.	10.	10.	0.0	0.0	0.	1165
NC	0.120	0.110	0.060	0.0	0.0	0.0	0.0	0.0	0.0	0.	1170
QT	5.	890.	1585.	1880.	2865.	1880.	0.	0.	0.	0.	1175
ET	0.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1180
X1	0.74	21.	505.	542.	570.	570.	570.	0.0	0.0	0.	1185
GR	2759.8	0.	2758.9	100.	2758.5	200.	2758.3	300.	2758.5	400.	1190
GR	2758.7	460.	2756.5	505.	2752.5	505.	2751.8	508.	2751.8	512.	1195
GR	2751.3	515.	2751.5	520.	2752.5	520.	2756.5	542.	2756.8	550.	1200
GR	2774.0	550.	2774.0	580.	2757.6	580.	2758.0	600.	2756.3	700.	1205
GR	2760.0	1015.	0.0	0.	0.0	0.	0.0	0.	0.0	0.	1210
ET	0.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1215
X1	0.74	0.	0.	0.	40.	40.	40.	0.0	0.0	0.	1220
SB	1.25	1.60	3.00	0.	15.00	0.01	130.00	2.10	2751.5	2751.5	1225
ET	0.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1230
X1	0.74	0.	0.	0.	30.	30.	30.	0.0	0.0	0.	1235
X2	0.	0.0	1.	2756.6	2756.5	0.0	0.	0.0	0.0	0.	1240
BT	17.0	0.0	2759.8	0.0	100.0	2758.9	0.0	200.0	2758.5	0.0	1245
BT	300.0	2758.3	0.0	400.0	2758.5	0.0	460.0	2758.7	0.0	505.0	1250
BT	2758.8	0.0	505.0	2762.3	0.0	543.0	2762.3	0.0	543.0	2758.7	1255
BT	0.0	550.0	2758.7	0.0	550.0	2774.0	0.0	580.0	2774.0	0.0	1260
BT	580.0	2758.2	0.0	600.0	2758.0	0.0	700.0	2756.6	0.0	1015.0	1265
BT	2760.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1270
NC	0.110	0.100	0.050	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1275
ET	0.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1280
X1	0.74	0.	0.	0.	10.	10.	10.	0.0	0.0	0.	1285

NC	0.100	0.100	0.045	0.0	0.0						1290
QT	5.	885.	1580.	1875.	2860.	1875.	0.0	0.0	0.0	0.0	1295
ET	0.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1300
X1	0.80	35.	250.	275.	300.	300.	300.	0.0	-1.00	0.	1305
GR 2760.8	25.	2760.5	58.	2760.3	60.	2759.5	81.	2759.9	110.	1310	
GR 2760.0	150.	2760.8	180.	2760.8	185.	2770.0	185.	2770.0	215.	1315	
GR 2760.8	215.	2760.4	225.	2759.4	240.	2759.2	250.	2756.5	257.	1320	
GR 2756.0	262.	2755.8	268.	2756.5	272.	2759.6	275.	2759.7	285.	1325	
GR 2770.0	285.	2770.0	315.	2760.3	315.	2760.5	322.	2760.3	330.	1330	
GR 2770.0	330.	2770.0	360.	2759.7	360.	2759.5	375.	2760.2	392.	1335	
GR 2759.8	421.	2759.4	471.	2759.0	492.	2760.3	508.	2760.3	530.	1340	
ET	0.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1345	
X1	0.80	0.	0.	0.	40.	40.	40.	0.0	0.0	0.	1350
SB	1.25	1.60	3.00	0.	11.00	0.01	55.00	0.50	2754.8	2754.8	1355
ET	0.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1360
X1	0.80	0.	0.	0.	30.	30.	30.	0.0	0.0	0.	1365
X2	0.	0.0	1.	2759.0	2759.0	0.0	0.	0.0	0.0	0.	1370
BT	24.0	30.0	2760.8	0.0	58.0	2760.8	0.0	61.0	2760.5	0.0	1375
BT	90.0	2760.0	0.0	118.0	2760.3	0.0	130.0	2760.0	0.0	150.0	1380
BT 2760.0	0.0	180.0	2760.8	0.0	215.0	2760.8	0.0	231.0	2760.0	1385	
BT	0.0	250.0	2760.2	0.0	250.0	2761.5	0.0	253.0	2761.5	2759.0	1390
BT	269.0	2761.6	2759.0	269.0	2761.2	0.0	285.0	2760.0	0.0	323.0	1395
BT 2760.5	0.0	375.0	2759.4	0.0	392.0	2760.2	0.0	421.0	2759.8	1400	
BT	0.0	471.0	2759.4	0.0	492.0	2759.0	0.0	508.0	2760.3	0.0	1405
BT	530.0	2760.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1410
ET	0.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1415
X1	0.80	32.	250.	272.	30.	30.	30.	0.0	0.0	0.	1420
GR 2760.8	25.	2760.5	58.	2760.3	60.	2759.5	81.	2759.9	110.	1425	
GR 2760.0	150.	2760.8	180.	2760.8	185.	2770.0	185.	2770.0	215.	1430	
GR 2760.8	215.	2760.4	225.	2759.4	240.	2759.2	250.	2756.5	257.	1435	
GR 2756.0	262.	2755.8	268.	2756.5	272.	2759.6	275.	2760.1	297.	1440	
GR 2760.5	322.	2760.3	330.	2770.0	330.	2770.0	360.	2759.7	360.	1445	
GR 2759.5	375.	2760.2	392.	2759.8	421.	2759.4	471.	2759.0	492.	1450	
GR 2760.3	508.	2760.3	530.	0.0	0.	0.0	0.	0.0	0.	1455	
NC	0.100	0.060	0.040	0.0	0.0						1460
QT	5.	885.	1575.	1865.	2850.	1865.	0.0	0.0	0.0	0.0	1465
ET	0.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1470
X1	0.98	15.	246.	274.	900.	900.	900.	0.0	0.0	0.	1475
GR 2780.0	0.	2773.0	0.	2773.2	40.	2773.8	135.	2773.7	157.	1480	
GR 2773.9	180.	2774.3	205.	2773.4	246.	2771.5	252.	2768.5	267.	1485	
GR 2773.5	274.	2773.8	410.	2774.8	575.	2776.2	650.	2780.0	668.	1490	
ET	0.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1495
X1	0.98	0.	0.	0.	40.	40.	40.	0.0	0.0	0.	1500
ET	0.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1505
X1	0.98	26.	254.	269.	1.	1.	1.	0.0	0.0	0.	1510
BT	11.0	210.0	2774.2	0.0	250.0	2774.9	0.0	250.0	2775.6	0.0	1515

H01

BT	254.0	2775.6	2771.5	256.0	2775.6	2772.9	261.0	2775.6	2774.4	264.0	1520
BT	2775.6	2773.0	267.0	2775.6	2772.0	269.0	2775.6	2770.0	269.0	2774.7	1525
BT	0.0	284.0	2774.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1530
GR	2780.0	0.	2773.0	0.	2773.2	40.	2773.8	135.	2773.7	157.	1535
GR	2773.9	180.	2774.5	205.	2774.2	210.	2774.9	250.	2774.8	254.	1540
GR	2770.4	254.	2770.2	256.	2769.5	261.	2768.9	264.	2768.5	267.	1545
GR	2771.0	269.	2774.7	269.	2774.4	284.	2774.9	284.	2774.2	305.	1550
GR	2774.0	369.	2773.7	372.	2773.8	410.	2774.8	575.	2776.2	650.	1555
GR	2780.0	668.	0.0	0.	0.0	0.	0.0	0.	0.0	0.	1560
ET	0.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1565
X1	0.98	0.	0.	0.	30.	30.	30.	0.0	0.0	0.	1570
X2	0.	0.0	0.	0.0	0.0	0.0	1.	0.0	0.0	0.	1575
ET	0.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1580
X1	0.98	10.	246.	274.	20.	20.	20.	0.0	0.0	0.	1585
GR	2780.0	0.	2775.0	0.	2775.0	180.	2773.4	246.	2771.5	253.	1590
GR	2768.5	267.	2773.5	274.	2773.8	410.	2774.8	575.	2776.2	650.	1595
ET	0.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1600
X1	0.98	17.	250.	281.	20.	20.	20.	0.0	0.0	0.	1605
GR	2780.0	0.	2775.0	0.	2775.0	180.	2773.4	246.	2773.2	250.	1610
GR	2771.5	260.	2771.2	264.	2771.3	269.	2771.9	272.	2774.9	281.	1615
GR	2774.4	316.	2774.8	350.	2774.7	400.	2775.1	500.	2776.2	600.	1620
GR	2776.2	650.	2780.0	668.	0.0	0.	0.0	0.	0.0	0.	1625
NC	0.085	0.085	0.045	0.0	0.0						1630
QT	5.	600.	1100.	1300.	2000.	1300.	0.	0.	0.	0.	1635
ET	0.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1640
X1	1.19	26.	511.	531.	1100.	1100.	1100.	0.0	0.0	0.	1645
GR	2792.0	0.	2791.0	100.	2790.5	200.	2791.6	300.	2791.5	330.	1650
GR	2804.0	330.	2804.0	370.	2791.5	370.	2792.5	400.	2792.1	440.	1655
GR	2790.4	445.	2790.3	450.	2791.5	500.	2791.7	511.	2787.0	511.	1660
GR	2786.0	520.	2787.0	526.	2791.6	531.	2791.5	550.	2810.0	550.	1665
GR	2810.0	640.	2791.5	640.	2791.6	700.	2792.5	800.	2796.2	890.	1670
GR	2799.5	965.	0.0	0.	0.0	0.	0.0	0.	0.0	0.	1675
ET	0.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1680
X1	1.19	0.	0.	0.	40.	40.	40.	0.0	0.0	0.	1685
SB	1.25	1.60	3.00	0.	6.00	0.01	27.00	0.0	2787.3	2787.3	1690
ET	0.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1695
X1	1.19	23.	511.	531.	30.	30.	30.	0.0	0.0	0.	1700
X2	0.	0.0	1.	2791.8	2791.8	0.0	0.	0.0	0.0	0.	1705
BT	20.0	0.0	2792.0	0.0	50.0	2791.8	0.0	200.0	2791.8	0.0	1710
BT	300.0	2791.8	0.0	330.0	2791.8	0.0	330.0	2804.0	0.0	370.0	1715
BT	2804.0	0.0	370.0	2791.8	0.0	400.0	2792.5	0.0	440.0	2792.1	1720
BT	0.0	445.0	2791.8	0.0	450.0	2791.8	0.0	500.0	2791.8	0.0	1725
BT	520.0	2791.9	0.0	526.0	2791.8	0.0	535.0	2791.8	0.0	700.0	1730
BT	2791.8	0.0	800.0	2792.5	0.0	890.0	2796.2	0.0	965.0	2799.5	1735
BT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1740
GR	2792.0	0.	2791.0	100.	2790.5	200.	2791.6	300.	2791.5	330.	1745
GR	2804.0	330.	2804.0	370.	2791.5	370.	2792.5	400.	2792.1	440.	1750
GR	2790.4	445.	2790.3	450.	2791.5	500.	2791.7	511.	2787.0	511.	1755



J01

\*PROF 1

CCHV= 0.100 CEHV= 0.500

\*SECNO .050

2096 WSEL NOT GIVEN,AVG OF MAX,MIN USED

3265 DIVIDED FLOW

BROWNING BRANCH		10 YEAR FLOOD			08/01/81				
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID		
ELEV	CRIMS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV		
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT		
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	SSTA		
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST		VOL
0.05	900.	101.	653.	146.	0.47	0	174.		
2704.59	0.0	64.	103.	102.	0.50	0	2701.00		
6.09	0.0	1.58	6.37	1.43	0.0	2705.06	2701.50		
0.005009	0.0	0.100	0.045	0.070	0.0	-0.00	221.32		
	2698.50	0.	0.	0.	49.	172.	442.24		0.

\*SECNO .140

3265 DIVIDED FLOW

3280 CROSS SECTION 0.14 EXTENDED 0.05 FEET

BROWNING BRANCH		10 YEAR FLOOD			08/01/81				
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID		
ELEV	CRIMS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV		
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT		
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	SSTA		
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST		VOL
0.14	900.	267.	371.	262.	0.50	20	248.		
2710.35	2710.35	88.	45.	122.	0.03	13	2708.70		
4.85	0.0	3.05	8.21	2.16	3.50	2710.85	2709.20		
0.013735	0.045	0.070	0.045	0.070	0.01	-0.00	120.61		
	2705.50	450.	450.	450.	203.	171.	495.00		3.

\*SECNO .180

BROWNING BRANCH		10 YEAR FLOOD			08/01/81				
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID		
ELEV	CRIMS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV		
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT		
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	SSTA		
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST		VOL
7185	900.	55.	497.	348.	0.42	3	328.		
2713.43	2713.43	45.	73.	190.	-0.07	6	2712.60		
4.83	0.0	1.21	6.84	1.83	2.62	2713.85	2712.80		

K01

0.009321 0.045 0.090 0.045 0.070 0.01 0.0 230.00  
 2708.60 250. 230. 230. 81. 247. 557.92 4.

\*SECNO .210

3265 DIVIDED FLOW

3301 HV CHANGED MORE THAN HVINS

BROWNING BRANCH		10 YEAR FLOOD			08/01/81		TOPWID		
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	BANK ELEV		
ELEV	CRINS	ALOB	ACH	AROB	DHV	IDC	LEFT/RIGHT		
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	SSTA		
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	ENDST		VOL
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR			

3685 20 TRIALS ATTEMPTED WSEL,CWSEL  
 3693 PROBABLE MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSUMED

0.21	900.	39.	787.	74.	1.09	20	103.		
2716.32	2716.32	25.	88.	38.	0.67	8	2714.70		
5.82	0.0	1.53	8.95	1.92	1.07	2717.41	2714.80		
0.011830	0.044	0.070	0.045	0.070	0.34	-0.00	48.59		
	2710.50	150.	100.	100.	261.	61.	370.56		5.

\*SECNO .210

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3301 HV CHANGED MORE THAN HVINS

BROWNING BRANCH		10 YEAR FLOOD			08/01/81		TOPWID		
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	BANK ELEV		
ELEV	CRINS	ALOB	ACH	AROB	DHV	IDC	LEFT/RIGHT		
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	SSTA		
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	ENDST		VOL
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR			

0.21	900.	126.	603.	171.	0.32	4	282.		
2717.39	0.0	129.	109.	114.	-0.77	0	2714.70		
6.89	0.0	0.98	5.51	1.50	0.23	2717.72	2714.80		
0.003349	0.044	0.070	0.045	0.070	0.08	-0.00	46.74		
	2710.50	40.	40.	40.	263.	115.	425.19		5.

\*SECNO .210

3265 DIVIDED FLOW

3301 HV CHANGED MORE THAN HVINS

3370 NORMAL BRIDGE, NRD= 6 MIN ELTRD= 2717.00 MAX ELLC= 2716.10



L01

0.21	900.	27.	873.	0.	1.21	8	97.
2716.96	2715.18	18.	98.	0.	0.88	12	2717.90
6.46	0.0	1.52	8.95	0.0	0.01	2718.17	2717.90
0.035846	0.044	0.090	0.045	0.070	0.44	-17.16	47.49
	2710.50	1.	1.	1.	263.	10.	320.00

\*SECNO .210

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3301 HV CHANGED MORE THAN HVINS

3370 NORMAL BRIDGE, NRD= 6 MIN ELTRD= 2717.00 MAX ELLC= 2716.10

0.21	900.	360.	324.	216.	0.07	5	469.
2718.43	0.0	252.	108.	172.	-1.14	0	2717.90
7.93	0.0	1.43	3.00	1.26	0.22	2718.50	2717.90
0.005233	0.044	0.090	0.045	0.070	0.11	-36.00	43.54
	2710.50	20.	20.	20.	266.	252.	562.26

\*SECNO .210

3265 DIVIDED FLOW

0.21	900.	227.	409.	264.	0.08	2	468.
2718.43	0.0	320.	130.	294.	0.01	0	2714.70
7.93	0.0	0.71	3.14	0.90	0.00	2718.50	2714.80
0.000865	0.044	0.090	0.045	0.070	0.00	-0.00	43.62
	2710.50	1.	1.	1.	266.	252.	562.04

\*SECNO .210

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

0.21	900.	228.	408.	265.	0.07	2	470.
2718.44	0.0	322.	130.	296.	-0.00	0	2714.70
7.94	0.0	0.71	3.13	0.89	0.01	2718.51	2714.80
0.000855	0.044	0.090	0.045	0.070	0.00	-0.00	43.14
	2710.50	10.	10.	10.	267.	253.	563.31

\*SECNO .250

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3301 HV CHANGED MORE THAN HVINS

M01

BROWNING BRANCH		10 YEAR FLOOD			08/01/81		TOPWID		
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	IDC	BANK ELEV	
ELEV	CRWS	ALOB	ACH	AROB	DHV	EG	EG	LEFT/RIGHT	
DEPTH	WSELK	VLOB	VCH	VROB	HL	CORAR	SSTA		
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	WSDR	ENDST		VOL
	ELMIN	XLOBL	XLCH	XLOBR	WSDL				

3685 20 TRIALS ATTEMPTED WSEL,CWSEL  
 3693 PROBABLE MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSUMED

0.25	900.	35.	813.	52.	1.18	20	105.		
2719.86	2719.86	27.	89.	40.	1.10	13	2718.20		
5.86	0.0	1.32	9.15	1.29	0.19	2721.03	2718.30		
0.015090	0.044	0.120	0.050	0.120	0.55	-0.00	48.52		
	2714.00	130.	80.	80.	261.	62.	371.92		6.

\*SECNO .250

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3301 HV CHANGED MORE THAN HVINS

0.25	900.	135.	631.	135.	0.34	4	310.		
2721.06	0.0	156.	113.	133.	-0.83	0	2718.20		
7.06	0.0	0.87	5.59	1.01	0.28	2721.40	2718.30		
0.004101	0.045	0.120	0.050	0.120	0.08	-0.00	46.46		
	2714.00	40.	40.	40.	264.	137.	446.94		7.

\*SECNO .250

3265 DIVIDED FLOW

3280 CROSS SECTION 0.25 EXTENDED 3.19 FEET

3370 NORMAL BRIDGE,HRD= 14 MIN ELTRD= 2719.00 MAX ELLC= 2721.30

0.25	900.	56.	652.	192.	0.04	2	233.		
2721.39	0.0	83.	356.	155.	-0.30	0	2721.50		
7.39	0.0	0.67	1.83	1.24	0.00	2721.43	2720.00		
0.003903	0.045	0.120	0.050	0.120	0.03	-336.12	55.00		
	2714.00	1.	1.	1.	220.	131.	405.00		7.

\*SECNO .250

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3280 CROSS SECTION 0.25 EXTENDED 3.31 FEET

A02

3370 NORMAL BRIDGE, NRD= 14 MIN ELTRD= 2719.00 MAX ELLC= 2721.30

0.25	900.	53.	647.	200.	0.04	0	253.	
2721.51	0.0	83.	348.	165.	-0.00	0	2721.50	
7.51	0.0	0.64	1.76	1.22	0.11	2721.53	2720.00	
0.003520	0.045	0.120	0.050	0.120	0.00	-343.42	55.00	
	2714.00	30.	30.	30.	220.	131.	405.00	7.

\*SECNO .250

3280 CROSS SECTION 0.25 EXTENDED 3.33 FEET

0.25	900.	65.	743.	92.	0.02	2	350.	
2721.53	0.0	272.	646.	270.	-0.02	0	2717.50	
7.53	0.0	0.24	1.15	0.34	0.00	2721.53	2716.50	
0.000142	0.045	0.120	0.050	0.120	0.00	-0.00	55.00	
	2714.00	1.	1.	1.	220.	131.	405.00	7.

\*SECNO .260

3280 CROSS SECTION 0.26 EXTENDED 3.22 FEET

BROWNING BRANCH

10 YEAR FLOOD

08/01/81

FILE	Q	ALOB	ACH	AROB	HV	ITRIAL	TOP MID	
ELEV	CRIMS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSLK	VLOB	VCH	VROB	HL	ES	LEFT/RIGHT	
SLOPE	WTR	XBL	XNCH	XNR	CLOSS	CORAR	SSA	
	ELMIN	XLOBL	XLCH	XLOBR	MSDL	MSDR	ENDST	VOL
0.26	900.	253.	473.	174.	0.05	2	253.	
2721.52	0.0	335.	192.	190.	0.04	0	2719.00	
6.02	0.0	0.76	2.46	0.92	0.01	2721.57	2717.90	
0.003861	0.045	0.100	0.050	0.100	0.02	-0.00	190.00	
	2715.50	25.	25.	25.	175.	80.	405.00	8.

\*SECNO .300

3265 DIVIDED FLOW

BROWNING BRANCH

10 YEAR FLOOD

08/01/81

FILE	Q	ALOB	ACH	AROB	HV	ITRIAL	TOP MID	
ELEV	CRIMS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSLK	VLOB	VCH	VROB	HL	ES	LEFT/RIGHT	
SLOPE	WTR	XBL	XNCH	XNR	CLOSS	CORAR	SSA	
	ELMIN	XLOBL	XLCH	XLOBR	MSDL	MSDR	ENDST	VOL

3695 20 TRIALS ATTEMPTED WSEL CISEL

3693 PROBABLE MINIMUM SPECIFIC ENERGY

3720 CRITICAL DEPTH ASSUMED

0.30	900.	361.	490.	49.	0.34	20	185.	
2722.59	2722.59	115.	65.	30.	0.43	14	2724.80	
3.79	0.0	3.14	7.49	1.64	0.47	2723.13	2723.20	
0.020332	0.045	0.080	0.050	0.080	0.24	-0.00	136.76	
	2718.80	200.	200.	200.	120.	134.	390.00	10.

\*SECNO .340

3265 DIVIDED FLOW

0.34	900.	312.	424.	164.	0.26	4	274.	
2725.42	0.0	139.	78.	118.	-0.28	0	2727.50	
4.22	0.0	2.25	5.57	1.41	2.52	2725.68	2725.80	
0.007920	0.045	0.080	0.045	0.080	0.03	-0.00	142.44	
	2721.20	210.	210.	210.	114.	174.	430.72	11.

\*SECNO .430

BROWNING BRANCH

10 YEAR FLOOD

08/01/81

MILE	Q	GLOB	GCH	GROB	HV	ITRIAL	TOPWID	
ELEV	CRIMS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTH	XBL	XWCH	XWR	GLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL

7185 MINIMUM SPECIFIC ENERGY

3720 CRITICAL DEPTH ASSUMED

0.43	895.	169.	643.	82.	0.65	1	263.	
2734.61	2734.61	127.	84.	79.	0.39	8	2733.50	
4.51	0.0	1.33	7.61	1.04	4.39	2735.26	2735.50	
0.008361	0.044	0.100	0.040	0.110	0.20	0.0	250.00	
	2730.10	540.	540.	540.	140.	123.	512.98	15.

\*SECNO .460

3301 HV CHANGED MORE THAN HVINS

0.46	895.	560.	268.	67.	0.05	2	521.	
2735.75	0.0	681.	87.	95.	-0.60	0	2734.50	
4.65	0.0	0.82	3.07	0.71	0.48	2735.80	2734.50	
0.001306	0.044	0.100	0.040	0.070	0.06	-0.00	0.0	
	2731.10	180.	180.	180.	390.	131.	521.45	17.

\*SECNO .480

3280 CROSS SECTION

0.48 EXTENDED

0.78 FEET

BROWNING BRANCH

10 YEAR FLOOD

08/01/81

MILE	Q	GLOB	GCH	GROB	HV	ITRIAL	TOPWID	
ELEV	CRIMS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTH	XBL	XWCH	XWR	GLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL

3685 20 TRIALS ATTEMPTED WSEL, WSEL

3693 PROBABLE MINIMUM SPECIFIC ENERGY

3720 CRITICAL DEPTH ASSUMED

0.48	895.	219.	401.	275.	0.30	20	691.	
2737.48	2737.48	182.	63.	216.	0.24	13	2737.00	
4.28	0.0	1.20	4.37	1.28	0.10	2737.78	2737.00	
0.007230	0.045	0.100	0.040	0.070	0.12	-0.00	100.00	
	2733.20	40.	40.	40.	209.	482.	791.14	18

\*SECNO .480

C02

\*\*\* GR CARDS REPEATED  
3280 CROSS SECTION 0.48 EXTENDED 1.18 FEET

0.48	895.	227.	271.	397.	0.08	2	700.	
2737.87	0.0	261.	69.	405.	-0.21	0	2737.00	
4.67	0.0	0.87	3.92	0.98	0.15	2737.96	2737.00	
0.002404	0.043	0.100	0.040	0.070	0.02	-0.00	100.00	
	2733.20	40.	40.	40.	209.	491.	800.00	10.

\*SECNO .480

3265 DIVIDED FLOW

3280 CROSS SECTION 0.48 EXTENDED 1.17 FEET

3370 NORMAL BRIDGE, NRD= 14 MIN ELTRD= 2736.30 MAX ELLC= 2737.90

0.48	895.	216.	256.	423.	0.11	1	649.	
2737.86	0.0	195.	55.	346.	0.03	0	2737.90	
4.66	0.0	1.11	4.62	1.22	0.00	2737.97	2738.30	
0.004203	0.043	0.100	0.040	0.070	0.01	-2.27	100.00	
	2733.20	1.	1.	1.	209.	491.	800.00	18.

\*SECNO .480

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3280 CROSS SECTION 0.48 EXTENDED 1.35 FEET

3370 NORMAL BRIDGE, NRD= 14 MIN ELTRD= 2736.30 MAX ELLC= 2737.90

0.48	895.	234.	157.	505.	0.04	2	670.	
2738.05	0.0	227.	56.	429.	-0.07	0	2737.90	
4.85	0.0	1.03	2.81	1.18	0.11	2738.09	2738.30	
0.003120	0.043	0.100	0.040	0.070	0.01	-4.71	100.00	
	2733.20	30.	30.	30.	209.	491.	800.00	19.

\*SECNO .480

3280 CROSS SECTION 0.48 EXTENDED 1.35 FEET

0.48	895.	227.	234.	434.	0.05	0	700.	
2738.05	0.0	297.	72.	491.	0.01	0	2737.00	
4.85	0.0	0.76	3.25	0.88	0.00	2738.10	2737.00	
0.001570	0.043	0.	0.040	0.070	0.01	0.0	100.00	
	2733.20	1.	1.	1.	209.	491.	800.00	19.

\*SECNO .480

\*\*\* GR CARDS REPEATED  
3280 CROSS SECTION 0.48 EXTENDED 1.37 FEET

BROWNING BRANCH		10 YEAR FLOOD			08/01/81		TOPWID		
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	BANK ELEV		
ELEV	CRIMS	ALOB	ACH	AROB	DHV	IDC	LEFT/RIGHT		
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	SSTA		
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	ENBST		VOL
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR			
0.48	895.	227.	231.	437.	0.05	0	700.		
2738.06	0.0	300.	72.	499.	-0.00	0	2737.00		
4.86	0.0	0.76	3.20	0.88	0.02	2738.11	2737.00		
0.001516	0.043	0.100	0.040	0.070	0.00	0.0	100.00		
	2733.20	10.	10.	10.	209.	491.	800.00		19.

\*SECNO .510

BROWNING BRANCH		10 YEAR FLOOD			08/01/81		TOPWID		
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	BANK ELEV		
ELEV	CRIMS	ALOB	ACH	AROB	DHV	IDC	LEFT/RIGHT		
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	SSTA		
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	ENBST		VOL
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR			
0.51	895.	43.	397.	454.	0.40	20	285.		
2740.49	2740.49	33.	56.	194.	0.35	13	2737.40		
4.49	0.0	1.32	7.15	2.34	0.41	2740.89	2737.20		
0.010488	0.043	0.090	0.043	0.060	0.17	-0.00	299.55		
	2736.00	130.	130.	130.	55.	230.	584.76		21.

3685 20 TRIALS ATTEMPTED WSEL,CWSEL  
3695 PROBABLE MINIMUM SPECIFIC ENERGY  
3720 CRITICAL DEPTH ASSUMED

0.51	895.	62.	282.	551.	0.13	2	293.		
2741.01	0.0	57.	64.	310.	-0.27	0	2739.40		
5.01	0.0	1.08	4.42	1.78	0.22	2741.14	2739.20		
0.003332	0.043	0.090	0.045	0.060	0.03	-0.00	298.76		
	2736.00	40.	40.	40.	56.	237.	591.81		21.

\*SECNO .510

\*\*\* GR CARDS REPEATED

0.51	895.	0.	654.	241.	0.55	2	139.		
2740.80	0.0	0.	97.	81.	0.42	0	2745.20		
3.80	0.0	0.0	6.71	2.98	0.01	2741.35	2744.30		
0.019615	0.043	0.090	0.045	0.060	0.21	-0.00	330.00		
	2737.00	1.	1.	1.	16.	243.	589.14		21.

\*SECNO .510

3285 DIVIDED FLOW

3370 NORMAL BRIDGE, NRD= 6 MIN ELTRD= 2741.80 MAX ELLC= 2742.00

0.51	895.	0.	654.	241.	0.55	2	139.		
2740.80	0.0	0.	97.	81.	0.42	0	2745.20		
3.80	0.0	0.0	6.71	2.98	0.01	2741.35	2744.30		
0.019615	0.043	0.090	0.045	0.060	0.21	-0.00	330.00		
	2737.00	1.	1.	1.	16.	243.	589.14		21.

E02

\*SECNO .540

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3370 NORMAL BRIDGE, NRD= 6 MIN ELTRD= 2741.80 MAX ELLC= 2742.00

0.54	895.	0.	281.	614.	0.08	2	200.	
2742.18	0.0	0.0	118.	270.	-0.47	0	2745.20	
5.18	0.0	0.0	2.38	2.27	0.86	2742.26	2744.30	
0.00587	0.044	0.090	0.045	0.060	0.05	-21.69	330.00	
	2737.00	180.	180.	50.	16.	258.	604.42	22.

\*SECNO .540

3280 CROSS SECTION 0.54 EXTENDED 0.31 FEET

BROWNING BRANCH		10 YEAR FLOOD			08/01/81		TOPWID		
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID		
ELEV	CRIMS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV		
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT		
SLOPE	WTN	XML	XNCH	XNR	OLOSS	CORAR	SSTA		
	ELMIN	XLOBL	XLCH	XLOBR	WSDI	WSDR	ENDST	VOL	
0.54	895.	92.	361.	442.	0.22	2	318.		
2742.11	0.0	70.	66.	233.	0.14	0	2740.60		
5.11	0.0	1.31	5.50	1.89	0.00	2742.33	2740.30		
0.005243	0.044	0.090	0.045	0.060	0.07	-0.00	284.92		
	2737.00	1.	1.	1.	71.	248.	603.00	22.	

\*SECNO .540

\*\*\* GR CARDS REPEATED

3280 CROSS SECTION 0.54 EXTENDED 0.53 FEET

0.54	895.	98.	317.	480.	0.14	2	319.	
2742.32	0.0	83.	69.	284.	-0.08	0	2740.60	
5.32	0.0	1.18	4.57	1.69	0.12	2742.47	2740.30	
0.003381	0.044	0.090	0.045	0.060	0.01	-0.00	284.44	
	2737.00	30.	30.	30.	71.	248.	603.00	22.

\*SECNO .610

3265 DIVIDED FLOW

BROWNING BRANCH		10 YEAR FLOOD			08/01/81		TOPWID		
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID		
ELEV	CRIMS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV		
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT		
SLOPE	WTN	XML	XNCH	XNR	OLOSS	CORAR	SSTA		
	ELMIN	XLOBL	XLCH	XLOBR	WSDI	WSDR	ENDST	VOL	

3685 20 TRIALS ATTEMPTED WSEL,CWSEL



F02

3693 PROBABLE MINIMUM SPECIFIC ENERGY

3720 CRITICAL DEPTH ASSUMED

0.61	890.	4.	604.	282.	0.57	20	222.	
2745.58	2745.58	5.	83.	183.	0.43	6	2744.80	
5.28	0.0	0.61	7.30	1.54	1.64		2746.15	2746.80
0.010425	0.044	0.100	0.045	0.100	0.22		-0.00	187.00
	2740.30	300.	300.	300.	26.		308.	520.23
								25.

\*SECNO .610

3265 DIVIDED FLOW

3280 CROSS SECTION 0.61 EXTENDED 1.81 FEET

0.61	890.	61.	365.	464.	0.16	3	402.	
2746.31	0.0	86.	78.	316.	-0.41	0	2744.80	
4.31	0.0	0.71	4.71	1.47	0.27		2746.47	2746.80
0.004799	0.044	0.100	0.045	0.100	0.04		-0.00	11.32
	2742.00	40.	40.	40.	201.		306.	518.00
								25.

\*SECNO .610

3265 DIVIDED FLOW

3280 CROSS SECTION 0.61 EXTENDED 1.91 FEET

3370 NORMAL BRIDGE, NRD= 6 MIN ELTRD= 2746.50 MAX ELLC= 2746.00

0.61	890.	75.	171.	643.	0.08	2	379.	
2746.41	0.0	82.	51.	335.	-0.08	0	2746.70	
4.41	0.0	0.92	3.36	1.92	0.01		2746.48	2747.00
0.007674	0.044	0.100	0.045	0.100	0.01		-11.17	5.50
	2742.00	1.	1.	1.	207.		306.	518.00
								25.

\*SECNO .610

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3280 CROSS SECTION 0.61 EXTENDED 2.12 FEET

DRAINING BRANCH		10 YEAR FLOOD			08/01/81		TOPWID	
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	INDC	BANK ELEV
ELEV	CRIMS	ALOB	ACH	AROB	DHY	EG	CORAR	LEFT/RIGHT
DEPTH	WSELK	VLOB	VCH	VROB	HL	WSDR	WSDR	SSTA
SLOPE	WTN	XNL	XNCH	XNR	LOSS	MSDL	MSDL	ENDST
	ELMIN	XLOBL	XLCH	XLOBR				VOL

3370 NORMAL BRIDGE, NRD= 6 MIN ELTRD= 2746.50 MAX ELLC= 2746.00

0.61	890.	108.	142.	640.	0.05	2	417.	
------	------	------	------	------	------	---	------	--

602

2746.62	0.0	123.	51.	376.	-0.02	0	2746.70
4.62	0.0	0.87	2.78	1.70	0.19	2746.67	2747.00
0.005257	0.044	0.100	0.045	0.100	0.00	-14.81	0.0
	2742.00	30.	30.	30.	213.	306.	518.00 25.

\*SECNO .610

3265 DIVIDED FLOW

3280 CROSS SECTION 0.61 EXTENDED 2.10 FEET

0.61	890.	98.	324.	467.	0.10	2	422.
2746.60	0.0	144.	85.	373.	0.04	0	2744.80
4.60	0.0	0.68	3.83	1.25	0.00	2746.70	2746.80
0.002886	0.044	0.100	0.045	0.100	0.02	-0.00	0.0
	2742.00	1.	1.	1.	213.	306.	518.00 25.

\*SECNO .610

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3280 CROSS SECTION 0.61 EXTENDED 2.14 FEET

0.61	890.	104.	319.	467.	0.09	0	423.
2746.64	0.0	152.	86.	381.	-0.01	0	2744.80
4.64	0.0	0.68	3.73	1.23	0.03	2746.73	2746.80
0.002701	0.044	0.100	0.045	0.100	0.00	-0.00	0.0
	2742.00	10.	10.	10.	213.	306.	518.00 25.

\*SECNO .740

3301 HV CHANGED MORE THAN HVINS

BROWNING BRANCH		10 YEAR FLOOD			08/01/81		
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPMID
ELEV	CR/MS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	SSTA
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST VOL

3685 20 TRIALS ATTEMPTED WSEL, CWSEL  
 3693 PROBABLE MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSUMED

0.74	890.	0.	890.	0.	1.41	20	33.
2755.85	2755.85	0.	93.	0.	1.32	8	2756.50
4.55	0.0	0.0	9.53	0.0	3.97	2757.26	2756.50
0.044969	0.047	0.120	0.060	0.110	0.60	-0.00	505.00
	2751.30	570.	570.	570.	19.	15.	538.43 30.

\*SECNO .740

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3301 HV CHANGED MORE THAN HVINS

0.74	890.	9.	812.	69.	0.38	2	231.	
2757.60	0.0	12.	157.	90.	-1.03	0	2756.50	
6.30	0.0	0.73	5.18	0.77	0.61	2757.98	2756.50	
0.007651	0.047	0.120	0.060	0.110	0.10	-0.00	482.53	
	2751.30	40.	40.	40.	41.	269.	792.49	30.

SPECIAL BRIDGE

SB	HK	XXOR	COFQ	ADLEN	B/C	BWP	BAREA	SS
	1.25	1.60	3.00	0.0	15.00	0.01	130.00	2.10
	ELCHU	ELCHU						
	2751.50	2751.50						

\*SECNO .740

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

DROWNING BRANCH		10 YEAR FLOOD			08/01/81			
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID	
ELEV	CRIMS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTN	XNL	XNCH	XNR	GLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL

PRESSURE AND WEIR FLOW

EGPRS	EGLWC	H3	QWEIR	QPR	BAREA	TAREA	ELLC
2757.98	2757.81	0.00	380.	570.	130.	131.	2756.60
ELTRD							
2756.50							

0.74	890.	9.	811.	70.	0.38	3	232.	
2757.60	0.0	12.	157.	90.	-0.00	0	2756.50	
6.30	0.0	0.73	5.17	0.77	0.00	2757.98	2756.50	
0.007615	0.047	0.120	0.060	0.110	0.0	-0.00	482.44	
	2751.30	30.	30.	30.	41.	269.	792.93	30.

\*SECNO .740

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

0.74	890.	9.	806.	74.	0.36	0	250.	
2757.68	0.0	14.	160.	106.	-0.02	0	2756.50	
6.38	0.0	0.67	5.05	0.71	0.06	2758.04	2756.50	
0.004926	0.047	0.110	0.050	0.100	0.00	-0.00	480.90	

102

2751.30 10. 10. 10. 43. 276. 799.89 30.

\*SECNO .800

3265 DIVIDED FLOW

3280 CROSS SECTION 0.80 EXTENDED 0.21 FEET

BROWNING BRANCH		10 YEAR FLOOD				08/01/81			
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPMID		
ELEV	CRIMS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV		
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT		
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	SSTA		
	ELMIM	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL	

7185 MINIMUM SPECIFIC ENERGY  
3720 CRITICAL DEPTH ASSUMED

0.80	885.	90.	624.	171.	0.51	1	360.		
2759.51	2759.51	85.	92.	141.	0.15	13	2758.20		
4.71	0.0	1.05	6.75	1.21	1.86	2760.02	2758.60		
0.008068	0.047	0.100	0.045	0.100	0.07	-0.00	56.87		
	2754.80	300.	300.	300.	206.	268.	530.00	33.	

\*SECNO .800

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3280 CROSS SECTION 0.80 EXTENDED 0.75 FEET

0.80	885.	158.	482.	244.	0.18	3	410.		
2760.05	0.0	183.	106.	247.	-0.32	0	2758.20		
5.25	0.0	0.87	4.55	0.99	0.19	2760.24	2758.60		
0.003053	0.047	0.100	0.045	0.100	0.03	-0.00	25.00		
	2754.80	40.	40.	40.	238.	268.	530.00	33.	

SPECIAL BRIDGE

SB	HK	XCOR	COFO	RDLEN	BWC	BWP	BAREA	SS
	1.25	1.60	3.00	0.0	11.00	0.01	55.00	0.50
	ELCHU	ELCHD						
	2754.80	2754.80						

\*SECNO .800

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3280 CROSS SECTION 0.80 EXTENDED 1.23 FEET

PRESSURE AND WEIR FLOW

J02

EGPRS 2766.49 EGLWC 2760.24 H3 0.00 QWFIR 624. QPR 261. BAREA 55. TAREA 55. ELLC 2759.00

ELTRD 2759.00

0.80 885. 205. 399. 281. 0.09 2 415.  
 2760.53 0.0 275. 118. 340. -0.10 0 2758.20  
 5.73 0.0 0.75 3.38 0.83 0.38 2760.61 2758.60  
 0.001464 0.047 0.100 0.045 0.100 0.0 -0.00 25.00  
 2754.80 30. 30. 30. 238. 268. 530.00 33.

\*SECNO .800

3265 DIVIDED FLOW

3280 CROSS SECTION 0.80 EXTENDED 0.30 FEET

BROWNING BRANCH 10 YEAR FLOOD 08/01/81  
 MILE Q QLOB QCH QROB HV ITRIAL TOPWID  
 ELEV CRIWS ALOB ACH AROB DHV IDC BANK ELEV  
 DEPTH WSELK VLOB VCH VROB HL EG LEFT/RIGHT  
 SLOPE WTN XNL XNCH XNR OLOSS CORAR SSTA  
 ELMIN XLOBL XLCH XLOBR WSDL WSDR ENDST VOL

3685 20 TRIALS ATTEMPTED WSEL, CWSL  
 3693 PROBABLE MINIMUM SPECIFIC ENERGY

3720 CRITICAL DEPTH ASSUMED  
 0.80 885. 100. 578. 207. 0.45 20 405.  
 2760.60 2760.60 98. 87. 179. 0.37 10 2759.20  
 4.80 0.0 1.02 6.64 1.15 0.08 2761.05 2756.50  
 0.006704 0.047 0.100 0.045 0.100 0.18 -0.00 47.18  
 2755.80 30. 30. 30. 214. 269. 530.00 34.

\*SECNO .980

3265 DIVIDED FLOW

BROWNING BRANCH 10 YEAR FLOOD 08/01/81  
 MILE Q QLOB QCH QROB HV ITRIAL TOPWID  
 ELEV CRIWS ALOB ACH AROB DHV IDC BANK ELEV  
 DEPTH WSELK VLOB VCH VROB HL EG LEFT/RIGHT  
 SLOPE WTN XNL XNCH XNR OLOSS CORAR SSTA  
 ELMIN XLOBL XLCH XLOBR WSDL WSDR ENDST VOL

7185 MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSUMED

0.98 885. 153. 607. 126. 0.42 16 481.  
 2774.26 2774.26 161. 98. 100. -0.04 13 2773.40  
 5.76 0.0 0.95 6.22 1.25 5.64 2774.68 2773.50  
 0.005871 0.046 0.100 0.040 0.040 0.00 -0.00 0.0  
 2768.50 900. 900. 900. 260. 226. 485.57 41.

\*SECNO .980

K02

\*\*\* GR CARDS REPEATED

0.98	885.	207.	460.	218.	0.15	3	557.	
2774.69	3.0	267.	110.	208.	-0.27	0	2773.40	
6.19	0.0	0.77	4.19	1.05	0.14	2774.84	2773.50	
0.002282	0.046	0.100	0.040	0.060	0.03	-0.00	0.0	
	2768.50	40.	40.	40.	260.	297.	557.06	42.

\*SECNO .980

3265 DIVIDED FLOW

3370 NORMAL BRIDGE, NRD= 11 MIN ELTRD= 2774.20 MAX ELLC= 2774.40

0.98	885.	388.	231.	266.	0.11	2	547.	
2774.74	0.0	253.	51.	161.	-0.04	0	2774.80	
6.24	0.0	1.53	4.51	1.65	0.00	2774.85	2774.70	
0.008459	0.046	0.100	0.040	0.060	0.00	-27.85	0.0	
	2768.50	1.	1.	1.	262.	303.	564.94	42.

\*SECNO .980

\*\*\* GR CARDS REPEATED

3370 NORMAL BRIDGE, NRD= 11 MIN ELTRD= 2774.20 MAX ELLC= 2774.40

0.98	885.	382.	167.	336.	0.05	2	585.	
2774.98	0.0	313.	51.	235.	-0.06	0	2774.80	
6.48	0.0	1.22	3.25	1.43	0.18	2775.03	2774.70	
0.004394	0.045	0.100	0.040	0.060	0.01	-31.98	0.0	
	2768.50	30.	30.	30.	262.	323.	584.62	42.

\*SECNO .980

BROWNING BRANCH		10 YEAR FLOOD			08/01/81			
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID	
ELEV	CRWS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL

0.98	885.	31.	494.	360.	0.17	2	404.	
2774.98	0.0	52.	115.	295.	0.12	0	2773.40	
6.48	0.0	0.60	4.29	1.22	0.06	2775.15	2773.50	
0.002225	0.045	0.100	0.040	0.060	0.06	-0.00	180.70	
	2768.50	20.	20.	20.	79.	325.	584.80	42.

\*SECNO .980

BROWNING BRANCH		10 YEAR FLOOD			08/01/81			
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID	
ELEV	CRWS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL

3685 20 TRIALS ATTEMPTED WSEL,CWSEL

L02

3693 PROBABLE MINIMUM SPECIFIC ENERGY

3720 CRITICAL DEPTH ASSUMED

0.98	885.	146.	570.	169.	0.37	20	522.	
2775.35	2775.35	1.6	95.	127.	0.20	12	2773.20	
4.15	0.0	1.00	5.99	1.33	0.07	2775.71	2774.90	
0.006004	0.045	0.100	0.040	0.060	0.10	0.0	0.0	
	2771.20	20.	20.	20.	266.	257.	522.33	42.

\*SECNO 1.190

3301 HV CHANGED MORE THAN HVINS

BROWNING BRANCH		10 YEAR FLOOD			08/01/81		TOPWID	
Q	QLOB	QCH	QROB	HV	ITRIAL	BANK ELEV		
ELEV	CRWS	ACH	AROB	DHV	IDC	LEFT/RIGHT		
DEPTH	WSELK	VCH	VROB	HL	EG	SSTA		
SLOPE	WTN	XNCH	XNR	QLOSS	CORAR	ENDST	VOL	
	ELMIN	XLCH	XLOBR	WSDI	WSDR			

3685 20 TRIALS ATTEMPTED WSEL,CWSEL

3693 PROBABLE MINIMUM SPECIFIC ENERGY

3720 CRITICAL DEPTH ASSUMED

1.19	600.	0.	600.	0.	1.62	20	18.	
2790.08	2790.08	0.	59.	0.	1.25	6	2791.70	
4.08	0.0	0.0	10.20	0.0	10.57	2791.69	2791.60	
0.026906	0.045	0.085	0.045	0.085	0.62	0.0	511.00	
	2786.00	1100.	1100.	1100.	10.	8.	529.35	48.

\*SECNO 1.190

\*\*\* GR CARDS REPEATED

3285 DIVIDED FLOW

3301 HV CHANGED MORE THAN HVINS

1.19	600.	253.	332.	14.	0.11	4	544.	
2791.94	0.0	333.	95.	37.	-1.51	0	2791.70	
5.94	0.0	0.76	3.51	0.39	0.20	2792.05	2791.60	
0.002077	0.045	0.085	0.045	0.085	0.15	0.00	6.27	
	2786.00	40.	40.	40.	515.	216.	737.47	48.

SPECIAL BRIDGE

SB	HK	XKOR	COFQ	RDLEN	BWC	BWP	BARIA	SS
	1.25	1.60	3.00	0.0	6.00	0.01	27.00	0.0
	ELCHU	ELCHD						
	2787.30	2787.30						

\*SECNO 1.190

3265 DIVIDED FLOW

3280 CRO\* SECTION 1.19 EXTENDED 0.18 FEET



M02

PRESSURE AND WEIR FLOW

EGPRS 2804.21 EGLWC 2792.05 H3 0.00 QWEIR 509. QPR 93. BAREA 27. TAREA 27. ELLE 2791.80

ELTRD 2791.80

1.19 600. 280. 269. 52. 0.05 2 683.  
 2792.18 0.0 435. 100. 126. -0.06 0 2791.70  
 6.18 0.0 0.44 2.70 0.41 0.19 2792.23 2791.60  
 0.001147 0.045 0.085 0.045 0.085 0.0 -0.00 0.0  
 2786.00 30. 30. 30. 521. 244. 764.56 48.

\*SECNO 1.190

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3280 CROSS SECTION 1.19 EXTENDED 0.20 FEET

BROWNING BRANCH		10 YEAR FLOOD			08/01/81			
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID	
ELEV	CRWS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL
1.19	600.	282.	265.	53.	0.05	0	687.	
2792.19	0.0	442.	100.	129.	-0.00	0	2791.70	
6.19	0.0	0.64	2.66	0.41	0.01	2792.25	2791.60	
0.001109	0.045	0.085	0.045	0.085	0.00	-0.00	0.0	
	2786.00	10.	10.	10.	521.	245.	766.30	49.

\*SECNO 1.300

BROWNING BRANCH		10 YEAR FLOOD			08/01/81			
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID	
ELEV	CRWS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL
1.30	600.	8.	370.	222.	0.54	20	235.	
2800.24	2800.24	16.	50.	121.	0.49	17	2800.20	
3.94	0.0	0.51	7.40	1.83	1.24	2800.78	2799.00	
0.011383	0.045	0.100	0.040	0.100	0.25	-0.00	207.75	
	2796.30	480.	480.	480.	101.	134.	442.59	53.

3685 20 TRIALS ATTEMPTED WSEL CWSEL

3693 PROBABLE MINIMUM SPECIFIC ENERGY

3720 CRITICAL DEPTH ASSUMED

1.30	600.	8.	370.	222.	0.54	20	235.	
2800.24	2800.24	16.	50.	121.	0.49	17	2800.20	
3.94	0.0	0.51	7.40	1.83	1.24	2800.78	2799.00	
0.011383	0.045	0.100	0.040	0.100	0.25	-0.00	207.75	
	2796.30	480.	480.	480.	101.	134.	442.59	53.

\*SECNO 1.300

\*\*\* GR CARDS REPEATED

3265 DIVI FLOW

3280 CROSS SECTION 1.30 EXTENDED 0.39 FEET

1.30	600.	84.	271.	245.	0.14	2	428.	
2800.89	0.0	141.	62.	209.	-0.40	0	2800.20	
4.59	0.0	0.59	4.38	1.17	0.21	2801.03	2799.00	
0.003010	0.045	0.100	0.040	0.100	0.04	-0.00	21.00	
	2796.30	40.	40.	40.	288.	154.	463.07	54.

SPECIAL BRIDGE

5227 DOWNSTREAM ELEV IS 2800.79 NOT 2800.89  
HYDRAULIC JUMP OCCURS DOWNSTREAM (IF LOW FLOW CONTROLS)

SB	HK	XXOR	COFO	RDLEN	BWC	BWP	BAREA	SS
	1.25	1.60	3.00	0.0	5.00	0.01	38.00	1.90
	ELCHU	ELCHD						
	2796.30	2796.30						

\*SECHO 1.300

\*\*\* GR CARDS REPEATED

3280 CROSS SECTION 1.30 EXTENDED 1.54 FEET

PRESSURE AND WEIR FLOW

EGPKS	EGLWC	H3	OMEIR	OPR	BAREA	TAREA	ELLC
2807.08	2801.15	0.0	341.	261.	38.	39.	2799.70
ELTRD							
2801.00							

1.30	600.	200.	165.	234.	0.02	2	534.	
2802.04	0.0	460.	82.	412.	-0.12	0	2800.20	
5.74	0.0	0.44	2.01	0.57	1.03	2802.06	2799.00	
0.000433	0.045	0.100	0.040	0.100	0.0	-0.00	21.00	
	2796.30	30.	30.	30.	288.	246.	554.68	54.

\*SECHO 1.300

\*\*\* GR CARDS REPEATED

3280 CROSS SECTION 1.30 EXTENDED 1.55 FEET

1.30	600.	201.	165.	234.	0.02	1	534.	
2802.04	0.0	463.	83.	414.	-0.00	0	2800.20	
5.74	0.0	0.43	2.00	0.56	0.00	2802.06	2799.00	
0.000426	0.045	0.100	0.040	0.100	0.00	-0.00	21.00	
	2796.30	10.	10.	10.	288.	246.	555.07	54.

THIS RUN EXECUTED 08/01/81 8:19:46

\*\*\*\*\*  
HEC2 RELEASE DATED NOV 76 UPDATED JULY1979  
ERROR CORR - 01,02,03  
MODIFICATION - 50,51,52,53,54  
\*\*\*\*\*

T1	WAYNESVILLE NC										1885
T2	50 YEAR FLOOD										1890
T3	BROWNING BRANCH										1895
J1	ICHECK	INQ	NINV	IDIR	STRT	METRIC	HVINS	Q	WSEL	FQ	
	0.	3.	0.	0.	0.00500	0.	0.0	0.	0.0	0.0	1900
J2	NPROF	IPLT	PRFVS	XSECV	XSECH	FN	ALLBC	IBW	CHNIM	ITRACE	
	2.	0.	-1.	0.	0.	0.0	0.0	0.	0.	0.	1905

C03

\*PROF 2

CCHV= 0.100 CEHV= 0.500

\*SECNO .050

2096 WSEL NOT GIVEN,AVG OF MAX,MIN USED

3265 DIVIDED FLOW

DROWNING BRANCH		50 YEAR FLOOD			08/01/81		TOPWID		
Q	ALOB	GCH	GROB	HV	ITRIAL	BANK ELEV			
CRIMS	VLOB	ACH	AROB	DHV	IM	LEFT/RIGHT			
WSELK	XRL	VCH	VROB	HL	EG	SSTA	ENDST	VOL	
WTN	XLOBL	XNCH	XNR	QLOSS	CORAR				
ELMIN		XLCH	XLOBR	MSDL	MSDR				
0.05	1600.	228.	889.	483.	0.47	0	295.		
2705.62	0.0	129.	123.	256.	0.50	0	2701.00		
7.12	0.0	1.77	7.22	1.89	0.0	2706.09	2701.50		
0.005046	0.0	0.100	0.045	0.070	0.0	-0.00	170.00		
	2698.50	0.	0.	0.	100.	236.	506.24	0.	

\*SECNO .140

3265 DIVIDED FLOW

3280 CROSS SECTION 0.14 EXTENDED 0.54 FEET

DROWNING BRANCH		50 YEAR FLOOD			08/01/81		TOPWID		
Q	ALOB	GCH	GROB	HV	ITRIAL	BANK ELEV			
CRIMS	VLOB	ACH	AROB	DHV	IDC	LEFT/RIGHT			
WSELK	XRL	VCH	VROB	HL	EG	SSTA	ENDST	VOL	
WTN	XLOBL	XNCH	XNR	QLOSS	CORAR				
ELMIN		XLCH	XLOBR	MSDL	MSDR				
0.14	1600.	469.	494.	637.	0.57	13	262.		
2710.84	0.0	126.	51.	202.	0.10	13	2708.70		
5.34	0.0	3.73	9.67	3.15	3.74	2711.42	2709.20		
0.016171	0.045	0.070	0.045	0.070	0.05	-0.00	119.85		
	2705.50	450.	450.	450.	204.	171.	495.00	5.	

\*SECNO .180

0.18	1600.	148.	650.	802.	0.44	4	330.	
2713.94	0.0	81.	83.	311.	-0.13	0	2712.60	
5.34	0.0	1.83	7.80	2.58	2.95	2714.38	2712.80	
0.010113	0.045	0.090	0.045	0.070	0.01	-0.00	230.00	
	2708.60	250.	230.	230.	81.	249.	559.93	7.

\*SECNO .210

3265 DIVIDED FLOW

DROWNING BRANCH		50 YEAR FLOOD		08/01/81		TOPWID	
Q	ALOB	GCH	GROB	HV	ITRIAL	BANK ELEV	

D03

ELEV DEPTH SLOPE	CRIMS MSELK WTH ELMIN	ALOB VLOB XNL XLOBL	ACH VCH XNCH XLCH	AROB VROB XNR XLOBR	DHV HL OLOSS WSDL	IDC EG CORAR WSDR	BANK ELEV LEFT/RIGHT SSTA ENDST	VOL
3685 20 TRIALS ATTEMPTED USEL,CMSEL								
3685 PROBABLE MINIMUM SPECIFIC ENERGY								
3720 CRITICAL DEPTH ASSUMED								
0.21	1600.	267.	994.	339.	0.76	20	318.	
2717.60	2717.60	163.	114.	138.	0.32	11	2714.70	
7.10	0.0	1.64	8.74	2.45	0.96	2718.36	2714.80	
0.008036	0.044	0.090	0.045	0.070	0.16	-0.00	46.38	
	2710.50	150.	100.	100.	264.	143.	452.59	8.

\*SECNO .210

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

BROWNING BRANCH		50 YEAR FLOOD			08/01/81		TOPWID	
MILE	Q	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
ELEV	CRIMS	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
DEPTH	MSELK	XNL	XNCH	XNR	OLOSS	CORAR	SSTA	
SLOPE	WTH	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL
0.21	1600.	389.	758.	453.	0.28	3	452.	
2718.32	0.0	298.	128.	267.	-0.49	0	2714.70	
7.82	0.0	1.31	5.92	1.69	0.19	2718.60	2714.80	
0.003148	0.044	0.090	0.045	0.070	0.05	-0.00	45.14	
	2710.50	40.	40.	40.	265.	237.	547.31	9.

\*SECNO .210

3265 DIVIDED FLOW

3370 NORMAL BRIDGE,HRD= 6 MIN ELTRD= 2717.00 MAX ELLC= 2716.10

0.21	1600.	629.	624.	348.	0.27	0	454.	
2718.34	0.0	232.	106.	148.	-0.01	0	2717.90	
7.84	0.0	2.72	5.87	2.35	0.01	2718.61	2717.90	
0.020606	0.044	0.090	0.045	0.070	0.00	-36.00	45.12	
	2710.50	1.	1.	1.	265.	239.	549.08	9.

\*SECNO .210

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3370 NORMAL BRIDGE,HRD= 6 MIN ELTRD= 2717.00 MAX ELLC= 2716.10

0.21	1600.	659.	449.	492.	0.11	2	514.	
2718.76	0.0	323.	115.	260.	-0.16	0	2717.90	

E03

8.26	0.0	2.04	3.91	1.89	0.25	2718.87	2717.90	
0.008217	0.044	0.090	0.045	0.070	0.02	-36.00	35.00	
	2710.50	20.	20.	20.	275.	289.	599.09	9.

\*SECNO .210

3265 DIVIDED FLOW

0.21	1600.	438.	647.	515.	0.16	2	514.	
2718.74	0.0	387.	136.	376.	0.05	0	2714.70	
8.24	0.0	1.13	4.74	1.37	0.00	2718.90	2714.80	
0.001853	0.044	0.090	0.045	0.070	0.02	-0.00	35.00	
	2710.50	1.	1.	1.	275.	289.	598.69	9.

\*SECNO .210

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

0.21	1600.	440.	641.	519.	0.15	2	514.	
2718.76	0.0	392.	137.	383.	-0.01	0	2714.70	
8.26	0.0	1.12	4.68	1.36	0.02	2718.92	2714.80	
0.001797	0.044	0.090	0.045	0.070	0.00	-0.00	35.00	
	2710.50	10.	10.	10.	275.	289.	599.10	9.

\*SECNO .250

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3301 HV CHANGED MORE THAN HVINS

DROWNING BRANCH		50 YEAR FLOOD			08/01/81		TOPWID	
MILE	Q	GLOB	GCH	GROB	HV	ITRIAL	BANK	ELFV
ELEV	CRHS	ALOB	ACH	AROB	DHV	IDC	LEFT/RIGHT	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	SSTA	
SLOPE	WTN	XNL	XNCH	XNR	GLOSS	CORAR	ENDST	VOL
	ELMIN	XLOBL	XLCH	XLO/R	WSDL	WSDR		

3685 20 TRIALS ATTEMPTED WSEL, C4SEL  
 3693 PROBABLE MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSUMED

0.25	1600.	271.	1068.	261.	0.89	20	340.	
2721.21	2721.21	182.	116.	155.	0.74	9	2718.20	
7.21	0.0	1.49	9.21	1.69	0.33	2722.11	2718.30	
0.010727	0.044	0.120	0.050	0.120	0.37	-0.00	46.18	
	2714.00	130.	80.	80.	264.	158.	467.74	11.

\*SECNO .250

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

F03

3301 HV CHANGED MORE THAN HVINS

0.25	1600.	418.	804.	378.	0.29	3	501.	
2722.11	0.0	358.	134.	339.	-0.60	0	2718.20	
8.11	0.0	1.17	6.01	1.12	0.24	2722.40	2718.30	
0.003771	0.044	0.120	0.050	0.120	0.08	-0.00	35.00	
	2714.00	40.	40.	40.	275.	276.	585.51	11.

\*SECNO .250

3265 DIVIDED FLOW

3280 CROSS SECTION 0.25 EXTENDED 4.15 FEET

3370 NORMAL BRIDGE, NRD= 14 MIN ELTRD= 2719.00 MAX ELLC= 2721.30

0.25	1600.	81.	1115.	405.	0.08	2	294.	
2722.35	0.0	112.	480.	229.	-0.22	0	2721.50	
8.35	0.0	0.72	2.42	1.77	0.00	2722.43	2720.00	
0.004973	0.044	0.120	0.050	0.120	0.02	-387.82	55.00	
	2714.00	1.	1.	1.	220.	131.	405.00	11.

\*SECNO .250

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3280 CROSS SECTION 0.25 EXTENDED 4.29 FEET

3370 NORMAL BRIDGE, NRD= 14 MIN ELTRD= 2719.00 MAX ELLC= 2721.30

0.25	1600.	83.	1107.	410.	0.07	1	303.	
2722.50	0.0	121.	475.	239.	-0.01	0	2721.50	
8.50	0.0	0.69	2.33	1.71	0.14	2722.57	2720.00	
0.004403	0.044	0.120	0.050	0.120	0.00	-394.34	55.00	
	2714.00	30.	30.	30.	220.	131.	405.00	12.

\*SECNO .250

3280 CROSS SECTION 0.25 EXTENDED 4.34 FEET

0.25	1600.	168.	1253.	179.	0.03	2	350.	
2722.54	0.0	438.	756.	347.	-0.04	0	2717.50	
8.54	0.0	0.38	1.66	0.52	0.00	2722.57	2716.50	
0.000238	0.044	0.120	0.050	0.120	0.00	-0.00	55.00	
	2714.00	1.	1.	1.	220.	131.	405.00	12.

\*SECNO .260

3280 CROSS SECTION 0.26 EXTENDED 4.23 FEET



603

BROWNING BRANCH		50 YEAR FLOOD			08/01/81		TOPWID	
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	BANK ELEV	
ELEV	CRINS	ALOB	ACH	AROB	DHV	IDC	LEFT/RIGHT	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	SSTA	
SLOPE	WTN	XML	XNCH	XNR	OLOSS	CORAR	ENDST	VOL
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR		
0.26	1600.	536.	748.	316.	0.09	2	255.	
2722.53	0.0	489.	233.	250.	0.05	0	2719.00	
7.03	0.0	1.10	3.21	1.26	0.01	2722.61	2717.90	
0.001141	0.044	0.100	0.050	0.100	0.03	-0.00	150.00	
	2715.50	25.	25.	25.	175.	80.	405.00	13.

\*SECNO .300

3265 DIVIDED FLOW

3301 HV CHANGED MORE THAN HVINS

BROWNING BRANCH		50 YEAR FLOOD			08/01/81		TOPWID	
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	BANK ELEV	
ELEV	CRINS	ALOB	ACH	AROB	DHV	IDC	LEFT/RIGHT	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	SSTA	
SLOPE	WTN	XML	XNCH	XNR	OLOSS	CORAR	ENDST	VOL
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR		

3685 20 TRIALS ATTEMPTED WSEL, CWSEL  
 3693 PROBABLE MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSUMED

0.30	1600.	708.	716.	177.	0.71	20	212.	
2723.09	2723.09	166.	79.	63.	0.62	14	2724.80	
4.29	0.0	4.26	9.04	2.80	0.62	2723.80	2723.20	
0.025786	0.045	0.080	0.050	0.080	0.31	-0.00	128.43	
	2718.80	200.	200.	200.	128.	134.	390.00	16.

\*SECNO .340

3265 DIVIDED FLOW

0.34	1600.	555.	567.	478.	0.24	4	343.	
2726.15	0.0	208.	97.	251.	-0.46	0	2727.50	
4.95	0.0	2.66	5.82	1.91	2.55	2726.39	2725.80	
0.007024	0.045	0.080	0.045	0.080	0.05	-0.00	137.02	
	2721.20	210.	210.	210.	119.	230.	486.53	18.

\*SECNO .430

3265 DIVIDED FLOW

3301 HV CHANGED MORE THAN HVINS

BROWNING BRANCH		50 YEAR FLOOD			08/01/81		TOPWID	
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	BANK ELEV	

H03

ELEV	CRIMS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	SSTA	VOL
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	

3685 20 TRIALS ATTEMPTED WSEL,CWSEL  
 3693 PROBABLE MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSUMED

0.43	1595.	430.	898.	267.	0.77	0	327.	
2735.25	2735.25	210.	97.	170.	0.53	8	2733.50	
5.15	0.0	2.04	9.23	1.57	4.53	2736.02	2733.50	
0.010189	0.044	0.100	0.040	0.110	0.26	-0.00	250.00	
	2730.10	540.	540.	540.	140.	222.	612.34	24.

\*SECNO .460

3265 DIVIDED FLOW

3301 HV CHANGED MORE THAN HVINS

0.46	1595.	1018.	356.	221.	0.05	3	612.	
2736.55	0.0	986.	103.	228.	-0.72	0	2734.50	
5.45	0.0	1.03	3.45	0.97	0.51	2736.60	2734.50	
0.001315	0.043	0.100	0.040	0.070	0.07	-0.00	0.0	
	2731.10	180.	180.	180.	390.	243.	633.32	28.

\*SECNO .480

3280 CROSS SECTION 0.48 EXTENDED 1.07 FEET

BROWNING BRANCH		50 YEAR FLOOD			08/01/81			
MILE	Q	GLOB	GCH	GROB	HV	ITRIAL	TOPWID	
ELEV	CRIMS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	SSTA	VOL
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	

3685 20 TRIALS ATTEMPTED WSEL,CWSEL  
 3693 PROBABLE MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSUMED

0.48	1595.	404.	529.	661.	0.35	20	700.	
2737.77	2737.77	241.	68.	356.	0.30	10	2737.00	
4.57	0.0	1.68	7.84	1.86	0.11	2738.12	2737.00	
0.009944	0.043	0.100	0.040	0.070	0.15	0.0	100.00	
	2733.20	40.	40.	40.	209.	491.	800.00	29.

\*SECNO .480

\*\*\* GR CARDS REPEATED  
 3280 CROSS SECTION 0.48 EXTENDED 1.56 FEET

0.48	1595.	402.	361.	832.	0.10	2	700.	
2738.26	0.0	338.	75.	589.	-0.25	0	2737.00	
5.06	0.0	1.19	4.80	1.41	0.21	2738.36	2737.00	
0.003224	0.043	0.100	0.040	0.070	0.02	-0.00	100.00	

2733.20 40. 40. 40. 209. 491. 800.00 29.

\*SECNO .480

3265 DIVIDED FLOW

3280 CROSS SECTION 0.48 EXTENDED 1.60 FEET

3370 NORMAL BRIDGE, NRD= 14 MIN ELTRD= 2736.30 MAX ELLC= 2737.90

0.48	1595.	411.	209.	975.	0.07	2	700.
2738.30	0.0	275.	56.	567.	-0.03	0	2737.90
5.10	0.0	1.49	3.74	1.78	0.00	2738.37	2738.30
0.005544	0.043	0.100	0.040	0.070	0.00	-8.82	100.00
	2733.20	1.	1.	1.	209.	491.	800.00

\*SECNO .480

\*\*\* GR CARDS REPEATED

3280 CROSS SECTION 0.48 EXTENDED 1.77 FEET

3370 NORMAL BRIDGE, NRD= 14 MIN ELTRD= 2736.30 MAX ELLC= 2737.90

0.48	1595.	414.	150.	1031.	0.04	2	700.
2738.47	0.0	308.	59.	627.	-0.02	0	2737.90
5.27	0.0	1.34	2.56	1.64	0.14	2738.51	2738.30
0.004006	0.043	0.100	0.040	0.070	0.00	-8.65	100.00
	2733.20	30.	30.	30.	209.	491.	800.00

\*SECNO .480

3280 CROSS SECTION 0.48 EXTENDED 1.76 FEET

0.48	1595.	399.	318.	878.	0.07	1	700.
2738.46	0.0	379.	79.	688.	0.02	0	2737.00
5.26	0.0	1.05	4.05	1.28	0.00	2738.52	2737.00
0.002169	0.043	0.100	0.040	0.070	0.01	-0.00	100.00
	2733.20	1.	1.	1.	209.	491.	800.00

\*SECNO .480

\*\*\* GR CARDS REPEATED

3280 CROSS SECTION 0.48 EXTENDED 1.79 FEET

BROWNING BRANCH			50 YEAR FLOOD		08/01/81			
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPHD	
ELEV	CRWS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	NL	EG	LEFT/RIGHT	
SLOPE	WTN	XNL	XNCH	XNR	QLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL

J03

0.48	1595.	399.	314.	882.	0.07	0	700.	
2738.48	0.0	383.	79.	699.	-0.00	0	2737.00	
5.28	0.0	1.04	3.98	1.26	0.02	2738.55	2737.00	
0.002079	0.043	0.100	0.040	0.070	0.00	0.0	100.80	
	2733.20	10.	10.	10.	209.	491.	800.00	30.

\*SECNO .510

BROWNING BRANCH		50 YEAR FLOOD			08/01/81		TOPWID	
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	BANK ELEV	
ELEV	CRIMS	ALOB	ACH	AROB	DHV	IDC	LEFT/RIGHT	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	SSTA	
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	ENDST	VOL
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR		

3685 20 TRIALS ATTEMPTED WSEL,CWSEL  
 3693 PROBABLE MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSUMED

0.51	1590.	102.	547.	941.	0.54	20	291.	
2740.86	2740.86	50.	81.	275.	0.47	9	2739.40	
4.86	0.0	2.04	8.91	3.42	0.57	2741.39	2739.20	
0.014277	0.043	0.090	0.045	0.060	0.23	-0.00	298.99	
	2736.00	130.	130.	130.	56.	235.	589.73	33.

\*SECNO .510

\*\*\* GR CARDS REPEATED

0.51	1590.	128.	393.	1069.	0.18	2	301.	
2741.53	0.0	83.	72.	432.	-0.35	0	2739.40	
5.53	0.0	1.55	5.44	2.47	0.29	2741.71	2739.20	
0.004286	0.043	0.090	0.045	0.060	0.04	-0.00	297.96	
	2736.00	40.	40.	40.	57.	244.	598.99	33.

\*SECNO .510

3265 DIVIDED FLOW

BROWNING BRANCH		50 YEAR FLOOD			08/01/81		TOPWID	
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	BANK ELEV	
ELEV	CRIMS	ALOB	ACH	AROB	DHV	IDC	LEFT/RIGHT	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	SSTA	
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	ENDST	VOL
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR		

3370 NORMAL BRIDGE, NRD= 6 MIN ELTRD= 2741.80 MAX ELLC= 2742.00

7185 MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSUMED

0.51	1590.	0.	842.	748.	0.63	4	166.	
2741.41	2741.41	0.	113.	154.	0.45	7	2745.20	
4.41	0.0	0.0	7.46	4.86	0.01	2742.04	2744.30	
0.028959	0.043	0.090	0.045	0.060	0.22	-2.73	330.00	
	2737.00	1.	1.	1.	16.	251.	597.33	33.

\*SECNO .540

K03

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3370 NORMAL BRIDGE, NRD= 6 MIN ELTRD= 2741.80 MAX ELLC= 2742.00

0.54	1590.	0.	321.	1269.	0.15	4	227.
2742.91	0.0	0.	118.	404.	-0.48	0	2745.20
5.91	0.0	0.0	2.72	3.14	0.97	2743.06	2744.30
0.004959	0.045	0.090	0.045	0.060	0.05	-46.14	330.00
	2737.00	180.	180.	50.	16.	260.	605.53

\*SECNO .540

3280 CROSS SECTION 0.54 EXTENDED 1.10 FEET

BROWNING BRANCH

50 YEAR FLOOD

08/01/81

MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID	
ELEV	CRIMS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL
0.54	1590.	191.	426.	973.	0.18	2	320.	
2742.90	0.0	120.	79.	422.	0.03	0	2740.60	
5.90	0.0	1.59	5.39	2.31	0.00	2743.08	2740.30	
0.003938	0.045	0.090	0.045	0.060	0.02	-0.00	283.13	
	2737.00	1.	1.	1.	72.	248.	603.00	

\*SECNO .540

\*\*\* GR CARDS REPEATED

3280 CROSS SECTION 0.54 EXTENDED 1.24 FEET

0.54	1590.	193.	405.	992.	0.15	0	320.
2743.04	0.0	128.	81.	453.	-0.03	0	2740.60
6.04	0.0	1.51	4.98	2.19	0.11	2743.19	2740.30
0.003232	0.045	0.090	0.045	0.060	0.00	-0.00	282.83
	2737.00	30.	30.	30.	73.	248.	603.00

\*SECNO .610

3265 DIVIDED FLOW

BROWNING BRANCH

50 YEAR FLOOD

08/01/81

MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID	
ELEV	CRIMS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL

3685 20 TRIALS ATTEMPTED WSEL, CWSEL  
 3693 PROBABLE MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSUMED

0.61	1590.	83.	818.	689.	0.58	20	376.
------	-------	-----	------	------	------	----	------

L03

2746.27	2746.27	80.	99.	312.	0.43	6	2746.80	
5.97	0.0	1.04	8.24	2.21	1.63	2746.85	2746.80	
0.011056	0.045	0.100	0.045	0.100	0.21	-0.00	13.51	
	2740.30	300.	300.	300.	199.	309.	221.65	38.

\*SECNO .610

3265 DIVIDED FLOW

3280 CROSS SECTION 0.61 EXTENDED 2.50 FEET

0.61	1590.	257.	505.	828.	0.17	3	468.	
2747.00	0.0	224.	95.	460.	-0.41	0	2746.80	
5.00	0.0	1.15	5.33	1.80	0.28	2747.17	2746.80	
0.004917	0.045	0.100	0.045	0.100	0.04	-0.00	0.0	
	2742.00	40.	40.	40.	213.	306.	518.00	39.

\*SECNO .610

3265 DIVIDED FLOW

3280 CROSS SECTION 0.61 EXTENDED 2.60 FEET

3370 NORMAL BRIDGE, NRD= 6 MIN ELTRD= 2746.50 MAX ELLC= 2746.00

0.61	1590.	316.	170.	1104.	0.08	2	450.	
2747.10	0.0	222.	51.	476.	-0.09	0	2746.70	
5.10	0.0	1.43	3.33	2.32	0.01	2747.18	2747.00	
0.007625	0.045	0.100	0.045	0.100	0.01	-23.01	0.0	
	2742.00	1.	1.	1.	213.	306.	518.00	39.

\*SECNO .610

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3280 CROSS SECTION 0.61 EXTENDED 2.82 FEET

BROWNING BRANCH		50 YEAR FLOOD			08/01/81			
MILE	Q	QLOB	QCH	QROG	HV	ITRIAL	TOPWID	
ELEV	CRWS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL

3370 NORMAL BRIDGE, NRD= 6 MIN ELTRD= 2746.50 MAX ELLC= 2746.00

0.61	1590.	359.	144.	1087.	0.06	2	468.	
2747.32	0.0	266.	51.	529.	-0.02	0	2746.70	
5.32	0.0	1.35	2.83	2.05	0.19	2747.38	2747.00	
0.005538	0.045	0.100	0.045	0.100	0.00	-26.67	0.0	

M03

2742.00 30. 30. 30. 213. 306. 518.00 39.

\*SECNO .610

3265 DIVIDED FLOW

3280 CROSS SECTION 0.61 EXTENDED 2.80 FEET

0.61	1590.	305.	463.	822.	0.12	2	468.
2747.30	0.0	283.	102.	531.	0.05	0	2744.80
5.30	0.0	1.08	4.54	1.55	0.00	2747.41	2746.80
0.003221	0.045	0.100	0.045	0.100	0.03	-0.00	0.0
	2742.00	1.	1.	1.	213.	306.	518.00 39.

\*SECNO .610

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3280 CROSS SECTION 0.61 EXTENDED 2.84 FEET

0.61	1590.	311.	458.	822.	0.11	0	468.
2747.33	0.0	291.	103.	542.	-0.01	0	2744.80
5.33	0.0	1.07	4.44	1.52	0.03	2747.44	2746.80
0.003036	0.045	0.100	0.045	0.100	0.00	0.0	0.0
	2742.00	10.	10.	10.	213.	306.	518.00 40.

\*SECNO .740

3265 DIVIDED FLOW

3301 HV CHANGED MORE THAN HVINS

BROWNING BRANCH		50 YEAR FLOOD			08/01/81			
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID	
ELEV	CRINS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL

3685 20 TRIALS ATTEMPTED WSEL,CWSEL

3693 PROBABLE MINIMUM SPECIFIC ENERGY

3720 CRITICAL DEPTH ASSUMED

0.74	1585.	26.	1351.	207.	0.85	20	306.
2757.92	2757.92	21.	169.	155.	0.74	12	2756.50
6.62	0.0	1.27	8.02	1.34	3.40	2758.77	2756.50
0.016673	0.047	0.120	0.060	0.110	0.37	-0.00	476.05
	2751.30	570.	570.	570.	47.	298.	821.87 48.

\*SECNO .740

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3301 HV CHANGED MORE THAN HVINS

0.74	1585.	129.	963.	492.	0.21	3	788.
2758.93	0.0	207.	206.	454.	-0.64	0	2756.50
7.63	0.0	0.62	4.68	1.08	0.30	2759.14	2756.50
0.004346	0.047	0.120	0.040	0.110	0.06	-0.00	97.14
	2751.30	40.	40.	40.	426.	392.	915.46
							49.

SPECIAL BRIDGE

SB	HK	XKOR	COFB	BDLEN	BWC	BWP	BAREA	SS
	1.25	1.60	3.00	0.0	15.00	0.01	130.00	2.10
	ELCHU	ELCHD						
	2751.50	2751.50						

\*SECHO .740

\*\*\* GR CARDS REPEATED  
6870 D.S. ENERGY OF 2759.14 HIGHER THAN COMPUTED ENERGY OF 2759.04

3265 DIVIDED FLOW

BROWNING BRANCH		50 YEAR FLOW			DB/01/81		TOP MID		
MILE	Q	QLOB	GCH	GR00	HV	ITRIAL	IDC	BANK ELEV	
DEPT	CRIMS	ALOB	ACH	AR00	DHV	EG	LEFT/RIGHT		
SLOPE	WSELK	VLOB	VCH	VROB	HL	CORAR	SJTA		
	WTH	XNL	XNCH	XNR	OLOSS	WSDR	ENDST		VOL
	ELMIN	XLOBL	XLCH	XLOBR	MSDL				

PRESSURE AND WEIR FLOW

WAPRS	WELWC	HS	GMIR	GPI	BAREA	TAREA	ELLC
2759.04	2759.01	0.00	1309.	280.	130.	131.	2756.60
ELTRD							
2756.50							

0.74	1585.	130.	961.	495.	0.11	2	789.
2758.93	0.0	209.	206.	454.	-0.00	0	2756.50
7.63	0.0	0.62	4.68	1.08	0.0	2759.14	2756.50
0.004318	0.047	0.120	0.040	0.110	0.0	-0.00	96.66
	2751.30	30.	30.	30.	427.	392.	915.86
							49.

\*SECHO .740

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

0.74	1585.	131.	960.	474.	0.22	1	797.
2758.93	0.0	224.	207.	468.	0.01	0	2756.50
7.66	0.0	0.59	4.72	1.01	0.04	2759.18	2756.50



R04

0.003050 0.047 0.110 0.050 0.100 0.00 -0.00 92.68  
2751.30 10. 10. 10. 431. 398. 919.18 49.

\*SECTO .800

3265 DIVIDED FLOW

3280 CROSS SECTION 0.80 EXTENDED 0.91 FEET

0.80 1580. 314. 804. 462. 0.44 2 415.  
2760.21 0.0 214. 110. 279. 0.22 0 2758.20  
5.41 0.0 1.47 7.31 1.66 1.36 2760.65 2758.60  
0.007490 0.047 0.100 0.045 0.100 0.11 -0.00 25.00  
2754.80 300. 300. 300. 238. 268. 530.00 55.

\*SECTO .800

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3280 CROSS SECTION 0.80 EXTENDED 1.36 FEET

0.80 1580. 384. 682. 514. 0.23 3 415.  
2760.66 0.0 300. 121. 365. -0.21 0 2758.20  
5.86 0.0 1.23 5.63 1.41 0.21 2760.88 2758.60  
0.003912 0.047 0.100 0.045 0.100 0.02 -0.00 25.00  
2754.80 40. 40. 40. 238. 268. 530.00 55.

SPECIAL BRIDGE

SS HK XKOR COFG RDLEN BMC BMP BAREA SS  
1.25 1.60 3.00 0.0 11.00 0.01 55.00 0.50  
ELCHU ELCHD  
2754.80 2754.80

\*SECTO .800

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3280 CROSS SECTION 0.80 EXTENDED 1.63 FEET

PRESSURE AND WEIR FLOW

EGPRS EGLMC H3 QWEIR QPR BAREA TAREA ELLC  
2781.16 2760.88 0.00 1358. 229. 55. 55. 2759.00  
ELTRD  
2759.00

C04

0.80	1580.	417.	627.	536.	0.16	2	415.	
2760.92	0.0	353.	128.	417.	-0.07	0	2758.20	
6.12	0.0	1.18	4.90	1.28	0.20	2761.09	2758.60	
0.002760	0.047	0.100	0.045	0.100	0.0	-0.00	25.99	
	2754.80	30.	30.	30.	238.	268.	530.00	56.

\*SECNO .800

3265 DIVIDED FLOW

3280 CROSS SECTION      0.80 EXTENDED      0.78 FEET

BROWNING BRANCH	50 YEAR FLOOD				08/01/81		TOPWID	
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	BANK ELEV	
ELEV	CRWS	ALOB	ACH	AROB	DHV	IDC	LEFT/RIGHT	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	SSTA	
SLOPE	WTN	XNL	XNCH	XNROB	OLOSS	CORAR	ENDST	VOL
	ELFIN	XLOBL	XLCH	XLOBR	WSDL	WSDR		

3685 20 TRIALS ATTEMPTED WSEL, CWSEL

3693 PROBABLE MINIMUM SPECIFIC ENERGY

3720 CRITICAL DEPTH ASSUMED

0.80	1580.	282.	806.	692.	0.56	20	445.	
2761.08	2761.08	188.	98.	290.	0.40	9	2759.20	
5.28	0.0	1.50	8.26	1.70	0.14	2761.64	2756.50	
0.008888	0.047	0.100	0.045	0.100	0.20	0.0	25.00	
	2755.80	30.	30.	30.	238.	269.	530.00	56.

\*SECNO .980

BROWNING BRANCH	50 YEAR FLOOD				08/01/81		TOPWID	
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	BANK ELEV	
ELEV	CRWS	ALOB	ACH	AROB	DHV	IDC	LEFT/RIGHT	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	SSTA	
SLOPE	WTN	XNL	XNCH	XNROB	OLOSS	CORAR	ENDST	VOL
	ELFIN	XLOBL	XLCH	XLOBR	WSDL	WSDR		

3685 20 TRIALS ATTEMPTED WSEL, CWSEL

3693 PROBABLE MINIMUM SPECIFIC ENERGY

3720 CRITICAL DEPTH ASSUMED

0.98	1575.	370.	815.	391.	0.46	20	558.	
2774.70	2774.70	269.	110.	210.	-0.10	12	2773.40	
6.20	0.0	1.37	7.41	1.86	7.14	2775.16	2773.50	
0.007115	0.046	0.100	0.040	0.060	0.01	-0.00	0.0	
	2768.50	900.	900.	900.	260.	298.	538.32	68.

\*SECNO .980

\*\*\* GR CARDS REPEATED

0.98	1575.	417.	617.	541.	0.17	3	596.	
2775.19	0.0	390.	124.	360.	-0.29	0	2773.40	
6.69	0.0	1.07	4.99	1.50	0.17	2775.36	2773.50	
0.002754	0.046	0.100	0.040	0.060	0.03	-0.00	0.0	
	2768.50	40.	40.	40.	260.	336.	595.82	69.

\*SECNO .980

D04

3370 NORMAL BRIDGE, NRD= 11 MIN ELTRD= 2774.20 MAX ELLC= 2774.40

0.98	1575.	657.	204.	714.	0.08	2	601.	
2775.29	0.0	390.	51.	356.	-0.09	0	2774.80	
6.79	0.0	1.68	3.98	2.13	0.00	2775.37	2774.70	
0.006577	0.046	0.100	0.040	0.060	0.01	-37.86	0.0	
	2768.50	1.	1.	1.	262.	340.	601.22	69.

\*SECNO .980

\*\*\* GR CARDS REPEATED

3370 NORMAL BRIDGE, NRD= 11 MIN ELTRD= 2774.20 MAX ELLC= 2774.40

0.98	1575.	644.	168.	763.	0.08	2	611.	
2775.47	0.0	436.	51.	398.	-0.02	0	2774.80	
6.97	0.0	1.48	3.27	1.92	0.16	2775.53	2774.70	
0.004448	0.046	0.100	0.040	0.060	0.00	-41.36	0.0	
	2768.50	30.	30.	30.	262.	350.	611.08	70.

\*SECNO .980

BROWNING BRANCH		50 YEAR FLOOD			08/01/81			
MILE	Q	QLOB	GCH	QROB	HV	ITRIAL	TOPWID	
ELEV	CRIMS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTN	XNL	XNCH	XNR	QLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL
0.98	1575.	119.	674.	782.	0.21	2	611.	
2775.47	0.0	169.	129.	454.	0.15	0	2773.40	
6.97	0.0	0.70	5.23	1.72	0.07	2775.68	2773.50	
0.002849	0.046	0.100	0.040	0.060	0.07	-0.00	0.0	
	2768.50	20.	20.	20.	260.	351.	610.99	70.

\*SECNO .980

BROWNING BRANCH		50 YEAR FLOOD			08/01/81			
MILE	Q	QLOB	GCH	QROB	HV	ITRIAL	TOPWID	
ELEV	CRIMS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTN	XNL	XNCH	XNR	QLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL
0.98	1575.	336.	779.	460.	0.43	20	558.	
2775.74	2775.74	244.	107.	228.	0.23	17	2773.20	
4.54	0.0	1.38	7.27	2.02	0.39	2776.17	2774.90	
0.007529	0.046	0.100	0.040	0.060	0.11	-0.00	0.0	
	2771.20	20.	20.	20.	266.	292.	557.78	70.

3685 20 TRIALS ATTEMPTED WSEL, CWSEL  
 3693 PROBABLE MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSUMED

0.98	1575.	336.	779.	460.	0.43	20	558.	
2775.74	2775.74	244.	107.	228.	0.23	17	2773.20	
4.54	0.0	1.38	7.27	2.02	0.39	2776.17	2774.90	
0.007529	0.046	0.100	0.040	0.060	0.11	-0.00	0.0	
	2771.20	20.	20.	20.	266.	292.	557.78	70.

\*SECNO 1.190

3265 DIVIDED FLOW

E04

BROWNING BRANCH		50 YEAR FLOOD			08/01/81		TOP MID		
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	BANK ELEV		
ELEV	CRINS	ALOB	ACH	AROB	DHV	IDC	LEFT/RIGHT		
DEPTH	WEELK	VLOB	VCH	VROB	H	EG	SSA		
SLOPE	WTN	XBL	XNCH	XNR	LOSS	COLAR	ENDST		VOL
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR			

7185 MINIMUM SPECIFIC ENERGY									
3720 CRITICAL DEPTH ASSUMED									
1.19	1100.	450.	627.	23.	0.41	15	534.		
2791.90	2791.90	317.	94.	32.	-0.02	12	2791.70		
5.90	0.0	1.42	6.67	0.70	8.32	2792.30	2791.60		
0.007605	0.045	0.085	0.045	0.085	0.00	-0.00	10.33		
	2786.00	1100.	1100.	1100.	511.	212.	732.96		83.

\*SECTO 1.190  
 \*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3280 CROSS SECTION 1.19 EXTENDED 0.38 FEET

1.19	1100.	580.	449.	71.	0.13	2	642.		
2792.38	0.0	525.	104.	100.	-0.28	0	2791.70		
6.38	0.0	1.11	4.33	0.70	0.17	2792.51	2791.60		
0.002812	0.045	0.085	0.045	0.085	0.03	-0.00	0.0		
	2786.00	40.	40.	40.	521.	266.	787.11		84.

SPECIAL BRIDGE

SB	HK	XKOR	COFG	RDLEN	BWC	BWP	BAREA	SS
	1.25	1.60	3.00	0.0	6.00	0.01	27.00	0.0
	ELCHU	ELCHD						
	2787.30	2787.30						

\*SECTO 1.190

3265 DIVIDED FLOW

3280 CROSS SECTION 1.19 EXTENDED 0.43 FEET

PRESSURE AND WEIR FLOW

EGPRS	EGLWC	H3	GWEIR	QPR	BAREA	TAREA	ELLC
2833.61	2792.51	0.00	1028.	67.	27.	27.	2791.80
	ELTAD						
	2791.80						

1.19	1100.	556.	412.	133.	0.10	2	743.		
2792.43	0.0	546.	105.	187.	-0.03	0	2791.70		
6.43	0.0	1.02	3.94	0.71	0.02	2792.53	2791.60		
0.002293	0.045	0.085	0.045	0.085	0.0	-0.00	0.0		

F04

2786.00 30. 30. 30. 521. 271. 792.27 84.

\*SECNO 1.190

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3280 CROSS SECTION 1.19 EXTENDED 0.45 FEET

DROWNING BRANCH		50 YEAR FLOOD			08/01/81		TOP MID BANK ELEV		
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	IDC	BANK ELEV	
ELEV	CRIS	ALOB	ACH	AROB	DHV	EG	CORAR	LEFT/RIGHT	
DEPTH	WSEL	VLOB	VCH	VROB	HL	WSDR	WSDR	SSTA	
SLOPE	WTN	XRE	XNCH	XRR	OCSS	WSDR	WSDR	ENDST	VOL
	ELMIN	XLOBL	XLCH	XLOBR	WSDL				
1.19	1100.	559.	405.	156.	0.09	0	0	749.	
2792.46	0.0	557.	105.	194.	-0.01	0	0	2791.70	
6.46	0.0	1.00	3.86	0.70	0.02	2792.55	2791.60		
0.002186	0.045	0.085	0.045	0.085	0.00	-0.00	0.0		
	2786.00	10.	10.	10.	521.	274.	794.93		84.

\*SECNO 1.300

3265 DIVIDED FLOW

3280 CROSS SECTION 1.30 EXTENDED 0.41 FEET

DROWNING BRANCH		50 YEAR FLOOD			08/01/81		TOP MID BANK ELEV		
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	IDC	BANK ELEV	
ELEV	CRIV	ALOB	ACH	AROB	DHV	EG	CORAR	LEFT/RIGHT	
DEPTH	WSE	VLOB	VCH	VROB	HL	WSDR	WSDR	SSTA	
SLOPE	WTN	XRE	XNCH	XRR	OCSS	WSDR	WSDR	ENDST	VOL
	ELMIN	XLOBL	XLCH	XLOBR	WSDL				
1.30	1100.	160.	492.	449.	0.46	20	14	431.	
2800.91	2800.91	147.	62.	212.	0.37	2801.38	2799.00	2800.20	
4.61	0.0	1.09	7.90	2.11	1.93	0.0	21.00		
0.009711	0.045	0.100	0.040	0.100	0.19	0.0	463.71		
	2796.30	480.	480.	480.	288.	155.			92.

\*SECNO 1.300

\*\*\* GR CARDS REPEATED

3280 CROSS SECTION 1.30 EXTENDED 0.97 FEET

1.30	1100.	286.	377.	437.	0.16	2	0	462.	
2801.46	0.0	301.	72.	298.	-0.30	2801.63	2799.00	2800.20	
5.16	0.0	0.95	5.22	1.47	0.22	-0.00	21.00		
0.003480	0.045	0.100	0.040	0.100	0.03				

604

2796.30 40. 40. 40. 288. 174. 483.42 92.

SPECIAL BRIDGE

SB	HK	XKOR	COFO	RDLEN	BWC	BWP	BAREA	SS
	1.25	1.60	3.00	0.0	5.00	0.01	38.00	1.90
	ELCHU	ELCHD						
	2796.30	2796.30						

\*SECNO 1.300

\*\*\* GR CARDS REPEATED  
3280 CROSS SECTION 1.30 EXTENDED 2.00 FEET

PRESSURE AND WEIR FLOW

EGPRS	EGLWC	H3	QWEIR	QPR	BAREA	TAREA	ELLC
2822.28	2801.63	0.00	861.	250.	38.	39.	2799.70
ELTRD	2801.00						

1.30	1100.	406.	263.	430.	0.04	2	548.
2802.50	0.0	589.	91.	525.	-0.12	0	2800.20
6.20	0.0	0.69	2.90	0.82	0.91	2802.54	2799.00
0.000791	0.045	0.100	0.040	0.100	0.0	-0.00	21.00
	2796.30	30.	30.	30.	288.	260.	569.09

\*SECNO 1.300

\*\*\* GR CARDS REPEATED  
3280 CROSS SECTION 1.30 EXTENDED 2.01 FEET

1.30	1100.	407.	262.	431.	0.04	1	548.
2802.51	0.0	593.	91.	529.	-0.00	0	2800.20
6.21	0.0	0.69	2.88	0.81	0.01	2802.54	2799.00
0.000776	0.045	0.100	0.040	0.100	0.00	-0.00	21.00
	2796.30	10.	10.	10.	288.	260.	569.26

H04

THIS RUN EXECUTED 08/01/81 8:19:52

\*\*\*\*\*  
HEC2 RELEASE DATED NOV 76 UPDATED JULY1979  
ERROR CORR - 01,02,03  
MODIFICATION - 50,51,52,53,54  
\*\*\*\*\*

T1 WAYNESVILLE NC 1910  
T2 100 YEAR FLOOD 1915  
T3 BROWNING BRANCH 1920

J1 ICHECK INQ MINV IDIR STRT METRIC HVINS Q WSEL FQ  
0. 4. 0. 0. 0.00500 0. 0.0 0. 0.0 0.0 1925

J2 NPROF IPL0T PRFVS XSECV XSECH FN ALLDC IBW CHNIM ITRACE  
3. 0. -1. 0. 0. 0.0 0.0 0. 0. 0. 1930



\*PROF 3

CCHV= 0.100 CEHV= 0.300

\*SECNO .050

2096 WSEL NOT GIVEN,AVG OF MAX,MIN USED

3265 DIVIDED FLOW

BROWNING BRANCH		100 YEAR FLOOD			08/01/81		TOPWID		
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	BANK ELEV		
ELEV	CRWS	ALOB	ACH	AROB	DHV	IDC	LEFT/RIGHT		
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG			
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	SSTA		
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST		VOL
0.05	1900.	292.	965.	643.	0.47	0	319.		
2705.94	0.0	158.	129.	318.	0.50	0	2701.00		
7.44	0.0	1.85	7.45	2.02	0.0	2706.40	2701.50		
0.005032	0.0	0.100	0.045	0.070	0.0	-0.00	170.00		
	2698.50	0.	0.	0.	100.	256.	526.01		0.

\*SECNO .140

3265 DIVIDED FLOW

3280 CROSS SECTION 0.14 EXTENDED 0.68 FEET

BROWNING BRANCH		100 YEAR FLOOD			08/01/81		TOPWID		
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	BANK ELEV		
ELEV	CRWS	ALOB	ACH	AROB	DHV	IDC	LEFT/RIGHT		
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG			
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	SSTA		
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST		VOL
7185 MINIMUM SPECIFIC ENERGY									
3720 CRITICAL DEPTH ASSUMED									
0.14	1900.	556.	549.	795.	0.64	12	266.		
2710.98	2710.98	137.	53.	224.	0.18	16	2708.70		
5.48	0.0	4.05	10.42	3.54	3.88	2711.62	2709.20		
0.018015	0.045	0.070	0.045	0.070	0.09	-0.00	119.65		
	2705.30	450.	450.	450.	204.	171.	495.00		5.

\*SECNO .180

0.18	1900.	194.	688.	1018.	0.41	3	331.		
2714.18	0.0	98.	88.	369.	-0.23	0	2712.60		
5.58	0.0	1.93	7.77	2.76	2.74	2714.58	2712.80		
0.009263	0.045	0.090	0.045	0.070	0.02	-0.00	230.00		
	2708.60	250.	230.	230.	81.	250.	560.91		8.

\*SECNO .210

3265 DIVIDED FLOW

BROWNING BRANCH		100 YEAR FLOOD			08/01/81		TOPWID	
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL		



J04

ELEV DEPTH SLOPE	CRIMS WSELK WTN ELMIN	ALOB VLOB XNL XLOBL	ACH VCH XNCH XLCH	AROB VROB XNR XLOBR	DHV HL OLOSS WSDL	IDC EG CORAR WSDR	BANK ELEV LEFT/RIGHT SSTA ENDST	VOL
3685 20 TRIALS ATTEMPTED WSEL,CWSEL								
3693 PROBABLE MINIMUM SPECIFIC ENERGY								
3720 CRITICAL DEPTH ASSUMED								
0.21	1900.	372.	1079.	449.	0.77	20	335.	
2717.84	2717.84	204.	118.	174.	0.36	11	2714.70	
7.34	0.0	1.83	9.12	2.59	0.94	2718.60	2714.80	
0.008273	0.044	0.090	0.045	0.070	0.18	-0.00	45.97	
	2710.50	150.	100.	100.	264.	174.	483.92	9.

\*SECNO .210

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

BROWNING BRANCH		100 YEAR FLOOD			08/01/81			
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID	
ELEV	CRIMS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL
0.21	1900.	498.	822.	580.	0.28	3	493.	
2718.57	0.0	349.	133.	328.	-0.49	0	2714.70	
8.07	0.0	1.43	6.18	1.77	0.20	2718.85	2714.80	
0.003260	0.044	0.090	0.045	0.070	0.05	-0.00	36.93	
	2710.50	40.	40.	40.	273.	270.	579.73	10.

\*SECNO .210

3265 DIVIDED FLOW

3370 NORMAL BRIDGE, NRD= 6 MIN ELTRD= 2717.00 MAX ELLC= 2716.10

0.21	1900.	782.	564.	554.	0.18	2	512.	
2718.69	0.0	308.	113.	240.	-0.10	0	2717.90	
8.19	0.0	2.54	4.97	2.31	0.01	2718.86	2717.90	
0.013523	0.044	0.090	0.045	0.070	0.01	-36.00	35.00	
	2710.50	1.	1.	1.	275.	287.	596.78	10.

\*SECNO .210

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3370 NORMAL BRIDGE, NRD= 6 MIN ELTRD= 2717.00 MAX ELLC= 2716.10

0.21	1900.	779.	463.	657.	0.11	2	517.	
2718.96	0.0	366.	119.	316.	-0.07	0	2717.90	

K04

8.46	0.0	2.13	3.90	2.08	0.20	2719.07	2717.90	
0.007807	0.044	0.090	0.045	0.070	0.01	-36.00	35.00	
	2710.50	20.	20.	20.	275.	292.	602.48	10.

\*SECNO .210

3265 DIVIDED FLOW

0.21	1900.	537.	714.	449.	0.	2	517.	
2718.94	0.0	429.	140.	31.	0.	0	2714.70	
8.44	0.0	1.25	5.08	1.51	0.00	2719.11	2714.80	
0.002048	0.044	0.090	0.045	0.070	0.03	-0.00	35.00	
	2710.50	1.	1.	1.	275.	292.	602.01	10.

\*SECNO .210

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

0.21	1900.	539.	707.	654.	0.16	2	517.	
2718.96	0.0	435.	141.	439.	-0.01	0	2714.70	
8.46	0.0	1.24	5.01	1.49	0.02	2719.13	2714.80	
0.001984	0.044	0.090	0.045	0.070	0.00	-0.00	35.00	
	2710.50	10.	10.	10.	275.	292.	602.46	10.

\*SECNO .250

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3301 HV CHANGED MORE THAN HVINS

BROWNING BRANCH		100 YEAR FLOOD	08/01/81					
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID	
ELEV	CRINC	ALOB	ACH	AROB	DNV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	MTN	XDL	XNCH	XNR	OLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL

3685 20 TRIALS ATTEMPTED WSEL, CWSEL  
 3693 PROBABLE MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSUMED

0.25	1900.	385.	1160.	355.	0.88	20	396.	
2721.50	2721.50	233.	122.	201.	0.72	9	2718.20	
7.50	0.0	1.65	9.54	1.76	0.36	2722.38	2718.30	
0.010802	0.044	0.120	0.050	0.120	0.36	-0.00	45.70	
	2714.00	130.	80.	80.	264.	195.	504.99	12.

\*SECNO .250

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

L04

3301 HV CHANGED MORE THAN HVINS

0.25	1900.	531.	873.	496.	0.29	3	516.	
2722.38	0.0	417.	139.	415.	-0.59	0	2718.20	
8.38	0.0	1.27	6.27	1.19	0.24	2722.68	2718.30	
0.003891	0.044	0.120	0.050	0.120	0.06	-0.00	35.00	
	2714.00	40.	40.	40.	275.	291.	601.03	13.

\*SECNO .250

3265 DIVIDED FLOW

3280 CROSS SECTION 0.25 EXTENDED 4.41 FEET

3370 NORMAL BRIDGE, NRD= 14 MIN ELTRD= 2719.00 MAX ELLC= 2721.30

0.25	1900.	103.	1306.	491.	0.09	2	309.	
2722.61	0.0	130.	488.	248.	-0.20	0	2721.50	
8.61	0.0	0.79	2.67	1.98	0.00	2722.70	2720.00	
0.005607	0.044	0.120	0.050	0.120	0.02	-399.89	55.00	
	2714.00	1.	1.	1.	220.	131.	405.00	13.

\*SECNO .250

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3280 CROSS SECTION 0.25 EXTENDED 4.58 FEET

3370 NORMAL BRIDGE, NRD= 14 MIN ELTRD= 2719.00 MAX ELLC= 2721.30

0.25	1900.	110.	1293.	497.	0.08	2	317.	
2722.78	0.0	143.	506.	261.	-0.01	0	2721.50	
8.78	0.0	0.77	2.55	1.91	0.16	2722.86	2720.00	
0.004875	0.044	0.120	0.050	0.120	0.00	-407.66	55.00	
	2714.00	30.	30.	30.	220.	131.	405.00	14.

\*SECNO .250

3280 CROSS SECTION 0.25 EXTENDED 4.62 FEET

0.25	1900.	216.	1468.	217.	0.04	2	350.	
2722.82	0.0	485.	786.	368.	-0.04	0	2717.50	
8.82	0.0	0.44	1.87	0.59	0.00	2722.87	2716.50	
0.000286	0.044	0.120	0.050	0.120	0.00	-0.00	55.00	
	2714.00	1.	1.	1.	220.	131.	405.00	14.

\*SECNO .260

3280 CROSS SECTION 0.26 EXTENDED 4.51 FEET

BROWNING BRANCH		100 YEAR FLOOD			08/01/81		TOPWID		
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	BANK ELEV		
ELEV	CRHS	ALOB	ACH	AROB	DHV	IDC	LEFT/RIGHT		
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	SSTA		
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	ENDST		VOL
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR			
0.26	1900.	658.	866.	376.	0.10	2	255.		
2722.81	0.0	532.	244.	267.	0.06	0	2719.00		
7.31	0.0	1.24	3.55	1.41	0.01	2722.91	2717.90		
0.001307	0.044	0.100	0.050	0.100	0.03	-0.00	150.00		
	2715.50	25.	25.	25.	175.	80.	405.00		14.

\*SECNO .300

3265 DIVIDED FLOW

3301 HV CHANGED MORE THAN HVINS

BROWNING BRANCH		100 YEAR FLOOD			08/01/81		TOPWID		
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	BANK ELEV		
ELEV	CRHS	ALOB	ACH	AROB	DHV	IDC	LEFT/RIGHT		
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	SSTA		
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	ENDST		VOL
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR			
7185 MINIMUM SPECIFIC ENERGY									
3720 CRITICAL DEPTH ASSUMED									
0.30	1900.	855.	803.	243.	0.76	3	216.		
2723.27	2723.27	185.	84.	77.	0.66	14	2724.80		
4.47	0.0	4.61	9.52	3.16	0.70	2724.03	2723.20		
0.027104	0.045	0.080	0.050	0.080	0.33	-0.00	125.46		
	2718.80	200.	200.	200.	131.	134.	390.00		18.

\*SECNO .340

3265 DIVIDED FLOW

3301 HV CHANGED MORE THAN HVINS

0.34	1900.	650.	624.	627.	0.24	4	348.		
2726.39	0.0	233.	105.	303.	-0.52	0	2727.50		
5.19	0.0	2.79	5.96	2.07	2.55	2726.64	2725.80		
0.006856	0.045	0.080	0.045	0.080	0.05	-0.00	135.22		
	2721.20	210.	210.	210.	121.	232.	488.95		20.

\*SECNO .430

3265 DIVIDED FLOW

3301 HV CHANGED MORE THAN HVINS

A05

BROWNING BRANCH		100 YEAR FLOOD			08/01/81		TOP MID		
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	BANK ELEV		
ELEV	CRIMS	ALOB	ACH	AROB	DHV	IDC	LEFT/RIGHT		
DEPTH	MSLK	VLOB	VCH	VROB	HL	EG			
SLOPE	WTR	XBL	XCH	XROB	LOSS	CORAR	SSA		
	ELMIN	XLOB	XLCN	XLOBR	WSDL	WDR	ENDST		VOL

3485 20 TRIALS ATTEMPTED WSEL, CWSEL  
 3493 PROBABLE MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSUMED

0.43	1893.	341.	993.	361.	0.81	20	352.		
2735.46	2735.46	237.	101.	209.	0.57	8	2733.50		
5.36	0.0	2.28	9.79	1.72	4.59	2736.27	2733.50		
0.010828	0.044	0.100	0.040	0.110	0.28	-0.00	290.00		
	2730.10	340.	340.	340.	140.	237.	626.94		27.

\*SECTO .460

3265 DIVIDED FLOW

3301 HV CHANGED MORE THAN HVINS

0.46	1890.	1201.	390.	299.	0.06	3	643.		
2736.81	0.0	1087.	109.	289.	-0.76	0	2734.50		
5.71	0.0	1.10	3.59	1.04	0.53	2736.87	2734.50		
0.001332	0.043	0.100	0.040	0.070	0.08	-0.00	0.0		
	2731.10	180.	180.	180.	390.	282.	651.98		32.

\*SECTO .480

3280 CROSS SECTION 0.48 EXTENDED 1.12 FEET

BROWNING BRANCH		100 YEAR FLOOD			08/01/81		TOP MID		
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	BANK ELEV		
ELEV	CRIMS	ALOB	ACH	AROB	DHV	IDC	LEFT/RIGHT		
DEPTH	MSLK	VLOB	VCH	VROB	HL	EG			
SLOPE	WTR	XBL	XCH	XROB	LOSS	CORAR	SSA		
	ELMIN	XLOB	XLCN	XLOBR	WSDL	WDR	ENDST		VOL

3485 20 TRIALS ATTEMPTED WSEL, CWSEL  
 3493 PROBABLE MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSUMED

0.48	1890.	480.	600.	810.	0.43	20	700.		
2737.82	2737.82	250.	68.	377.	0.37	13	2737.00		
4.62	0.0	1.92	8.79	2.14	0.12	2738.25	2737.00		
0.012314	0.043	0.100	0.040	0.070	0.18	0.0	100.00		
	2733.20	40.	40.	40.	209.	491.	800.00		33.

\*SECTO .480

\*\*\* 68 CARDS REPEATED  
 3280 CROSS SECTION 0.48 EXTENDED 1.71 FEET

0.48	1890.	474.	390.	1027.	0.11	2	700.		
2738.41	0.0	367.	78.	661.	-0.32	0	2737.00		

805

5.21	0.0	1.22	5.02	1.55	0.23	2738.51	2737.00	
0.003383	0.043	0.100	0.040	0.070	0.03	-0.00	100.00	
	2733.20	40.	40.	40.	209.	491.	800.00	33.

\*SECTO .480  
3280 CROSS SECTION 0.48 EXTENDED 1.76 FEET

3370 NORMAL BRIDGE, NRD= 14 MIN ELTRD= 2736.30 MAX ELLC= 2737.90

0.48	1890.	491.	178.	1221.	0.06	2	700.	
2738.46	0.0	307.	58.	824.	-0.05	0	2737.90	
5.26	0.0	1.60	3.03	1.96	0.00	2738.52	2738.30	
0.005701	0.043	0.100	0.040	0.070	0.00	-8.83	100.00	
	2733.20	1.	1.	1.	209.	491.	800.00	33.

\*SECTO .480

\*\*\* GR CARDS REPEATED  
3280 CROSS SECTION 0.48 EXTENDED 1.92 FEET

3370 NORMAL BRIDGE, NRD= 14 MIN ELTRD= 2736.30 MAX ELLC= 2737.90

0.48	1890.	483.	162.	1245.	0.05	2	700.	
2736.62	0.0	339.	61.	700.	-0.01	0	2737.90	
5.42	0.0	1.42	2.66	1.78	0.14	2738.67	2738.30	
0.004092	0.043	0.100	0.040	0.070	0.00	-8.83	100.00	
	2733.20	30.	30.	30.	209.	491.	800.00	34.

\*SECTO .480  
3280 CROSS SECTION 0.48 EXTENDED 1.91 FEET

0.48	1890.	470.	347.	1073.	0.07	1	700.	
2738.61	0.0	409.	81.	762.	0.02	0	2737.00	
5.41	0.0	1.15	4.28	1.41	0.00	2738.68	2737.00	
0.002330	0.043	0.100	0.040	0.070	0.01	-0.00	100.00	
	2733.20	1.	1.	1.	209.	491.	800.00	34.

\*SECTO .480

\*\*\* GR CARDS REPEATED  
3280 CROSS SECTION 0.48 EXTENDED 1.94 FEET

BROWNING BRANCH		100 YEAR FLOOD			05/01/81		TOPWID		
MILE	Q	GLOB	QCH	QROB	HV	ITRIAL	TOPWID	BANK ELEV	
ELEV	CRWS	ALOB	ACH	AROB	DHV	IDC	LEFT/RIGHT		
DEPTH	MSLK	VLOB	VCH	VROB	HL	EG			
SLOPE	WTH	XNL	XNCH	XNR	OLOSS	COXAR	SSTA		
	ELMIN	XLOBL	XLCH	XLOBR	MSDL	MSDR	ENDST		VOL
0.48	1890.	470.	342.	1078.	0.07	0	700.		

C05

2738.63	0.0	414	81	773	-0.00	0	2737.00
5.43	0.0	1.13	4.21	1.49	0.02	2738.70	2737.00
0.002235	0.043	0.100	0.040	0.070	0.00	0.0	100.00
	2733.20	10.	10.	10.	209.	451.	800.00

\*SECTO .510

3301 HV CHANGED MORE THAN HVINS

BROWNING BRANCH		100 YEAR FLOOD			08/01/81		TOP MID BANK		
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	IDC	LEFT/RIGHT	
ELEV	CRIMS	ALOB	ACH	AROB	DHV	EG	CORAR	SSTA	
DEPTH	WSELK	VLOB	VCH	VROB	HL	CORAR	WSDR	ENDST	VOL
SLOPE	WTH	XNL	XNCH	XNR	QLOSS	WSDR			
	ELMIN	XLGBL	XLCH	XLGBR	WSDL				

3685 20 TRIALS ATTEMPTED WSEL, CWSEL  
 3493 PROBABLE MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSUMED

0.51	1890.	128.	610.	1152.	0.61	20	292.
2740.97	2740.97	53.	63.	300.	0.54	9	2739.40
4.97	0.0	2.32	9.83	3.84	0.62	2741.58	2739.20
0.016148	0.043	0.090	0.045	0.060	0.27	0.0	298.83
	2736.00	130.	130.	130.	56.	236.	591.23

\*SECTO .510

\*\*\* GR CARDS REPEATED

0.51	1890.	158.	434.	1297.	0.20	2	304.
2741.73	0.0	93.	75.	479.	-0.41	0	2739.40
5.73	0.0	1.71	5.76	2.71	0.31	2741.93	2739.20
0.004547	0.043	0.090	0.045	0.060	0.14	-0.00	297.66
	2736.00	40.	40.	40.	57.	247.	601.67

\*SECTO .510

3265 DIVIDED FLOW

3301 HV CHANGED MORE THAN HVINS

BROWNING BRANCH		100 YEAR FLOOD			08/01/81		TOP MID BANK ELEV		
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	IDC	LEFT/RIGHT	
ELEV	CRIMS	ALOB	ACH	AROB	DHV	EG	CORAR	SSTA	
DEPTH	WSELK	VLOB	VCH	VROB	HL	CORAR	WSDR	ENDST	VOL
SLOPE	WTH	XNL	XNCH	XNR	QLOSS	WSDR			
	ELMIN	XLGBL	XLCH	XLGBR	WSDL				

3370 NORMAL BRIDGE, MRD= 6 MIN ELTRD= 2741.80 MAX ELLC= 2742.00

7185 MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSUMED

0.51	1890.	0.	933.	957.	0.76	3	171.
2741.52	2741.52	0.	115.	169.	0.56	6	2745.20
4.52	0.0	0.0	8.13	5.66	0.01	2742.28	2744.30
0.034255	0.043	0.090	0.045	0.060	0.28	-4.36	330.00

005

2737.00 1. 1. 1. 16. 253. 598.83 37.

\*SECNO .540

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3301 HV CHANGED MORE THAN HVINS

3370 NORMAL BRIDGE, NRD= 6 MIN ELTRD= 2741.80 MAX ELLC= 2742.00

0.54	1890.	0.	328.	1562.	0.17	4	237.	
2743.19	0.0	0.	118.	480.	-0.59	0	2745.20	
6.19	0.0	0.0	2.78	3.40	1.02	2743.36	2744.30	
0.005170	0.045	0.090	0.045	0.060	0.06	-55.68	330.00	
	2737.00	180.	180.	50.	16.	280.	605.96	38.

\*SECNO .540

3280 CROSS SECTION 0.54 EXTENDED 1.40 FEET

BROWNING BRANCH		100 YEAR FLOOD			08/01/81		TOPWID	
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	BANK ELEV	
ELEV	CRIMS	ALOB	ACH	AROB	DHV	IDC	LEFT/RIGHT	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	STA	
SLOPE	WTH	XNL	XNCH	XNR	OLUSS	CORAR	ENST	VOL
	ELMIN	XL06L	XLCH	XL06R	WSDL	WSDR		
0.54	1890.	233.	454.	1203.	0.17	1	321.	
2743.19	0.0	139.	84.	493.	0.00	0	2740.60	
6.19	0.0	1.68	5.39	2.44	0.00	2743.37	2740.30	
0.003619	0.045	0.090	0.045	0.060	0.00	-0.00	282.45	
	2737.00	1.	1.	1.	73.	248.	615.00	38.

\*SECNO .540

\*\*\* GR CARDS REPEATED

3280 CROSS SECTION 0.54 EXTENDED 1.52 FEET

0.54	1890.	235.	436.	1219.	0.15	0	321.	
2743.32	0.0	147.	86.	523.	-0.02	0	2740.60	
6.32	0.0	1.60	5.03	2.33	0.10	2743.47	2740.30	
0.003079	0.045	0.090	0.045	0.060	0.00	-0.00	282.17	
	2737.00	30.	30.	30.	73.	248.	603.00	39.

\*SECNO .610

3265 DIVIDED FLOW

BROWNING BRANCH		100 YEAR FLOOD			09/01/81		TOPWID	
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	BANK ELEV	
ELEV	CRIMS	ALOB	ACH	AROB	DHV	IDC		





F05

3370 NORMAL BRIDGE, NRD= 6 MIN ELTRD= 2746.50 MAX ELLC= 2746.00

0.61	1885.	471.	142.	1272.	0.07	2	468.	
2747.54	0.0	310.	51.	583.	-0.02	0	2746.70	
5.54	0.0	1.52	2.78	2.18	0.20	2747.61	2747.00	
0.003760	0.045	0.100	0.045	0.100	0.00	-30.36	0.0	
	2742.00	30.	30.	30.	213.	306.	518.00	45.

\*SECNO .610

3265 DIVIDED FLOW

3280 CROSS SECTION 0.61 EXTENDED 3.01 FEET

0.61	1885.	395.	519.	971.	0.13	2	468.	
2747.51	0.0	326.	107.	584.	0.06	0	2744.80	
5.51	0.0	1.21	4.83	1.66	0.00	2747.64	2746.80	
0.003403	0.045	0.100	0.045	0.100	0.03	-0.00	0.0	
	2742.00	1.	1.	1.	213.	306.	518.00	45.

\*SECNO .610

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3280 CROSS SECTION 0.61 EXTENDED 3.06 FEET

0.61	1885.	402.	513.	970.	0.12	0	468.	
2747.53	0.0	335.	109.	595.	-0.01	0	2744.80	
5.55	0.0	1.20	4.72	1.63	0.03	2747.67	2746.80	
0.003213	0.045	0.100	0.045	0.100	0.00	0.0	0.0	
	2742.00	10.	10.	10.	213.	306.	518.00	45.

\*SECNO .740

3265 DIVIDED FLOW

3301 HV CHANGED MORE THAN HVINS

BROWNING BRANCH

100 YEAR FLOOD

08/01/81

MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID	
ELEV	CRWS	ALOB	ACH	AROB	CHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	MTN	XNL	XNCH	XNR	OLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL

3685 20 TRIALS ATTEMPTED WSEL CWSEL  
 3693 PROBABLE MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSUMED

0.74	1880.	43.	1468.	369.	0.81	20	352.
2758.23	2758.23	31.	180.	239.	0.69	12	2756.50

605

6.93	0.0	1.41	8.14	1.55	3.47	2759.04	2756.50	
0.015709	0.047	0.120	0.060	0.110	0.35	-0.00	469.54	
	2751.30	570.	570.	570.	54.	328.	851.32	55.

\*SECMO .740

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3301 HV CHANGED MORE THAN HVINS

0.74	1880.	234.	1013.	632.	0.19	3	844.	
2759.20	0.0	324.	216.	552.	-0.62	0	2756.50	
7.90	0.0	0.72	4.69	1.14	0.29	2759.39	2756.50	
0.004097	0.047	0.120	0.060	0.110	0.06	-0.00	66.62	
	2751.30	40.	40.	40.	457.	417.	940.91	55.

SPECIAL BRIDGE

SB	HK	XKOR	COFQ	RDLEN	BWC	BWP	BAREA	SS
	1.25	1.60	3.00	0.0	15.00	0.01	130.00	2.10
	ELCHU	ELCHD						
	2751.50	2751.50						

\*SECMO .740

\*\*\* GR CARDS REPEATED

PRESS FLOW BECAUSE EGLWC OF 2759.39 EXCEEDS 1.5 DEPTH  
6870 D.S. ENERGY OF 2759.39 HIGHER THAN COMPUTED ENERGY OF 2759.30

3265 DIVIDED FLOW

BROWNING BRANCH		100 YEAR FLOOD			08/01/81			
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID	
ELEV	CRWS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLORR	WSDL	WSDR	ENDST	VOL

PRESSURE AND WEIR FLOW

EGPRS	EGLWC	H3	QWEIR	QPR	BAREA	TAREA	ELLC
2764.40	2759.39	0.00	1518.	265.	130.	131.	2756.60

ELTRD  
2756.50

0.74	1880.	235.	1012.	633.	0.19	2	845.	
2759.20	0.0	325.	216.	553.	-0.00	0	2756.50	
7.90	0.0	0.72	4.68	1.14	0.0	2759.39	2756.50	
0.004078	0.047	0.120	0.060	0.110	0.0	-0.00	66.26	
	2751.30	30.	30.	30.	457.	418.	941.21	56.

H05

\*SECNO .740

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

0.74	1880.	232.	1039.	609.	0.20	1	852.	
2759.23	0.0	340.	217.	566.	0.01	0	2756.50	
7.93	0.0	0.68	4.78	1.08	0.03	2759.43	2756.50	
0.002930	0.047	0.110	0.050	0.100	0.01	-0.00	62.53	
	2751.30	10.	10.	10.	461.	421.	944.33	56.

\*SECNO .800

3265 DIVIDED FLOW

3280 CROSS SECTION      0.80 EXTENDED      1.14 FEET

0.80	1875.	419.	872.	584.	0.43	2	415.	
2760.44	0.0	259.	116.	323.	0.23	0	2758.20	
5.64	0.0	1.62	7.53	1.81	1.33	2760.88	2758.60	
0.007439	0.047	0.100	0.045	0.100	0.12	-0.00	25.00	
	2754.80	300.	300.	300.	238.	268.	530.00	63.

\*SECNO .800

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3280 CROSS SECTION      0.80 EXTENDED      1.58 FEET

0.80	1875.	489.	754.	632.	0.24	2	415.	
2760.87	0.0	344.	127.	409.	-0.19	0	2758.20	
6.07	0.0	1.42	5.95	1.55	0.22	2761.11	2758.60	
0.004114	0.047	0.100	0.045	0.100	0.02	-0.00	25.00	
	2754.80	40.	40.	40.	238.	268.	530.00	63.

SPECIAL BRIDGE

SB	HK	XKOR	COFG	RDLEN	BWC	BWP	BAREA	SS
	1.25	1.60	3.00	0.0	11.00	0.01	55.00	0.50
	ELCHU	ELCHD						
	2754.80	2754.80						

\*SECNO .800

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3280 CROSS SECTION      0.80 EXTENDED      1.77 FEET

PRESSURE AND WEIR FLOW

EGPRS 2789.74 EGLWC 2761.11 H3 0.00 QWEIR 1663. QPR 217. BAREA 55. TAREA 55. ELLC 2759.00

ELTRD 2759.00

0.80 1875. 513. 714. 647. 0.19 2 415.  
 2761.06 0.0 380. 131. 445. -0.05 0 2758.20  
 6.26 0.0 1.35 5.44 1.46 0.15 2761.26 2758.60  
 0.003277 0.047 0.100 0.045 0.100 0.0 -0.00 25.00  
 2754.80 30. 30. 30. 238. 268. 530.00 64.

\*SECNO .800

3265 DIVIDED FLOW

3280 CROSS SECTION 0.80 EXTENDED 0.95 FEET

BROWNING BRANCH		100 YEAR FLOOD			08/01/81		TOPWID	
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	BANK ELEV	
ELEV	CRWS	ALOB	ACH	AROB	DHV	IDC	LEFT/RIGHT	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	SSTA	
SLOPE	WTN	XML	XNCH	XNR	OLOSS	CORAR	ENDST	VOL
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR		

3685 20 TRIALS ATTEMPTED WSEL, CMSEL  
 3693 PROBABLE MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSUMED

0.80 1875. 372. 885. 619. 0.58 20 445.  
 2761.25 2761.25 222. 101. 329. 0.39 9 2759.20  
 5.45 0.0 1.68 8.73 1.88 0.16 2761.84 2756.50  
 0.009431 0.047 0.100 0.045 0.100 0.20 0.0 25.00  
 2755.80 30. 30. 30. 236. 269. 530.00 65.

\*SECNO .980

BROWNING BRANCH		100 YEAR FLOOD			08/01/81		TOPWID	
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	BANK ELEV	
ELEV	CRWS	ALOB	ACH	AROB	DHV	IDC	LEFT/RIGHT	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	SSTA	
SLOPE	WTN	XML	XNCH	XNR	OLOSS	CORAR	ENDST	VOL
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR		

7185 MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSUMED

0.98 1865. 459. 893. 513. 0.49 16 577.  
 2774.83 2774.83 301. 113. 248. -0.10 12 2773.40  
 6.33 0.0 1.52 7.87 2.07 7.64 2775.32 2773.50  
 0.007675 0.046 0.100 0.040 0.060 0.01 0.0 0.0  
 2768.50 900. 900. 900. 260. 317. 576.52 78.

\*SECNO .980

\*\*\* GR CARDS REPEATED

J05

0.98	1865.	503.	676.	686.	0.18	3	604.	
2775.35	0.0	429.	128.	412.	-0.31	0	2773.40	
6.85	0.0	1.17	5.28	1.66	0.18	2775.53	2773.50	
0.002938	0.046	0.100	0.040	0.060	0.03	-0.00	0.0	
	2768.50	40.	40.	40.	260.	344.	604.33	79.

\*SECNO .980

3370 NORMAL BRIDGE, NRD= 11 MIN ELTRD= 2774.20 MAX ELLC= 2774.40

0.98	1865.	764.	202.	898.	0.09	2	610.	
2775.43	0.0	432.	51.	392.	-0.09	0	2774.80	
6.95	0.0	1.77	3.95	2.29	0.00	2775.54	2774.70	
0.006463	0.046	0.100	0.040	0.060	0.01	-41.02	0.0	
	2768.50	1.	1.	1.	262.	349.	610.13	79.

\*SECNO .980

\*\*\* GR CARDS REPEATED

3370 NORMAL BRIDGE, NRD= 11 MIN ELTRD= 2774.20 MAX ELLC= 2774.40

0.98	1865.	763.	137.	965.	0.06	3	620.	
2775.64	0.0	479.	52.	457.	-0.03	0	2774.80	
7.14	0.0	1.59	2.64	2.11	0.16	2775.70	2774.70	
0.004626	0.046	0.100	0.040	0.060	0.00	-43.76	0.0	
	2768.50	30.	30.	30.	262.	359.	620.27	80.

\*SECNO .980

BROWNING BRANCH		100 YEAR FLOOD			08/01/81			
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID	
ELEV	CRIMS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL
0.98	1865.	169.	734.	962.	0.21	2	620.	
2775.64	0.0	211.	134.	512.	0.15	0	2773.40	
7.14	0.0	0.80	5.49	1.88	0.07	2775.85	2773.50	
0.002992	0.046	0.100	0.040	0.060	0.08	-0.00	0.0	
	2768.50	20.	20.	20.	260.	330.	620.13	80.

\*SECNO .980

BROWNING BRANCH		100 YEAR FLOOD			08/01/81			
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID	
ELEV	CRIMS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL

3685 20 TRIALS ATTEMPTED WSEL, CWSEL  
 3693 PROBABLE MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSUMED

0.98	1865.	415.	366.	584.	0.48	20	567.	
2775.84	2775.84	270.	111.	258.	0.26	17	2773.20	
4.64	0.0	1.54	7.84	2.27	0.09	2776.32	2774.90	

K05

0.008412 0.046 0.102 0.040 0.060 0.13 -0.00 0.0  
 2771.20 20. 20. 20. 266. 302. 567.39 80.

\*SECNO 1.190

3265 DIVIDED FLOW

3280 CROSS SECTION 1.19 EXTENDED 0.02 FEET

BROWNING BRANCH	100 YEAR FLOOD	08/01/81						
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID	
ELEV	CRIMS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTM	XNL	XNCH	XNR	OLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL

7185 MINIMUM SPECIFIC ENERGY

3720 CRITICAL DEPTH ASSUMED

1.19	1300.	581.	678.	41.	0.42	15	562.	
2792.02	2792.02	369.	96.	47.	-0.06	12	2791.70	
0.02	0.0	1.58	7.03	0.87	9.13	2792.44	2791.60	
0.008145	0.045	0.085	0.045	0.085	0.01	-0.00	0.0	
	2786.00	1100.	1100.	1100.	521.	226.	747.02	95.

\*SECNO 1.190

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3280 CROSS SECTION 1.19 EXTENDED 0.53 FEET

1.19	1300.	715.	485.	100.	0.13	2	671.	
2792.52	0.0	592.	107.	125.	-0.28	0	2791.70	
6.52	0.0	1.21	4.55	0.80	0.19	2792.65	2791.60	
0.002993	0.045	0.085	0.045	0.085	0.03	-0.00	0.0	
	2786.00	40.	40.	40.	521.	280.	800.69	96.

SPECIAL BRIDGE

SB	HK	XKOR	COF@	RDLEN	BWC	BWP	BAREA	SS
	1.25	1.60	3.00	0.0	6.00	0.01	27.00	0.0
	ELCHU	ELCHD						
	2787.30	2787.30						

\*SECNO 1.190

3265 DIVIDED FLOW

3280 CROSS SECTION 1.19 EXTENDED 0.56 FEET

PRESSURE AND WEIR FLOW

L05

EGPRS	EGLWC	H3	QWEIR	QPP	BAREA	TAREA	ELLC	
2850.12	2792.66	0.00	1235.	65.	27.	27.	2791.80	
ELTRD								
2791.80								
1.19	1300.	676.	445.	179.	0.10	2	762.	
2792.56	0.0	609.	107.	223.	-0.03	0	2791.70	
6.56	0.0	1.11	4.15	0.80	0.01	2792.66	2791.60	
0.002463	0.045	0.085	0.045	0.085	0.0	-0.00	0.0	
	2786.00	30.	30.	30.	521.	281.	801.54	96.

\*SECNO 1.190

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3280 CROSS SECTION 1.19 EXTENDED 0.59 FEET

BROWNING BRANCH		100 YEAR FLOOD			08/01/81		TOPWID		
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	BANK ELEV		
ELEV	CRWS	ALOB	ACH	AROB	DHV	IDC	LEFT/RIGHT		
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	SSTA		
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	ENDST		
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR			VOL
1.19	1300.	679.	438.	183.	0.10	0	762.		
2792.59	0.0	621.	108.	230.	-0.01	0	2791.70		
6.59	0.0	1.09	4.06	0.80	0.02	2792.69	2791.60		
0.002345	0.045	0.085	0.045	0.085	0.00	0.0	0.0		
	2786.00	10.	10.	10.	521.	281.	802.16		96.

\*SECNO 1.300

3265 DIVIDED FLOW

3280 CROSS SECTION 1.30 EXTENDED 0.48 FEET

BROWNING BRANCH		100 YEAR FLOOD			08/01/81		TOPWID		
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	BANK ELEV		
ELEV	CRWS	ALOB	ACH	AROB	DHV	IDC	LEFT/RIGHT		
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	SSTA		
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	ENDST		
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR			VOL
1.30	1300.	207.	563.	530.	0.57	20	441.		
2800.98	2800.98	164.	63.	221.	0.47	13	2800.20		
4.68	0.0	1.27	8.88	2.39	2.16	2801.55	2799.00		
0.011984	0.045	0.100	0.040	0.100	0.24	-0.00	21.00		
	2796.30	480.	480.	480.	288.	157.	465.68		104.

3685 20 TRIALS ATTEMPTED WSEL,CWSEL  
 3693 PROBABLE MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSUMED

1.30	1300.	207.	563.	530.	0.57	20	441.		
2800.98	2800.98	164.	63.	221.	0.47	13	2800.20		
4.68	0.0	1.27	8.88	2.39	2.16	2801.55	2799.00		
0.011984	0.045	0.100	0.040	0.100	0.24	-0.00	21.00		
	2796.30	480.	480.	480.	288.	157.	465.68		104.



M05

\*SECNO 1.300

\*\*\* GR CARDS REPEATED

3280 CROSS SECTION 1.30 EXTENDED 1.17 FEET

1.30	1300.	377.	411.	512.	0.16	2	475.	
2801.66	0.0	356.	76.	332.	-0.41	0	2800.20	
5.36	0.0	1.06	5.43	1.54	0.24	2801.82	2799.00	
0.003526	0.045	0.100	0.040	0.100	0.04	-0.00	21.00	
	2796.30	40.	40.	40.	288.	187.	496.24	105.

SPECIAL BRIDGE

SB	HK	XKOR	COFQ	RDLEN	BWC	BWP	BAREA	SC
	1.25	1.60	3.00	0.0	5.00	0.01	38.00	1.90
	ELCHU	ELCHD						
	2796.30	2796.30						

\*SECNO 1.300

\*\*\* GR CARDS REPEATED

3280 CROSS SECTION 1.30 EXTENDED 2.13 FEET

PRESSURE AND WEIR FLOW

EGPRS	EGLWC	H3	QWEIR	QPR	BAREA	TAREA	ELLC
2830.74	2801.82	0.00	1058.	243.	38.	39.	2799.70
ELTRD							
2801.00							

1.30	1300.	490.	300.	510.	0.05	2	550.	
2802.63	0.0	625.	93.	558.	-0.12	0	2800.20	
6.33	0.0	0.78	3.22	0.91	0.85	2802.68	2799.00	
0.000943	0.045	0.100	0.040	0.100	0.0	-0.00	21.00	
	2796.30	30.	30.	30.	288.	262.	570.54	105.

\*SECNO 1.300

\*\*\* GR CARDS REPEATED

3280 CROSS SECTION 1.30 EXTENDED 2.15 FEET

1.30	1300.	491.	299.	510.	0.05	1	550.	
2802.64	0.0	630.	93.	562.	-0.00	0	2800.20	
6.34	0.0	0.78	3.20	0.91	0.01	2802.69	2799.00	
0.000925	0.045	0.100	0.040	0.100	0.00	-0.00	21.00	
	2796.30	10.	10.	10.	288.	262.	570.72	106.

THIS RUN EXECUTED 09/01/81 3:19:58

\*\*\*\*\*  
HEC2 RELEASE DATED NOV 76 UPDATED JULY1979  
ERROR CORR - 01,02,03  
MODIFICATION - 50,51,52,53,54  
\*\*\*\*\*

T1	WAYNESVILLE NC										1935
T2	500 YEAR FLOOD										1940
T3	BROWNING BRANCH										1945
J1	ICHECK	INQ	NINV	IDIR	STRT	MTRIC	HVINS	Q	WSEL	FO	
	0.	5.	0.	0.	0.00500	0.	0.0	0.	0.0	0.0	1950
J2	MPROF	IPLOT	PAFVS	XSECV	XSECH	FN	ALLDC	IDW	CHNIM	ITRACE	
	15.	0.	-1.	0.	0.	0.0	0.0	0.	0.	0.	1955

\*PROF 4

CCHV= 0.100 CRHV= 0.500

\*SECTO .050

2096 WSEL NOT GIVEN,AVG OF MAX,MIN USED

3265 DIVIDED FLOW

3280 CROSS SECTION 0.05 EXTENDED 0.63 FEET

BROWNING BRANCH		500 YEAR FLOOD			08/01/81		TOPRID		
MILE	G	ALOB	GCH	AROB	HV	ITRIAL	BANK ELEV		
ELEV	CRIMS	VLOB	ACH	AROB	DHV	IDC	LEFT/RIGHT		
DEPTH	WSELK	XAL	VCH	VROB	HL	EG			
SLOPE	WTN	XLOBL	XACH	XVROB	LOSS	CORAR	SSTA		
	ELMIN		XLCH	XLOBR	WSDL	WSDR	ENDST		VOL
0.05	2900.	464.	1138.	1298.	0.43	0	527.		
2706.63	0.0	226.	143.	575.	0.50	0	2701.00		
8.13	0.0	2.08	7.94	2.28	0.0	2707.08	2701.50		
0.004990	0.0	0.100	0.045	0.070	0.0	-0.00	102.81		
	2698.50	0.	0.	0.	167.	400.	670.00		0.

\*SECTO .140

3280 CROSS SECTION 0.14 EXTENDED 1.19 FEET

BROWNING BRANCH		500 YEAR FLOOD			08/01/81		TOPRID		
MILE	G	ALOB	GCH	AROB	HV	ITRIAL	BANK ELEV		
ELEV	CRIMS	VLOB	ACH	AROB	DHV	IDC	LEFT/RIGHT		
DEPTH	WSELK	XAL	VCH	VROB	HL	EG			
SLOPE	WTN	XLOBL	XACH	XVROB	LOSS	CORAR	SSTA		
	ELMIN		XLCH	XLOBR	WSDL	WSDR	ENDST		VOL
0.14	2900.	910.	657.	1333.	0.65	12	384.		
2711.49	2711.49	224.	59.	308.	0.22	13	2708.70		
5.99	0.0	4.06	11.18	4.32	3.55	2712.14	2709.20		
0.017927	0.045	0.070	0.045	0.070	0.11	-0.00	110.89		
	2705.50	450.	450.	450.	213.	171.	495.00		8.

\*SECTO .180

3265 DIVIDED FLOW

3280 CROSS SECTION 0.18 EXTENDED 0.02 FEET

BROWNING BRANCH		500 YEAR FLOOD			08/01/81		TOPRID		
MILE	G	ALOB	GCH	AROB	HV	ITRIAL	BANK ELEV		
ELEV	CRIMS	VLOB	ACH	AROB	DHV	IDC	LEFT/RIGHT		
DEPTH	WSELK	XAL	VCH	VROB	HL	EG			
SLOPE	WTN	XLOBL	XACH	XVROB	LOSS	CORAR	SSTA		
	ELMIN		XLCH	XLOBR	WSDL	WSDR	ENDST		VOL
0.18	2900.	341.	858.	1701.	0.46	3	365.		
2714.72	0.0	142.	100.	498.	-0.20	0	2712.60		
6.12	0.0	2.41	8.61	3.41	3.01	2715.17	2712.80		
0.009681	0.045	0.090	0.045	0.070	0.02	-0.00	35.00		
	2708.60	250.	230.	230.	270.	253.	563.03		12.

C06

\*SECHO .210

3265 DIVIDED FLOW

BROWNING BRANCH		500 YEAR FLOOD			08/01/81		TOP MID		
MI E	Q	QLOB	GCH	GROB	HV	ITRIAL	BANK ELEV		
ELEV	CRWS	ALOB	ACH	AROB	DHV	IDC			
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT		
SLOPE	MTN	XPL	XNCH	XNR	OLOSS	CORAR	SSTA		
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST		VOL

3685 20 TRIALS ATTEMPTED WSEL CWSEL  
 3693 PROBABLE MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSUMED

0.21	2900.	741.	1298.	861.	0.74	20	476.		
2718.47	2718.47	329.	131.	304.	0.28	8	2714.70		
7.97	0.0	2.25	9.91	2.83	0.99	2719.21	2714.80		
0.008334	0.044	0.090	0.045	0.070	0.14	-0.00	41.59		
	2710.50	150.	100.	100.	268.	257.	567.42		14.

\*SECHO .210

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

BROWNING BRANCH		500 YEAR FLOOD			08/01/81		TOP MID		
MI E	Q	QLOB	GCH	GROB	HV	ITRIAL	BANK ELEV		
ELEV	CRWS	ALOB	ACH	AROB	DHV	IDC			
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT		
SLOPE	MTN	XPL	XNCH	XNR	OLOSS	CORAR	SSTA		
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST		VOL

0.21	2900.	844.	1005.	1051.	0.30	3	521.		
2719.17	0.0	478.	145.	495.	-0.44	0	2714.70		
8.67	0.0	1.77	6.93	2.12	0.21	2719.47	2714.80		
0.003853	0.044	0.090	0.045	0.070	0.04	-0.00	35.00		
	2710.50	40.	40.	40.	275.	296.	605.84		14.

\*SECHO .210

3265 DIVIDED FLOW

3370 NORMAL BRIDGE, WRD= 6 MIN ELYRD= 2717.00 MAX ELLC= 2716.10

0.21	2900.	1176.	566.	1157.	0.15	2	524.		
2719.33	0.0	447.	126.	423.	-0.15	0	2717.90		
8.83	0.0	2.63	4.48	2.74	0.01	2719.49	2717.90		
0.009497	0.044	0.090	0.045	0.070	0.01	-36.00	35.00		
	2710.50	1.	1.	1.	275.	299.	608.81		14.

\*SECHO .210

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3370 NORMAL BRIDGE, NRD= 6 MIN ELTRD= 2717.00 MAX ELLC= 2716.10

0.21	2900.	1167.	513.	1220.	0.12	2	527.	
2719.53	0.0	418.	130.	479.	-0.03	0	2717.90	
9.03	0.0	2.39	3.94	2.55	0.16	2719.65	2717.90	
0.007066	0.044	0.090	0.045	0.070	0.00	-36.00	35.00	
	2710.50	20.	20.	20.	275.	302.	612.06	15.

\*SECNO .210

3265 DIVIDED FLOW

0.21	2900.	871.	902.	1127.	0.20	2	526.	
2719.49	0.0	549.	152.	590.	0.08	0	2714.70	
8.99	0.0	1.59	5.95	1.91	0.00	2719.70	2714.80	
0.002537	0.044	0.090	0.045	0.070	0.04	-0.00	35.00	
	2710.30	1.	1.	1.	275.	301.	611.41	15.

\*SECNO .210

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

0.21	2900.	874.	890.	1136.	0.20	1	527.	
2719.53	0.0	558.	152.	603.	-0.01	0	2714.70	
9.03	0.0	1.57	5.84	1.88	0.02	2719.72	2714.80	
0.002427	0.044	0.090	0.045	0.070	0.00	-0.00	35.00	
	2710.50	10.	10.	10.	275.	302.	612.12	15.

\*SECNO .250

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3301 HV CHANGED MORE THAN HVINS

BROWNING BRANCH		500 YEAR FLOOD			08/31/81		TOPWID		
MILE	Q	QLOB	GCH	GRQB	HV	ITRIAL	BANK ELEV		
ELEV	CRWS	ALOB	ACH	ARQB	DHV	IDC			
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT		
SLOPE	WTN	YH	XNCH	XNR	OLOSS	CORAR	SSTA		
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENOST		VOL

3685 20 TRIALS ATTEMPTED WSEL, CHSEL  
 3693 PROBABLE MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSUMED

0.25	2900.	780.	1409.	711.	0.84	20	513.	
2722.21	2722.21	381.	136.	368.	0.65	9	2718.20	
6.21	0.0	2.05	10.37	1.93	0.42	2723.05	2718.30	
0.010983	0.044	0.120	0.050	0.120	0.32	0.0	35.00	
	2714.00	130.	80.	80.	275.	288.	598.20	18.

E06

\*SECNO .250

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3301 HV CHANGED MORE THAN HVINS

0.25	2900.	898.	1093.	909.	0.32	3	527.	
2723.03	0.0	560.	153.	606.	-0.52	0	2718.20	
9.05	0.0	1.60	7.16	1.50	0.27	2723.37	2718.30	
0.004489	0.044	0.120	0.050	0.120	0.05	-0.00	35.00	
	2714.00	40.	40.	40.	275.	302.	612.34	19.

\*SECNO .250

3265 DIVIDED FLOW

3280 CROSS SECTION 0.25 EXTENDED 5.05 FEET

3370 NORMAL BRIDGE, NRD= 14 MIN ELTRD= 2719.00 MAX ELLC= 2721.30

0.25	2900.	209.	1917.	774.	0.15	2	343.	
2723.25	0.0	188.	557.	296.	-0.17	0	2721.50	
9.25	0.0	1.11	3.44	2.61	0.01	2723.40	2720.00	
0.007770	0.044	0.120	0.050	0.120	0.02	-429.72	55.00	
	2714.00	1.	1.	1.	220.	131.	405.00	19.

\*SECNO .250

\*\*\* GR CARDS REPEATED

3280 CROSS SECTION 0.25 EXTENDED 5.78 FEET

3370 NORMAL BRIDGE, NRD= 14 MIN ELTRD= 2719.00 MAX ELLC= 2721.30

0.25	2900.	235.	1889.	778.	0.13	2	350.	
2723.48	0.0	217.	583.	314.	-0.02	0	2721.50	
9.48	0.0	1.07	3.24	2.48	0.21	2723.61	2720.00	
0.006508	0.044	0.120	0.050	0.120	0.00	-438.72	55.00	
	2714.00	30.	30.	30.	220.	131.	405.00	20.

\*SECNO .250

3280 CROSS SECTION 0.25 EXTENDED 5.34 FEET

0.25	2900.	385.	2172.	343.	0.08	2	350.	
2723.54	0.0	604.	565.	423.	-0.06	0	2717.50	
9.54	0.0	0.64	2.51	0.81	0.00	2723.62	2716.50	
0.000456	0.044	0.120	0.050	0.120	0.01	-0.00	55.00	
	2714.00	1.	1.	1.	220.	131.	405.00	20.

F06

\*SECNO .260  
3280 CROSS SECTION 0.26 EXTENDED 5.22 FEET

BROWNING BRANCH		500 YEAR FLOOD			03/01/81		TOPWID		
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	BANK ELEV		
ELEV	CRIMS	ALOB	ACH	AROB	DHV	IDC	LEFT/RIGHT		
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	SSTA		
SLOPE	WTN	XNL	XNCH	XNR	GLOSS	CORAR	ENDST		VOL
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR			
0.26	2900.	1074.	1250.	577.	0.17	2	255.		
2723.52	0.0	642.	272.	309.	0.09	0	2719.00		
8.02	0.0	1.67	4.59	1.86	0.02	2723.68	2717.90		
0.001886	0.044	0.100	0.050	0.100	0.05	-0.00	150.00		
	2715.50	25.	25.	25.	175.	80.	405.00		20.

\*SECNO .300  
3265 DIVIDED FLOW

0.30	2900.	1359.	1002.	539.	0.64	3	236.		
2724.15	0.0	289.	111.	144.	0.47	0	2724.80		
5.35	0.0	4.70	9.03	3.74	0.87	2724.79	2723.20		
0.018600	0.045	0.080	0.050	0.080	0.24	-0.00	110.89		
	2718.80	200.	200.	200.	146.	134.	390.00		25.

\*SECNO .340  
3265 DIVIDED FLOW

0.34	2895.	960.	827.	1108.	0.30	3	375.		
2726.93	0.0	288.	121.	423.	-0.33	0	2727.50		
5.73	0.0	3.33	6.83	2.62	2.41	2727.23	2725.80		
0.007795	0.045	0.080	0.045	0.080	0.03	-0.00	131.28		
	2721.20	210.	210.	210.	125.	253.	509.34		28.

\*SECNO .430  
3301 HV CHANGED MORE THAN HVINS

BROWNING BRANCH		500 YEAR FLOOD			08/01/81		TOPWID		
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	BANK ELEV		
ELEV	CRIMS	ALOB	ACH	AROB	DHV	IDC	LEFT/RIGHT		
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	SSTA		
SLOPE	WTN	XNL	XNCH	XNR	GLOSS	CORAR	ENDST		VOL
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR			

3685 20 TRIALS ATTEMPTED WSEL, CWSEL  
3693 PROBABLE MINIMUM SPECIFIC ENERGY  
3720 CRITICAL DEPTH ASSUMED

0.43	2890.	904.	1267.	718.	0.92	20	416.		
2736.02	2736.02	311.	113.	341.	0.61	8	2733.50		
5.92	0.0	2.91	11.24	2.10	5.24	2736.94	2733.50		
0.012410	0.044	0.100	0.040	0.110	0.31	-0.00	250.00		
	2730.10	540.	540.	540.	140.	276.	666.40		38.

## \*SECHO .460

3301 HV CHANGED MORE THAN HVINS

0.46	2890.	1785.	495.	610.	0.06	3	705.	
2737.53	0.0	1360.	123.	485.	-0.85	0	2734.50	
6.45	0.0	1.31	4.03	1.25	0.57	2737.59	2734.50	
0.001418	0.043	0.100	0.040	0.070	0.09	-0.00	0.0	
	2731.10	180.	180.	180.	390.	315.	705.02	43.

## \*SECHO .480

3280 CROSS SECTION 0.48 EXTENDED 1.42 FEET

BROMING BRANCH	Q	QLOB	QCH	QROB	HV	TRIAL	TOPWID	
MILE	CRIMS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTN	XNL	XNCH	XNR	QLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	MSOL	MSDR	ENDST	VOL

3685 20 TRIALS ATTEMPTED WSEL, CWSEL  
 3693 PROBABLE MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSUMED

0.48	2885.	730.	119.	1436.	0.46	20	700.	
2738.12	2738.12	310.	73.	522.	0.39	17	2737.00	
4.92	0.0	2.36	9.84	2.75	0.13	2738.57	2737.00	
0.014132	0.043	0.100	0.040	0.070	0.20	0.0	100.00	
	2733.20	40.	40.	40.	209.	491.	800.00	45.

## \*SECHO .480

\*\*\* GR CARDS REPEATED  
3280 CROSS SECTION 0.48 EXTENDED 2.05 FEET

0.48	2885.	714.	494.	1677.	0.14	2	700.	
2738.75	0.0	437.	83.	828.	-0.31	0	2737.00	
5.55	0.0	1.63	5.94	2.03	0.29	2738.89	2737.00	
0.004334	0.043	0.100	0.040	0.070	0.03	-0.00	100.00	
	2733.20	40.	40.	40.	209.	491.	800.00	46.

## \*SECHO .480

3280 CROSS SECTION 0.48 EXTENDED 2.11 FEET

3370 NORMAL BRIDGE, WRD= 14 MIN ELTRD= 2736.30 MAX ELLC= 2737.90

0.48	2885.	725.	223.	1937.	0.09	2	700.	
2738.81	0.0	378.	64.	795.	-0.05	0	2737.90	
5.61	0.0	1.92	3.48	2.44	0.01	2738.90	2738.30	
0.006572	0.043	0.100	0.040	0.070	0.01	-8.83	100.00	
	2733.20	1.	1.	1.	209.	491.	800.00	46.



H06

\*SECNO .480

\*\*\* GR CARDS REPEATED  
3280 CROSS SECTION 0.48 EXTENDED 2.30 FEET

3370 NORMAL BRIDGE, NRD= 14 MIN ELTRD= 2736.30 MAX ELLC= 2737.90

0.48	2885.	715.	205.	1965.	0.07	2	700.	
2739.00	0.0	415.	67.	884.	-0.02	0	2737.90	
5.80	0.0	1.72	3.08	2.22	0.17	2739.07	2738.30	
0.004773	0.043	0.100	0.040	0.070	0.00	-8.83	100.00	
	2733.20	30.	30.	30.	209.	491.	800.00	47.

\*SECNO .480

3280 CROSS SECTION 0.48 EXTENDED 2.29 FEET

0.48	2885.	708.	444.	1734.	0.10	1	700.	
2738.99	0.0	486.	87.	945.	0.03	0	2737.00	
5.79	0.0	1.46	5.09	1.83	0.00	2739.09	2737.00	
0.002995	0.043	0.100	0.040	0.070	0.01	-0.00	100.00	
	2733.20	1.	1.	1.	209.	491.	800.00	47.

\*SECNO .480

\*\*\* GR CARDS REPEATED  
3280 CROSS SECTION 0.48 EXTENDED 2.33 FEET

BROWNING BRANCH		500 YEAR FLOOD			08/01/81			
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID	
ELEV	CRWS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTN	XNL	XNCH	XNR	GLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL
0.48	2885.	707.	438.	1740.	0.10	0	700.	
2739.02	0.0	492.	88.	960.	-0.00	0	2737.00	
5.82	0.0	1.44	5.00	1.81	0.03	2739.12	2737.00	
0.002867	0.043	0.100	0.040	0.070	0.00	0.0	100.00	
	2733.20	10.	10.	10.	209.	491.	800.00	47.

\*SECNO .510

3301 HV CHANGED MORE THAN HVINS

BROWNING BRANCH		500 YEAR FLOOD			08/01/81			
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID	
ELEV	CRWS	ALOB	ACH	AROB	PKV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB		EG	LEFT/RIGHT	
SLOPE	WTN	XNL	XNCH	XNR	GLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL
0.48	2885.	707.	438.	1740.	0.10	0	700.	
2739.02	0.0	492.	88.	960.	-0.00	0	2737.00	
5.82	0.0	1.44	5.00	1.81	0.03	2739.12	2737.00	
0.002867	0.043	0.100	0.040	0.070	0.00	0.0	100.00	
	2733.20	10.	10.	10.	209.	491.	800.00	47.

3685 20 TRIALS ATTEMPTED WSEL, CWSEL  
3693 PROBABLE MINIMUM SPECIFIC ENERGY

3720 CRITICAL DEPTH ASSUMED

0.51	2885.	226.	755.	1905.	0.72	20	299.	
2741.40	2741.40	76.	70.	399.	0.62	10	2739.40	
5.40	0.0	2.96	10.77	4.77	0.76	2742.11	2739.20	
0.017535	0.043	0.090	0.045	0.060	0.31	-0.00	298.17	
	2736.00	130.	130.	130.	57.	242.	597.09	50.

\*SECNO .510

\*\*\* GR CARDS REPEATED

0.51	2885.	258.	566.	2061.	0.28	2	308.	
2742.24	0.0	118.	84.	601.	-0.44	0	2739.40	
6.24	0.0	2.19	6.78	3.43	0.36	2742.52	2739.20	
0.005437	0.043	0.090	0.045	0.060	0.04	-0.00	296.88	
	2736.00	40.	40.	40.	58.	250.	604.51	51.

\*SECNO .510

4575 CRITICAL DEPTH ASSUMED BELOW ELLC OF 2742.000 EGLC= 2743.009  
EGC= 2743.010 WSEL= 2742.018

3265 DIVIDED FLOW

3301 HV CHANGED MORE THAN HVINS

BROWNING BRANCH		500 YEAR FLOOD			08/01/81		TOP MID BANK ELEV	
MILE	Q	QLOB	GCH	QROB	HV	ITRIAL	TOP MID	BANK ELEV
ELEV	CRIMS	ALOB	ACH	AROB	DHV	IDC	EG	LEFT/RIGHT
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	CORAR	SSTA
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	WSDR	WSDR	ENDST
	ELFIN	XLOBL	XLCH	XLOBR	WSDL			VOL

3370 NORMAL BRIDGE, NRD= 6 MIN ELTRD= 2741.80 MAX ELLC= 2742.00

7185 MINIMUM SPECIFIC ENERGY

3720 CRITICAL DEPTH ASSUMED

0.51	2885.	0.	1014.	1871.	1.01	4	193.	
2742.00	2742.00	0.	118.	241.	0.73	12	2745.20	
5.00	0.0	0.0	8.59	7.76	0.01	2743.01	2744.30	
0.049366	0.043	0.090	0.045	0.060	0.37	-16.00	330.00	
	2737.00	1.	1.	1.	16.	258.	604.15	51.

\*SECNO .540

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3301 HV CHANGED MORE THAN HVINS

3370 NORMAL BRIDGE, NRD= 6 MIN ELTRD= 2741.80 MAX ELLC= 2742.00

0.54	2885.	0.	354.	2531.	0.25	5	263.	
------	-------	----	------	-------	------	---	------	--

J06

2743.91	0.0	0.	118.	612.	-0.76	0	2745.20	
6.91	0.0	0.0	3.00	4.14	1.07	2744.16	2744.30	
0.006034	0.045	0.090	0.045	0.060	0.08	-79.93	330.00	
	2737.00	180.	180.	50.	16.	261.	607.02	52.

\*SECNO .540  
3280 CROSS SECTION 0.54 EXTENDED 2.17 FEET

BROWNING BRANCH	500 YEAR FLOOD	08/01/81						
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID	
ELEV	CRWS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTN	XML	XNCH	XNR	GLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL
0.54	2885.	372.	558.	1955.	0.19	2	322.	
2743.97	0.0	189.	97.	677.	-0.06	0	2740.60	
6.97	0.0	1.96	5.74	2.89	0.00	2744.17	2740.30	
0.003391	0.045	0.090	0.045	0.060	0.01	-0.00	280.70	
	2737.00	1.	1.	1.	75.	248.	603.00	52.

\*SECNO .540  
\*\*\* GR CARDS REPEATED  
3280 CROSS SECTION 0.54 EXTENDED 2.28 FEET

0.54	2885.	373.	544.	1967.	0.18	2	323.	
2744.08	0.0	197.	99.	704.	-0.02	0	2740.60	
7.08	0.0	1.90	5.49	2.79	0.10	2744.26	2740.30	
0.003017	0.045	0.090	0.045	0.060	0.00	-0.00	280.44	
	2737.00	30.	30.	30.	75.	248.	603.00	52.

\*SECNO .610  
3265 DIVIDED FLOW  
3280 CROSS SECTION 0.61 EXTENDED 0.29 FEET

3301 HV CHANGED MORE THAN HVINS

BROWNING BRANCH	500 YEAR FLOOD	08/01/81						
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID	
ELEV	CRWS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTN	XML	XNCH	XNR	GLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL

3685 20 TRIALS ATTEMPTED WSEL, CWSEL  
3693 PROBABLE MINIMUM SPECIFIC ENERGY  
3720 CRITICAL DEPTH ASSUMED

0.61	2875.	340.	1206.	1329.	0.83	20	433.	
2746.79	2746.19	181.	112.	416.	0.66	9	2744.80	
6.49	0.0	1.88	10.77	3.20	1.78	2747.62	2746.80	

K06

0.016727 0.045 0.100 0.045 0.100 0.33 -0.00 0.0  
2740.30 300. 300. 300. 213. 310. 522.73 58.

\*SECNO .610

3265 DIVIDED FLOW

3280 CROSS SECTION 0.61 EXTENDED 3.33 FEET

3301 HV CHANGED MORE THAN HVINS

0.61 2875. 667. 735. 1473. 0.21 2 468.  
2747.83 0.0 390. 116. 662. -0.62 0 2744.80  
5.83 0.0 1.71 6.37 2.22 0.35 2748.04 2746.80  
0.005376 0.045 0.100 0.045 0.100 0.06 -0.00 0.0  
2742.00 40. 40. 40. 213. 306. 518.00 59.

\*SECNO .610

3265 DIVIDED FLOW

3280 CROSS SECTION 0.61 EXTENDED 3.45 FEET

3570 NORMAL BRIDGE, NRD= 6 MIN ELTRD= 2746.50 MAX ELLC= 2746.00

0.61 2875. 819. 161. 1896. 0.10 2 468.  
2747.95 0.0 395. 56. 685. -0.11 0 2746.70  
5.95 0.0 2.07 2.87 2.77 0.01 2748.05 2747.00  
0.007972 0.045 0.100 0.045 0.100 0.01 -32.31 0.0  
2742.00 1. 1. 1. 213. 306. 518.00 59.

\*SECNO .610

\*\*\* JR CARDS REPEATED

3265 DIVIDED FLOW

3280 CROSS SECTION 0.61 EXTENDED 3.68 FEET

BROWNING BRANCH		500 YEAR FLOOD			09/01/81		TOPWID	
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	BANK ELEV	
ELEV	CRWS	ALOB	ACH	AROB	DHV	IDC	LEFT/RIGHT	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	SSTA	
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	ENDST	
	ELMIN	XLOBL	XLCH	XLOBR	MSDL	MSDK	VOL	

3370 NORMAL BRIDGE, NRD= 6 MIN ELTRD= 2746.50 MAX ELLC= 2746.00

0.61 2875. 856. 157. 1862. 0.09 2 468.  
2748.18 0.0 441. 60. 741. -0.02 0 2746.70  
6.18 0.0 1.94 2.61 2.51 0.21 2748.26 2747.00

L06

0.006069	0.045	0.100	0.045	0.100	0.00	-32.31	0.0	
	2742.00	30.	30.	30.	213.	306.	518.00	60.

\*SECNO .610

3265 DIVIDED FLOW

3280 CROSS SECTION 0.61 EXTENDED 3.65 FEET

0.61	2875.	718.	691.	1466.	0.16	2	468.	
2748.15	0.0	453.	123.	738.	0.07	0	2744.80	
6.15	0.0	1.59	5.61	1.99	0.00	2748.30	2746.80	
0.003818	0.045	0.100	0.045	0.100	0.04	-0.00	0.0	
	2742.00	1.	1.	1.	213.	306.	518.00	60.

\*SECNO .610

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3280 CROSS SECTION 0.61 EXTENDED 3.69 FEET

0.61	2875.	725.	685.	1465.	0.15	0	468.	
2748.19	0.0	462.	125.	750.	-0.01	0	2744.80	
6.19	0.0	1.57	5.50	1.95	0.04	2748.34	2746.80	
0.003629	0.045	0.100	0.045	0.100	0.00	0.0	0.0	
	2742.00	10.	10.	10.	213.	306.	518.00	60.

\*SECNO .740

3265 DIVIDED FLOW

BROWNING BRANCH		500 YEAR FLOOD			08/01/81		TOPWID		
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	BANK ELEV		
ELEV	CRIS	ALOB	ACH	AROB	DHV	IDC	LEFT/RIGHT		
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	SSTA		
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	ENDST		VOL
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR			

3685 20 TRIALS ATTEMPTED WSEL CWSEL  
 3695 PROBABLE MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSUMED

0.74	2865.	255.	1705.	904.	0.64	20	798.	
2758.97	2758.97	227.	208.	471.	0.49	12	2756.50	
7.67	0.0	1.12	8.21	1.92	3.56	2759.62	2756.50	
0.013242	0.047	0.120	0.060	0.110	0.24	-0.00	91.86	
	2751.30	570.	570.	570.	432.	396.	919.86	75.

\*SECNO .740

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

M06

0.74	2865.	583.	1225.	1057.	0.19	2	959.	
2759.75	0.0	587.	237.	774.	-0.45	0	2756.50	
8.45	0.0	0.99	5.17	1.37	0.28	2759.94	2756.50	
0.004407	0.047	0.120	0.060	11.110	0.05	-0.00	4.26	
	2751.33	40.	40.	40.	519.	469.	992.92	76.

SPECIAL BRIDGE

SB	HK	XKOR	COFQ	RDLEN	BWC	BWP	BAREA	SS
	1.25	1.60	3.00	0.0	15.00	0.01	130.00	2.10
	ELCHU	ELCHD						
	2751.50	2751.50						

\*SECNO .740

\*\*\* GR CARDS REPEATED

PRESS FLOW BECAUSE EGLWC OF 2759.94 EXCEEDS 1.5 DEPTH  
6870 D.S. ENERGY OF 2759.94 HIGHER THAN COMPUTED ENERGY OF 2759.86

3265 DIVIDED FLOW

BROWNING BRANCH

500 YEAR FLOOD

08/01/81

MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID	
ELEV	CRWS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTN	XNL	XNCH	XNR	GLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL

PRESSURE AND WEIR FLOW

EGPRS	EGLWC	Y3	QWEIR	QPR	BAREA	TAREA	ELLC
2771.82	2759.94	0.00	2597.	276.	130.	131.	2756.60
ELTRD							
2756.50							

0.74	2865.	580.	1230.	1056.	0.19	2	957.	
2759.75	0.0	583.	237.	770.	0.00	0	2756.50	
8.45	0.0	1.00	5.20	1.37	0.0	2759.94	2756.50	
0.004464	0.047	0.120	0.060	0.110	0.0	-0.00	5.33	
	2751.30	30.	30.	30.	518.	469.	992.03	77.

\*SECNO .740

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

0.74	2865.	566.	1276.	1022.	0.21	1	964.	
2759.78	0.0	600.	238.	785.	0.02	0	2756.50	
8.48	0.0	0.94	5.38	1.30	0.04	2759.99	2756.50	
0.003277	0.047	0.110	0.050	0.100	0.01	-0.00	1.37	
	2751.30	10.	10.	10.	522.	472.	995.33	78.

\*SECHO .800

3265 DIVIDED FLOW

3280 CROSS SECTION 0.80 EXTENDED 1.79 FEET

0.80	2860.	788.	1034.	990.	0.44	2	415.
2761.09	0.0	384.	132.	449.	0.23	0	2758.20
6.29	0.0	2.05	8.22	2.21	1.42	2761.53	2758.60
0.007492	0.047	0.100	0.145	0.100	0.12	-0.00	25.00
	2754.80	300.	310.	300.	238.	268.	530.00

87.

\*SECHO .800

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3280 CROSS SECTION 0.80 EXTENDED 2.19 FEET

0.80	2860.	851.	981.	1029.	0.29	2	415.
2761.49	0.0	443.	142.	528.	-0.15	0	2758.20
6.69	0.0	1.84	6.91	1.95	0.24	2761.78	2758.60
0.004765	0.047	0.100	0.045	0.100	0.02	-0.00	25.00
	2754.80	40.	40.	40.	238.	268.	530.00

88.

SPECIAL BRIDGE

SP	HK	XXOR	COFO	RDLEN	BWC	BWP	BAREA	SS
	1.25	1.80	5.00	0.0	11.00	0.01	55.00	0.50
	ELCHU	ELCHO						
	2754.80	2754.80						

\*SECHO .800

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3280 CROSS SECTION 0.80 EXTENDED 2.26 FEET

PRESSURE AND WEIR FLOW

ELPRB	EGLWC	H3	OMEIR	OPR	BAREA	TAREA	ELLC
2828.67	2761.78	0.00	2657.	203.	55.	55.	2759.00
ELTRD							
2759.00							

  

0.80	2860.	860.	966.	1034.	0.27	2	415.
2761.53	0.0	476.	144.	541.	-0.02	0	2758.20
6.75	0.0	1.80	6.72	1.91	0.05	2761.83	2758.60
0.004442	0.047	0.100	0.045	0.100	0.0	-0.00	25.00

807

2754.80 30. 30. 30. 238. 268. 530.00 88.

\*SECTO .800

3265 DIVIDED FLOW

3280 CROSS SECTION 0.80 EXTENDED 1.38 FEET

BROWNING BRANCH		500 YEAR FLOOD			08/01/81				
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPMID		
ELEV	CRIMS	VLOB	ACH	AROB	DHV	IDC	BANK ELEV		
DEPTH	WSLK	VLOS	VCH	VROB	HL	EG	LEFT/RIGHT		
SLOPE	WTN	IDL	XNCH	XNR	OLOSS	CORAR	SSTA		
	ELMIN	XLOB	XLCH	XLOR	WSDL	WSDR	ENDST	VOL	

7185 MINIMUM SPECIFIC ENERGY  
3720 CRITICAL DEPTH ASSUMED

0.80	2850.	879.	1141.	1040.	0.71	3	445.		
2761.68	2761.68	304.	111.	425.	0.44	9	2759.20		
5.89	0.0	2.23	10.31	2.45	0.20	2762.39	2756.50		
0.011714	0.047	0.100	0.045	0.100	0.22	0.0	25.00		
	2755.80	30.	30.	30.	236.	269.	530.00	89.	

\*SECTO .980

BROWNING BRANCH		500 YEAR FLOOD			08/01/81				
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPMID		
ELEV	CRIMS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV		
DEPTH	WSLK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT		
SLOPE	WTN	XL	XNCH	XNR	OLOSS	CORAR	SSTA		
	ELMIN	XLOB	XLCH	XLOR	WSDL	WSDR	ENDST	VOL	

7185 MINIMUM SPECIFIC ENERGY  
3720 CRITICAL DEPTH ASSUMED

0.98	2850.	753.	1127.	970.	0.57	10	595.		
2775.17	2775.17	315.	123.	354.	-0.14	12	2775.40		
6.67	0.0	1.96	9.17	2.74	9.39	2775.74	2773.50		
0.009354	0.046	0.100	0.040	0.080	0.01	-0.00	0.0		
	2768.50	900.	900.	900.	280.	335.	594.71	107.	

\*SECTO .980

\*\*\* GR CARDS REPEATED

0.98	2850.	753.	862.	1195.	0.22	3	627.		
2775.77	0.0	534.	140.	558.	-0.35	0	2773.40		
7.27	0.0	1.40	6.16	2.14	0.22	2775.99	2773.50		
0.003355	0.046	0.100	0.040	0.080	0.04	-0.00	0.0		
	2768.50	40.	40.	40.	280.	367.	627.19	108.	

\*SECTO .980

3370 NORMAL BRIDGE, NRD= 11 MIN EL TRD= 2774.20 MAX ELLC= 2774.40

0.98	2850.	1126.	185.	1541.	0.10	2	634.		
2775.91	0.0	548.	35.	551.	-0.11	0	2774.80		
7.41	0.0	2.06	3.32	2.80	0.00	2776.01	2774.70		



C07

0.006644	0.046	0.100	0.040	0.060	0.01	-43.76	0.0		
	2768.50	1.	1.	1.	262.	373.	634.30	108.	

\*SECNO .980

\*\*\* GR CARDS REPEATED

3370 NORMAL BRIDGE, NRD= 11 MIN ELTRD= 2774.20 MAX ELLC= 2774.40

0.98	2850.	1099.	122.	1579.	0.08	2	644.		
2776.10	0.0	594.	59.	120.	-0.02	0	2774.80		
7.60	0.0	1.85	2.93	2.55	0.17	2776.18	2774.70		
0.004835	0.046	0.100	0.040	0.060	0.00	-43.76	0.0		
	2768.50	30.	30.	30.	262.	383.	644.37	108.	

\*SECNO .980

BROWNING BRANCH

500 YEAR FLOOD

08/01/81

MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID		
ELEV	CRIMS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV		
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT		
SLOPE	WTH	XNL	XNCH	XNR	QLOSS	CORAR	SSTA		
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST		VOL

0.98	2850.	352.	923.	1576.	0.25	2	644.		
2776.09	0.0	322.	147.	674.	0.16	0	2773.40		
7.59	0.0	1.09	6.30	2.34	0.08	2776.34	2773.50		
0.003494	0.046	0.100	0.040	0.060	0.08	-0.00	0.0		
	2768.50	20.	20.	20.	260.	384.	644.41	109.	

\*SECNO .980

BROWNING BRANCH

500 YEAR FLOOD

08/01/81

MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID		
ELEV	CRIMS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV		
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT		
SLOPE	WTH	XNL	XNCH	XNR	QLOSS	CORAR	SSTA		
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST		VOL

3685 20 TRIALS ATTEMPTED WSEL / WSEL  
 3693 PROBABLE MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSUMED

0.98	2850.	675.	1108.	1047.	0.57	20	598.		
2776.17	2776.17	353.	121.	358.	0.32	17	2773.20		
4.97	0.0	1.97	9.17	2.92	0.11	2776.74	2774.90		
0.010239	0.046	0.100	0.040	0.060	0.16	-0.00	0.0		
	2771.20	20.	20.	20.	266.	332.	597.56	109.	

\*SECNO 1.190

3265 DIVIDED FLOW

3280 CROSS SECTION 1.19 EXTENDED 0.34 FEET

BROWNING BRANCH

500 YEAR FLOOD

08/01/81

MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID		
ELEV	CRIMS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV		

D07

DEPTH SLOPE	WSELK VTM ELMIN	VLOB XNL XLGBL	VGH XNCH XLCH	VROB XNR XLOBR	HL GLOSS WSDL	EG CORAR WSDR	LEFT/RIGHT SSTA ENDST	VOL
7183 MINIMUM SPECIFIC ENERGY 3720 CRITICAL DEPTH ASSUMED								
1.19	2000.	1099.	841.	120.	0.47	13	631.	
2792.34	2792.34	904.	103.	93.	-0.10	12	2791.70	
6.34	0.0	2.06	8.18	1.30	11.22	2792.81	2791.60	
0.010145	0.046	0.083	0.045	0.083	0.01	-0.00	0.0	
	2786.00	1100.	1100.	1100.	521.	261.	782.09	129.

\*SECTO 1.190

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3280 CROSS SECTION 1.19 EXTENDED 0.93 FEET

1.19	2000.	1184.	595.	221.	0.15	2	680.	
2792.92	0.0	779.	115.	199.	-0.33	0	2791.70	
6.92	0.0	1.52	5.19	1.11	0.22	2793.07	2791.60	
0.003536	0.046	0.083	0.045	0.083	0.03	-0.00	0.0	
	2786.00	40.	40.	40.	521.	269.	810.35	130.

SPECIAL BRIDGE

SB	HK	XKOR	COFQ	RDLN	BMC	BWP	BAREA	SS
	1.25	1.60	3.00	0.0	6.00	0.01	27.00	0.0
ELCHU	ELCHD							
2787.30	2787.30							

\*SECTO 1.190

6870 D.S. ENERGY OF 2793.07 HIGHER THAN COMPUTED ENERGY OF 2793.06

3265 DIVIDED FLOW

3280 CROSS SECTION 1.19 EXTENDED 0.96 FEET

PRESSURE AND WEIR FLOW

EGPRS	EGLMC	H3	QWEIR	QPR	BAREA	TAREA	ELLG	
2929.24	2793.07	0.00	1937.	64.	27.	27.	2791.80	
ELTRD								
2791.80								
1.19	2000.	1099.	541.	361.	0.11	2	771.	
2792.96	0.0	794.	115.	331.	-0.04	0	2791.70	
6.96	0.0	1.38	4.69	1.09	0.0	2793.07	2791.60	
0.002868	0.045	0.083	0.045	0.083	0.0	-0.00	0.0	
	2786.00	50.	50.	50.	521.	290.	811.12	130.

E07

\*SECNO 1.190

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3260 CROSS SECTION 1.19 EXTENDED 0.99 FEET

BROWNING BRANCH		500 YEAR FLOOD			08/01/81		TOPWID		
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	BANK ELEV		
ELEV	CRWS	ALOB	ACH	AROB	DHV	IDC	LEFT/RIGHT		
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	SSTA		
SLOPE	WTH	XNL	XNCH	XNR	OLOSS	CORAR	ENDST		
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR			VOL
1.19	2000.	1102.	532.	366.	0.11	0	772.		
2792.99	0.0	808.	116.	340.	-0.01	0	2791.70		
6.99	0.0	1.36	4.59	1.08	0.03	2793.10	2791.60		
0.002727	0.045	0.085	0.045	0.085	0.00	0.0	0.0		
	2786.00	10.	10.	10.	521.	291.	811.87		131.

\*SECNO 1.300

3280 CROSS SECTION 1.30 EXTENDED 0.91 FEET

BROWNING BRANCH		500 YEAR FLOOD			08/01/81		TOPWID		
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	BANK ELEV		
ELEV	CRWS	ALOB	ACH	AROB	DHV	IDC	LEFT/RIGHT		
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	SSTA		
SLOPE	WTH	XNL	XNCH	XNR	OLOSS	CORAR	ENDST		
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR			VOL
1.30	2000.	500.	703.	797.	0.59	20	459.		
2801.41	2001.41	285.	71.	288.	0.49	13	2800.20		
5.11	0.0	1.76	9.89	2.76	2.45	2802.00	2799.00		
0.012715	0.045	0.100	0.040	0.100	0.24	0.0	21.00		
	2796.30	480.	480.	480.	288.	171.	479.60		141.

\*SECNO 1.300

\*\*\* GR CARDS REPEATED

3280 CROSS SECTION 1.30 EXTENDED 1.62 FEET

BROWNING BRANCH		500 YEAR FLOOD			08/01/81		TOPWID		
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	BANK ELEV		
ELEV	CRWS	ALOB	ACH	AROB	DHV	IDC	LEFT/RIGHT		
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	SSTA		
SLOPE	WTH	XNL	XNCH	XNR	OLOSS	CORAR	ENDST		
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR			VOL
1.30	2000.	683.	538.	780.	0.20	2	537.		
2802.11	0.0	482.	84.	431.	-0.39	0	2800.20		
5.81	0.0	1.41	6.41	1.81	0.27	2802.32	2799.00		
0.004290	0.045	0.100	0.040	0.100	0.04	-0.00	21.00		
	2796.30	40.	40.	40.	288.	249.	537.67		142.

SPECIAL BRIDGE

F07

SB	HK	XKOR	COFQ	RDLEN	BWC	BWP	BAREA	SS
	1.25	1.60	3.00	0.0	5.00	0.01	38.00	1.90
	ELCHJ	ELCHD						
	2796.30	2796.30						

\*SECTNO 1.300

\*\*\* GR CARDS REPEATED  
 3280 CROSS SECTION    1.30 EXTENDED    2.51 FEET

PRESSURE AND WEIR FLOW

EGPRS	EGLWC	H3	QWEIR	QPR	BAREA	TAREA	ELLC
2870.94	2802.32	0.00	1774.	237.	38.	39.	2799.70

ELTRD  
 2801.00

1.30	2000.	789.	420.	791.	0.07	2	554.	
2803.01	0.0	731.	100.	654.	-0.13	0	2800.20	
6.71	0.0	1.08	4.21	1.21	0.77	2803.08	2799.00	
0.001462	0.045	0.100	0.040	0.100	0.0	-0.00	21.00	
	2796.30	30.	30.	30.	288.	266.	574.70	143.

\*SECTNO 1.300

\*\*\* GR CARDS REPEATED  
 3280 CROSS SECTION    1.30 EXTENDED    2.53 FEET

1.30	2000.	790.	418.	792.	0.07	1	554.	
2803.02	0.0	737.	100.	660.	-0.00	0	2800.20	
6.72	0.0	1.07	4.17	1.20	0.01	2803.10	2799.00	
0.001428	0.045	0.100	0.040	0.100	0.00	-0.00	21.00	
	2796.30	10.	10.	10.	288.	266.	574.95	143.

THIS RUN EXECUTED 08/01/81 8:20:06

\*\*\*\*\*  
 HEC2 RELEASE DATED NOV 76 UPDATED JULY 1979  
 ERROR CORR - 01,02,03  
 MODIFICATION - 50,51,52,53,54  
 \*\*\*\*\*

NOTE- ASTERISK (\*) AT LEFT OF CROSS-SECTION NUMBER  
 INDICATES MESSAGE IN SUMMARY OF ERRORS LIST/

IHO219I FIOCS - MISSING DD CARD OR DCB ERROR FOR ASCII TAPE FOR FT51F001

TRACEBACK ROUTINE CALLED FROM ISN	REG. 14	REG. 15	REG. 0	REG. 1
IBCOM	000E2F88	000F9AFC	00000000	00066E1C
SUMPO	420C607C	000E2050	0000000C	00000000
MAIN	0002C698	000C5810	0089D2D0	000C4FF8

ENTRY POINT= 00075810

STANDARD FIXUP TAKEN , EXECUTION CONTINUING

\*\*\*\*\*  
 BROWNING BRANCH

SUMMARY PRINTOUT TABLE 150

SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRWS	EG	10K*S	VCH	AREA	.01K	
0.050	0.	0.0	0.0	2698.5	900.0	2704.59	0.0	2705.06	50.09	6.37	268.38	127.16	
0.050	0.	0.0	0.0	2698.5	1600.0	2705.62	0.0	2706.09	50.46	7.22	507.94	225.24	
0.050	0.	0.0	0.0	2698.5	1900.0	2705.94	0.0	2706.40	50.32	7.45	605.49	267.85	
0.050	0.	0.0	0.0	2698.5	2900.0	2706.63	0.0	2707.06	49.90	7.94	944.36	410.52	
*	0.140	450.	0.0	0.0	2705.5	900.0	2710.35	2710.35	2710.85	137.35	8.21	254.22	76.79
*	0.140	450.	0.0	0.0	2705.5	1600.0	2710.84	2710.84	2711.42	161.71	9.67	379.21	125.82
*	0.140	450.	0.0	0.0	2705.5	1900.0	2710.98	2710.98	2711.62	180.15	10.42	414.37	141.56
*	0.140	450.	0.0	0.0	2705.5	2900.0	2711.49	2711.49	2712.14	179.27	11.18	591.30	216.59
*	0.180	230.	0.0	0.0	2708.6	900.0	2713.43	2713.43	2713.85	93.21	6.84	307.82	93.22
	0.180	230.	0.0	0.0	2708.6	1600.0	2713.94	0.0	2714.38	101.13	7.80	474.68	159.10
	0.180	230.	0.0	0.0	2708.6	1900.0	2714.18	0.0	2714.58	92.63	7.77	555.47	197.42
	0.180	230.	0.0	0.0	2708.6	2900.0	2714.72	0.0	2715.17	96.81	8.61	739.64	294.74
*	0.210	100.	0.0	0.0	2710.5	900.0	2716.32	2716.32	2717.41	118.30	8.95	151.72	82.75
*	0.210	100.	0.0	0.0	2710.5	1600.0	2717.60	2717.60	2718.36	80.36	8.74	414.31	178.48
*	0.210	100.	0.0	0.0	2710.5	1900.0	2717.84	2717.84	2718.60	82.73	9.12	495.53	208.90
*	0.210	100.	0.0	0.0	2710.5	2900.0	2718.47	2718.47	2719.21	85.34	9.91	763.58	313.92
	0.210	40.	0.0	0.0	2710.5	900.0	2717.39	0.0	2717.72	33.49	5.51	352.31	155.51
	0.210	40.	0.0	0.0	2710.5	1600.0	2718.32	0.0	2718.60	31.48	5.92	693.04	285.15
	0.210	40.	0.0	0.0	2710.5	1900.0	2718.57	0.0	2718.85	32.60	6.18	809.06	332.75
	0.210	40.	0.0	0.0	2710.5	2900.0	2719.17	0.0	2719.47	36.53	6.93	1117.95	479.83

H07

0.210	1.	2717.0	2716.1	2710.5	900.0	2716.96	2715.18	2718.17	356.46	8.95	115.23	47.54
0.210	1.	2717.0	2716.1	2710.5	1600.0	2718.34	0.0	2718.61	206.06	5.87	485.95	111.46
0.210	1.	2717.0	2716.1	2710.5	1900.0	2718.69	0.0	2718.86	155.23	4.97	660.43	163.39
0.210	1.	2717.0	2716.1	2710.5	2900.0	2719.33	0.0	2719.49	94.97	4.48	996.47	297.57
0.210	20.	2717.0	2716.1	2710.5	900.0	2718.43	0.0	2718.50	52.33	3.00	531.86	124.42
0.210	20.	2717.0	2716.1	2710.5	1600.0	2718.76	0.0	2718.87	82.17	3.91	698.53	176.31
0.210	20.	2717.0	2716.1	2710.5	1900.0	2718.96	0.0	2719.07	78.07	3.90	801.73	215.04
0.210	20.	2717.0	2716.1	2710.5	2900.0	2719.53	0.0	2719.65	70.66	3.94	1097.33	344.99
0.210	1.	0.0	0.0	2710.5	900.0	2718.43	0.0	2718.50	8.65	3.14	744.53	306.05
0.210	1.	0.0	0.0	2710.5	1600.0	2718.74	0.0	2718.90	18.53	4.74	899.66	371.73
0.210	1.	0.0	0.0	2710.5	1900.0	2718.94	0.0	2719.11	20.48	5.08	1000.74	419.84
0.210	1.	0.0	0.0	2710.5	2900.0	2719.49	0.0	2719.70	25.37	5.95	1290.43	575.72

SECNO	XLCH	ELTRD	ELLC	ELMIN	a	CWSEL	CRWS	EG	10K+S	VCH	AREA	.01K
0.210	10.	0.0	0.0	2710.5	900.0	2718.44	0.0	2718.51	8.55	3.13	748.88	307.66
0.210	10.	0.0	0.0	2710.5	1600.0	2718.76	0.0	2718.92	17.97	4.68	912.10	377.47
0.210	10.	0.0	0.0	2710.5	1900.0	2718.96	0.0	2719.13	19.84	5.01	1014.42	426.62
0.210	10.	0.0	0.0	2710.5	2900.0	2719.53	0.0	2719.72	24.27	5.84	1312.52	588.61
*	0.250	80.	0.0	2714.0	900.0	2719.86	2719.86	2721.03	150.90	9.15	155.93	73.27
*	0.250	80.	0.0	2714.0	1600.0	2721.21	2721.21	2722.11	107.27	9.21	452.39	154.48
*	0.250	80.	0.0	2714.0	1900.0	2721.50	2721.50	2722.38	108.02	9.54	556.25	182.81
*	0.250	80.	0.0	2714.0	2900.0	2722.21	2722.21	2723.05	109.83	10.37	884.72	276.71
0.250	40.	0.0	0.0	2714.0	900.0	2721.06	0.0	2721.40	41.01	5.59	401.15	140.53
0.250	40.	0.0	0.0	2714.0	1600.0	2722.11	0.0	2722.40	37.71	6.01	830.55	260.55
0.250	40.	0.0	0.0	2714.0	1900.0	2722.38	0.0	2722.68	38.91	6.27	970.86	304.58
0.250	40.	0.0	0.0	2714.0	2900.0	2723.05	0.0	2723.37	44.89	7.16	1319.24	432.84
0.250	1.	2719.0	2721.3	2714.0	900.0	2721.39	0.0	2721.43	39.03	1.83	594.15	144.06
0.250	1.	2719.0	2721.3	2714.0	1600.0	2722.35	0.0	2722.43	49.73	2.42	800.80	226.88
0.250	1.	2719.0	2721.3	2714.0	1900.0	2722.61	0.0	2722.70	56.07	2.67	846.18	253.74
0.250	1.	2719.0	2721.3	2714.0	2900.0	2723.24	0.0	2723.40	77.70	3.44	1042.31	329.00
0.250	30.	2719.0	2721.3	2714.0	900.0	2721.51	0.0	2721.55	35.20	1.76	616.04	151.69
0.250	30.	2719.0	2721.3	2714.0	1600.0	2722.50	0.0	2722.57	44.03	2.33	835.63	261.11
0.250	30.	2719.0	2721.3	2714.0	1900.0	2722.78	0.0	2722.86	48.75	2.55	910.12	272.13
0.250	30.	2719.0	2721.3	2714.0	2900.0	2723.48	0.0	2723.61	65.08	3.24	1114.22	359.49
0.250	1.	0.0	0.0	2714.0	900.0	2721.53	0.0	2721.55	1.42	1.15	1187.28	756.32
0.250	1.	0.0	0.0	2714.0	1600.0	2722.54	0.0	2722.57	2.38	1.66	1540.61	1037.08
0.250	1.	0.0	0.0	2714.0	1900.0	2722.82	0.0	2722.87	2.86	1.87	1639.18	1123.10
0.250	1.	0.0	0.0	2714.0	2900.0	2723.54	0.0	2723.62	4.56	2.51	1891.21	1357.35
0.260	25.	0.0	0.0	2715.5	900.0	2721.52	0.0	2721.57	8.61	2.46	714.62	306.72
0.260	25.	0.0	0.0	2715.5	1600.0	2722.53	0.0	2722.61	11.41	3.21	971.26	473.61
0.260	25.	0.0	0.0	2715.5	1900.0	2722.81	0.0	2722.91	13.07	3.55	1042.55	525.52
0.260	25.	0.0	0.0	2715.5	2900.0	2723.52	0.0	2723.68	18.86	4.59	1223.94	667.75
*	0.300	200.	0.0	2718.8	900.0	2722.59	2722.59	2723.13	203.32	7.49	210.38	63.12
*	0.300	200.	0.0	2718.8	1600.0	2723.09	2723.09	2723.80	257.85	9.04	308.23	99.64
*	0.300	200.	0.0	2718.8	1900.0	2723.27	2723.27	2724.03	271.04	9.52	346.33	115.41
0.300	200.	0.0	0.0	2718.8	2900.0	2724.15	0.0	2724.79	186.00	9.03	543.88	212.64
0.340	210.	0.0	0.0	2721.2	900.0	2725.42	0.0	2725.68	79.20	5.57	330.86	101.13
0.340	210.	0.0	0.0	2721.2	1600.0	2726.15	0.0	2726.39	70.24	5.82	556.57	190.90
0.340	210.	0.0	0.0	2721.2	1900.0	2726.39	0.0	2726.64	68.56	5.96	640.14	229.47
0.340	210.	0.0	0.0	2721.2	2895.0	2726.93	0.0	2727.23	77.95	6.83	832.63	327.89
*	0.430	540.	0.0	2730.1	895.0	2734.61	2734.61	2735.26	83.61	7.61	290.50	97.88
*	0.430	540.	0.0	2730.1	1595.0	2735.25	2735.25	2736.02	101.89	9.23	477.09	158.01
*	0.430	540.	0.0	2730.1	1895.0	2735.46	2735.46	2736.27	108.26	9.79	547.92	182.12
*	0.430	540.	0.0	2730.1	2890.0	2736.02	2736.02	2736.94	124.10	11.24	764.79	259.42
0.460	180.	0.0	0.0	2731.1	895.0	2735.75	0.0	2735.80	13.06	3.07	862.67	247.66
0.460	180.	0.0	0.0	2731.1	1595.0	2736.55	0.0	2736.60	13.15	3.45	1317.53	439.85
0.460	180.	0.0	0.0	2731.1	1890.0	2736.81	0.0	2736.87	13.32	3.59	1484.51	517.85
0.460	180.	0.0	0.0	2731.1	2890.0	2737.53	0.0	2737.59	14.18	4.03	1969.02	767.53

	SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRWS	EG	10K+S	VCH	AREA	.01K
*	0.480	40.	0.0	0.0	2733.2	895.0	2737.48	2737.48	2737.78	72.30	6.37	461.10	105.26
*	0.480	40.	0.0	0.0	2733.2	1595.0	2737.77	2737.77	2738.12	99.44	7.84	664.20	159.95
*	0.480	40.	0.0	0.0	2733.2	1890.0	2737.82	2737.82	2738.25	123.14	8.79	697.52	170.32
*	0.480	40.	0.0	0.0	2733.2	2885.0	2738.12	2738.12	2738.57	141.32	9.84	904.82	242.68
	0.480	40.	0.0	0.0	2733.2	895.0	2737.87	0.0	2737.96	24.04	3.92	735.39	182.54
	0.480	40.	0.0	0.0	2733.2	1595.0	2738.26	0.0	2738.36	32.24	4.80	1001.74	280.91
	0.480	40.	0.0	0.0	2733.2	1890.0	2738.41	0.0	2738.51	33.83	5.02	1105.93	324.95
	0.480	40.	0.0	0.0	2733.2	2885.0	2738.75	0.0	2738.89	43.34	5.94	1347.61	438.25
	0.480	1.	2736.3	2737.9	2733.2	895.0	2737.86	0.0	2737.97	42.03	4.62	596.18	138.04
	0.480	1.	2736.3	2737.9	2733.2	1595.0	2738.30	0.0	2738.37	55.44	3.74	877.99	214.21
	0.480	1.	2736.3	2737.9	2733.2	1890.0	2738.46	0.0	2738.52	57.01	3.05	989.70	250.31
	0.480	1.	2736.3	2737.9	2733.2	2885.0	2738.81	0.0	2738.90	65.72	3.48	1236.71	355.89
	0.480	30.	2736.3	2737.9	2733.2	895.0	2738.05	0.0	2738.09	31.20	2.81	712.40	160.23
	0.480	30.	2736.3	2737.9	2733.2	1595.0	2738.46	0.0	2738.51	40.06	2.56	993.98	252.00
	0.480	30.	2736.3	2737.9	2733.2	1890.0	2738.62	0.0	2738.67	40.92	2.66	1100.06	295.47
	0.480	30.	2736.3	2737.9	2733.2	2885.0	2739.00	0.0	2739.07	47.73	3.06	1366.28	417.59
	0.480	1.	0.0	0.0	2733.2	895.0	2738.05	0.0	2738.10	15.70	3.25	859.87	225.88
	0.480	1.	0.0	0.0	2733.2	1595.0	2738.46	0.0	2738.52	21.69	4.05	1145.62	342.51
	0.480	1.	0.0	0.0	2733.2	1890.0	2738.61	0.0	2738.68	23.30	4.28	1251.92	391.58
	0.480	1.	0.0	0.0	2733.2	2885.0	2738.99	0.0	2739.09	29.95	5.09	1518.21	527.13
	0.480	10.	0.0	0.0	2733.2	895.0	2738.06	0.0	2738.11	15.16	3.20	870.64	229.85
	0.480	10.	0.0	0.0	2733.2	1595.0	2738.48	0.0	2738.55	20.79	3.98	1161.85	349.81
	0.480	10.	0.0	0.0	2733.2	1890.0	2738.63	0.0	2738.70	22.35	4.21	1269.00	399.74
	0.480	10.	0.0	0.0	2733.2	2885.0	2739.02	0.0	2739.12	28.67	5.00	1539.71	538.83
*	0.510	130.	0.0	0.0	2736.0	895.0	2740.49	2740.49	2740.89	104.88	7.15	282.29	87.39
*	0.510	130.	0.0	0.0	2736.0	1590.0	2740.86	2740.86	2741.39	142.77	8.91	386.91	133.07
*	0.510	130.	0.0	0.0	2736.0	1890.0	2740.97	2740.97	2741.58	161.48	9.65	418.87	148.73
*	0.510	130.	0.0	0.0	2736.0	2885.0	2741.40	2741.40	2742.11	175.35	10.77	545.55	217.87
	0.510	40.	0.0	0.0	2736.0	895.0	2741.01	0.0	2741.14	33.32	4.42	431.35	155.05
	0.510	40.	0.0	0.0	2736.0	1590.0	2741.53	0.0	2741.71	42.86	5.44	587.18	242.87
	0.510	40.	0.0	0.0	2736.0	1890.0	2741.73	0.0	2741.93	45.47	5.76	646.43	280.27
	0.510	40.	0.0	0.0	2736.0	2885.0	2742.24	0.0	2742.52	54.87	6.78	802.50	389.49
*	0.510	1.	2741.8	2742.0	2737.0	895.0	2740.80	0.0	2741.35	196.15	6.71	178.31	63.90
*	0.510	1.	2741.8	2742.0	2737.0	1590.0	2741.41	2741.41	2742.04	289.59	7.46	266.74	93.43
*	0.510	1.	2741.8	2742.0	2737.0	1890.0	2741.52	2741.52	2742.28	362.55	8.15	283.57	99.26
*	0.510	1.	2741.8	2742.0	2737.0	2885.0	2742.00	2742.00	2743.01	493.66	8.59	359.24	129.85
	0.540	180.	2741.8	2742.0	2737.0	895.0	2742.18	0.0	2742.26	37.87	2.38	388.04	145.44
	0.540	180.	2741.8	2742.0	2737.0	1590.0	2742.91	0.0	2743.06	49.59	2.72	521.58	225.78
	0.540	180.	2741.8	2742.0	2737.0	1890.0	2743.19	0.0	2743.36	51.70	2.78	577.73	262.85
	0.540	180.	2741.8	2742.0	2737.0	2885.0	2743.91	0.0	2744.16	60.34	3.00	729.99	371.39
	0.540	1.	0.0	0.0	2737.0	895.0	2742.11	0.0	2742.33	52.43	5.50	369.10	123.61
	0.540	1.	0.0	0.0	2737.0	1590.0	2742.90	0.0	2743.08	39.38	5.39	620.31	253.37
	0.540	1.	0.0	0.0	2737.0	1890.0	2743.19	0.0	2743.37	36.19	5.39	716.40	314.17
	0.540	1.	0.0	0.0	2737.0	2885.0	2743.97	0.0	2744.17	33.91	5.74	963.45	495.42



K07

SECNO	XLCH	ELTRD	ELLC	ELMIN	G	CWSEL	CRIMS	EG	10K*S	VCH	AREA	.01K
0.540	30.	0.0	0.0	2737.0	895.0	2742.32	0.0	2742.47	33.81	4.57	436.44	153.93
0.540	30.	0.0	0.0	2737.0	1590.0	2743.04	0.0	2743.19	32.32	4.98	662.98	279.66
0.540	30.	0.0	0.0	2737.0	1885.0	2743.32	0.0	2743.47	30.79	5.05	755.63	340.61
0.540	30.	0.0	0.0	2737.0	2885.0	2744.08	0.0	2744.26	30.17	5.49	1000.14	525.21
* 0.610	300.	0.0	0.0	2740.3	890.0	2745.58	2745.58	2746.15	104.25	7.30	270.99	87.17
* 0.610	300.	0.0	0.0	2740.3	1590.0	2746.27	2746.27	2746.85	110.56	8.24	490.90	151.22
* 0.610	300.	0.0	0.0	2740.3	1885.0	2746.48	2746.48	2747.06	113.65	8.57	574.82	176.82
* 0.610	300.	0.0	0.0	2740.3	2875.0	2746.79	2746.79	2747.62	167.27	10.77	709.09	222.30
0.610	40.	0.0	0.0	2742.0	890.0	2746.31	0.0	2746.47	47.99	4.71	479.29	128.47
0.610	40.	0.0	0.0	2742.0	1590.0	2747.00	0.0	2747.17	49.17	5.33	777.98	226.75
0.610	40.	0.0	0.0	2742.0	1885.0	2747.21	0.0	2747.39	50.54	5.61	878.84	265.15
0.610	40.	0.0	0.0	2742.0	2875.0	2747.83	0.0	2748.04	53.76	6.37	1167.72	392.10
0.610	1.	2746.5	2746.0	2742.0	890.0	2746.41	0.0	2746.48	76.74	3.36	467.85	101.60
0.610	1.	2746.5	2746.0	2742.0	1590.0	2747.10	0.0	2747.18	76.25	3.33	749.22	182.09
0.610	1.	2746.5	2746.0	2742.0	1885.0	2747.32	0.0	2747.40	78.02	3.35	844.77	213.41
0.610	1.	2746.5	2746.0	2742.0	2875.0	2747.95	0.0	2748.05	79.72	2.87	1135.59	322.00
0.610	30.	2746.5	2746.0	2742.0	890.0	2746.62	0.0	2746.67	52.57	2.78	550.73	122.75
0.610	30.	2746.5	2746.0	2742.0	1590.0	2747.32	0.0	2747.38	55.38	2.83	845.49	213.65
0.610	30.	2746.5	2746.0	2742.0	1885.0	2747.54	0.0	2747.61	57.60	2.78	944.45	248.36
0.610	30.	2746.5	2746.0	2742.0	2875.0	2748.18	0.0	2748.26	60.69	2.61	1241.82	369.06
0.610	1.	0.0	0.0	2742.0	890.0	2746.60	0.0	2746.70	28.86	3.83	601.20	165.68
0.610	1.	0.0	0.0	2742.0	1590.0	2747.30	0.0	2747.41	32.21	4.54	916.09	280.15
0.610	1.	0.0	0.0	2742.0	1885.0	2747.51	0.0	2747.64	34.03	4.83	1017.58	323.12
0.610	1.	0.0	0.0	2742.0	2875.0	2748.15	0.0	2748.30	38.18	5.61	1314.20	465.28
0.610	10.	0.0	0.0	2742.0	890.0	2746.64	0.0	2746.73	27.01	3.73	618.18	171.26
0.610	10.	0.0	0.0	2742.0	1590.0	2747.33	0.0	2747.44	30.36	4.44	936.51	288.55
0.610	10.	0.0	0.0	2742.0	1885.0	2747.55	0.0	2747.67	32.13	4.72	1038.89	332.53
0.610	10.	0.0	0.0	2742.0	2875.0	2748.19	0.0	2748.34	36.29	5.50	1337.10	477.23
* 0.740	570.	0.0	0.0	2751.3	890.0	2755.85	2755.85	2757.26	449.69	9.53	93.40	41.97
* 0.740	570.	0.0	0.0	2751.3	1585.0	2757.92	2757.92	2758.77	166.73	8.02	343.70	122.75
* 0.740	570.	0.0	0.0	2751.3	1880.0	2758.23	2758.23	2759.04	157.09	8.14	449.66	150.00
* 0.740	570.	0.0	0.0	2751.3	2865.0	2758.97	2758.97	2759.62	132.42	8.21	905.30	248.97
0.740	40.	0.0	0.0	2751.3	890.0	2757.60	0.0	2757.98	76.51	5.18	258.84	101.75
0.740	40.	0.0	0.0	2751.3	1585.0	2758.93	0.0	2759.14	43.46	4.68	867.51	240.42
0.740	40.	0.0	0.0	2751.3	1880.0	2759.20	0.0	2759.39	40.97	4.69	1092.03	293.73
0.740	40.	0.0	0.0	2751.3	2865.0	2759.75	0.0	2759.94	44.07	5.17	1598.04	431.57
0.740	30.	2756.5	2756.6	2751.3	890.0	2757.60	0.0	2757.98	76.15	5.17	259.67	101.99
0.740	30.	2756.5	2756.6	2751.3	1585.0	2758.93	0.0	2759.14	43.18	4.66	871.02	241.21
0.740	30.	2756.5	2756.6	2751.3	1880.0	2759.20	0.0	2759.39	40.78	4.68	1094.64	294.38
0.740	30.	2756.5	2756.6	2751.3	2865.0	2759.75	0.0	2759.94	44.64	5.20	1588.60	428.79
0.740	10.	0.0	0.0	2751.3	890.0	2757.68	0.0	2758.04	49.26	5.05	277.88	126.80
0.740	10.	0.0	0.0	2751.3	1585.0	2758.96	0.0	2759.18	30.50	4.72	899.50	287.01
0.740	10.	0.0	0.0	2751.3	1880.0	2759.23	0.0	2759.43	29.30	4.78	1122.96	347.30
0.740	10.	0.0	0.0	2751.3	2865.0	2759.78	0.0	2759.99	32.77	5.36	1622.77	500.46

## L07

	SECNO	XLCH	ELTRD	ELLC	ELMIN	q	CWSIL	CRWS	EG	10K*8	VCH	AREA	.01K
*	0.800	300.	0.0	0.0	2754.8	885.0	2759.51	2759.51	2760.02	80.68	6.75	319.30	98.53
	0.800	300.	0.0	0.0	2754.8	1580.0	2760.21	0.0	2760.65	74.90	7.31	602.48	182.56
	0.800	300.	0.0	0.0	2754.8	1875.0	2760.44	0.0	2760.88	74.39	7.53	697.60	217.39
	0.800	300.	0.0	0.0	2754.8	2860.0	2761.09	0.0	2761.53	74.52	8.22	964.54	331.30
	0.800	40.	0.0	0.0	2754.8	885.0	2760.05	0.0	2760.24	30.53	4.55	535.85	160.16
	0.800	40.	0.0	0.0	2754.8	1580.0	2760.66	0.0	2760.88	39.12	5.63	786.11	252.61
	0.800	40.	0.0	0.0	2754.8	1875.0	2760.87	0.0	2761.11	41.14	5.95	878.97	292.32
	0.800	40.	0.0	0.0	2754.8	2860.0	2761.49	0.0	2761.78	47.65	6.91	1132.89	414.32
	0.800	30.	2759.0	2759.0	2754.8	885.0	2760.53	0.0	2760.61	14.64	3.38	733.40	231.32
	0.800	30.	2759.0	2759.0	2754.8	1580.0	2760.92	0.0	2761.09	27.60	4.90	897.84	300.72
	0.800	30.	2759.0	2759.0	2754.8	1875.0	2761.06	0.0	2761.26	32.77	5.44	956.44	327.52
	0.800	30.	2759.0	2759.0	2754.8	2860.0	2761.55	0.0	2761.83	44.42	6.72	1161.29	429.12
*	0.800	30.	0.0	0.0	2755.8	885.0	2760.60	2760.60	2761.05	67.04	6.64	364.76	108.09
*	0.800	30.	0.0	0.0	2755.8	1580.0	2761.08	2761.08	2761.64	88.88	8.26	575.34	167.59
*	0.800	30.	0.0	0.0	2755.8	1875.0	2761.25	2761.25	2761.84	94.31	8.73	651.61	193.07
*	0.800	30.	0.0	0.0	2755.8	2860.0	2761.68	2761.68	2762.39	117.14	10.31	839.56	264.25
*	0.980	900.	0.0	0.0	2768.5	885.0	2774.26	2774.26	2774.68	58.71	6.22	358.80	115.51
*	0.980	900.	0.0	0.0	2768.5	1575.0	2774.70	2774.70	2775.16	71.15	7.41	588.90	186.72
*	0.980	900.	0.0	0.0	2768.5	1865.0	2774.83	2774.83	2775.32	76.75	7.87	662.47	212.88
*	0.980	900.	0.0	0.0	2768.5	2850.0	2775.17	2775.17	2775.74	93.54	9.17	861.37	294.67
	0.980	40.	0.0	0.0	2768.5	885.0	2774.69	0.0	2774.84	22.82	4.19	584.63	185.26
	0.980	40.	0.0	0.0	2768.5	1575.0	2775.19	0.0	2775.36	27.54	4.99	873.61	300.12
	0.980	40.	0.0	0.0	2768.5	1865.0	2775.35	0.0	2775.53	29.38	5.28	968.98	344.05
	0.980	40.	0.0	0.0	2768.5	2850.0	2775.77	0.0	2775.99	35.55	6.16	1231.75	477.98
	0.980	1.	2774.2	2774.4	2768.5	885.0	2774.74	0.0	2774.85	84.59	4.51	465.79	96.22
	0.980	1.	2774.2	2774.4	2768.5	1575.0	2775.29	0.0	2775.37	65.77	3.98	777.03	194.21
	0.980	1.	2774.2	2774.4	2768.5	1865.0	2775.45	0.0	2775.54	64.63	3.95	874.62	231.99
	0.980	1.	2774.2	2774.4	2768.5	2850.0	2775.91	0.0	2776.01	66.44	3.32	1152.61	349.64
	0.980	30.	2774.2	2774.4	2768.5	885.0	2774.98	0.0	2775.03	43.94	3.25	599.24	133.50
	0.980	30.	2774.2	2774.4	2768.5	1575.0	2775.47	0.0	2775.53	44.46	3.27	885.04	236.20
	0.980	30.	2774.2	2774.4	2768.5	1865.0	2775.64	0.0	2775.70	46.26	2.64	988.37	274.21
	0.980	30.	2774.2	2774.4	2768.5	2850.0	2776.09	0.0	2776.18	48.55	2.93	1272.69	409.01
	0.980	20.	0.0	0.0	2768.5	885.0	2774.98	0.0	2775.15	22.25	4.29	462.32	187.62
	0.980	20.	0.0	0.0	2768.5	1575.0	2775.47	0.0	2775.68	28.49	5.23	751.59	295.06
	0.980	20.	0.0	0.0	2768.5	1865.0	2775.64	0.0	2775.85	29.92	5.49	856.60	340.97
	0.980	20.	0.0	0.0	2768.5	2850.0	2776.09	0.0	2776.34	34.94	6.30	1143.16	482.17
*	0.980	20.	0.0	0.0	2771.2	885.0	2775.35	2775.35	2775.71	60.04	5.99	368.30	114.21
*	0.980	20.	0.0	0.0	2771.2	1575.0	2775.74	2775.74	2776.17	75.29	7.27	578.96	181.52
*	0.980	20.	0.0	0.0	2771.2	1865.0	2775.84	2775.84	2776.32	84.12	7.84	638.33	203.34
*	0.980	20.	0.0	0.0	2771.2	2850.0	2776.17	2776.17	2776.74	102.39	9.17	831.77	281.65
*	1.190	1100.	0.0	0.0	2786.0	600.0	2790.08	2790.08	2791.69	269.06	10.20	58.82	36.58
*	1.190	1100.	0.0	0.0	2786.0	1100.0	2791.90	2791.90	2792.30	76.05	6.67	443.12	126.13
*	1.190	1100.	0.0	0.0	2786.0	1300.0	2792.02	2792.02	2792.44	81.45	7.03	512.53	144.05
*	1.190	1100.	0.0	0.0	2786.0	2000.0	2792.34	2792.34	2792.81	101.45	8.18	700.06	198.57

MO7

SECNO	XLCH	ELTRD	ELLC	ELMIN	Q	CWSEL	CRWS	EG	10K+S	VCH	AREA	.01K	
1.190	40.	0.0	0.0	2786.0	600.0	2791.94	0.0	2792.05	20.77	3.51	465.07	131.65	
1.190	40.	0.0	0.0	2786.0	1100.0	2792.38	0.0	2792.51	28.12	4.33	728.90	207.42	
1.190	40.	0.0	0.0	2786.0	1300.0	2792.52	0.0	2792.65	29.93	4.55	823.88	237.63	
1.190	40.	0.0	0.0	2786.0	2000.0	2792.92	0.0	2793.07	35.36	5.19	1092.31	336.34	
1.190	30.	2791.8	2791.8	2786.0	600.0	2792.18	0.0	2792.23	11.47	2.70	660.41	177.13	
1.190	30.	2791.8	2791.8	2786.0	1100.0	2792.43	0.0	2792.53	22.93	3.94	838.28	229.72	
1.190	30.	2791.8	2791.8	2786.0	1300.0	2792.56	0.0	2792.66	24.63	4.15	938.78	261.93	
1.190	30.	2791.8	2791.8	2786.0	2000.0	2792.96	0.0	2793.07	28.68	4.69	1240.58	373.44	
1.190	10.	0.0	0.0	2786.0	600.0	2792.19	0.0	2792.25	11.09	2.66	671.04	180.15	
1.190	10.	0.0	0.0	2786.0	1100.0	2792.46	0.0	2792.55	21.86	3.86	856.19	235.27	
1.190	10.	0.0	0.0	2786.0	1300.0	2792.59	0.0	2792.69	23.45	4.06	958.19	268.47	
1.190	10.	0.0	0.0	2786.0	2000.0	2792.99	0.0	2793.10	27.27	4.59	1264.19	382.99	
*	1.300	480.	0.0	0.0	2796.3	600.0	2800.24	2800.24	2800.78	113.83	7.40	186.83	56.24
*	1.300	480.	0.0	0.0	2796.3	1100.0	2800.91	2800.91	2801.38	97.11	7.90	421.43	111.63
*	1.300	480.	0.0	0.0	2796.3	1300.0	2800.98	2800.98	2801.55	119.84	8.88	448.71	118.75
*	1.300	480.	0.0	0.0	2796.3	2000.0	2801.41	2801.41	2802.00	127.15	9.89	644.13	177.36
1.300	40.	0.0	0.0	2796.3	600.0	2800.89	0.0	2801.03	30.10	4.38	412.58	109.35	
1.300	40.	0.0	0.0	2796.3	1100.0	2801.46	0.0	2801.63	34.80	5.22	671.18	186.46	
1.300	40.	0.0	0.0	2796.3	1300.0	2801.66	0.0	2801.82	35.26	5.43	763.72	218.92	
1.300	40.	0.0	0.0	2796.3	2000.0	2802.11	0.0	2802.32	42.90	6.41	997.27	305.34	
*	1.300	30.	2801.0	2799.7	2796.3	600.0	2802.04	0.0	2802.06	4.33	2.01	953.65	288.49
1.300	30.	2801.0	2799.7	2796.3	1100.0	2802.50	0.0	2802.54	7.91	2.90	1204.28	391.21	
1.300	30.	2801.0	2799.7	2796.3	1300.0	2802.63	0.0	2802.68	9.43	3.22	1276.09	423.33	
1.300	30.	2801.0	2799.7	2796.3	2000.0	2803.01	0.0	2803.08	14.62	4.21	1484.26	523.00	
1.300	10.	0.0	0.0	2796.3	600.0	2802.04	0.0	2802.06	4.26	2.00	959.43	290.69	
1.300	10.	0.0	0.0	2796.3	1100.0	2802.51	0.0	2802.54	7.76	2.88	1212.43	394.79	
1.300	10.	0.0	0.0	2796.3	1300.0	2802.64	0.0	2802.69	9.25	3.20	1284.99	427.39	
1.300	10.	0.0	0.0	2796.3	2000.0	2803.02	0.0	2803.10	14.28	4.17	1495.59	529.20	

BROWNING BRANCH

SUMMARY PRINTOUT TABLE 150

RECNO	Q	CMSL	DIFWSP	DIFMSX	DIFKWS	TOPWID	XLCH
0.050	900.	2704.6	0.0	0.0	0.0	173.57	0.0
0.050	1600.	2705.6	1.0	0.0	0.0	292.44	0.0
0.050	1900.	2705.9	0.3	0.0	0.0	319.00	0.0
0.050	2900.	2706.6	0.7	0.0	0.0	527.19	0.0
*	0.140	900.	2710.4	0.0	5.8	248.23	450.00
*	0.140	1600.	2710.8	0.3	5.2	261.82	450.00
*	0.140	1900.	2711.0	0.1	5.0	269.52	450.00
*	0.140	2900.	2711.3	0.3	4.9	384.11	450.00
*	0.180	900.	2713.4	0.0	3.1	327.92	230.00
	0.180	1600.	2713.9	0.3	3.1	329.93	230.00
	0.180	1900.	2714.2	0.2	3.2	330.91	230.00
	0.180	2900.	2714.7	0.3	3.2	364.86	230.00
*	0.210	900.	2716.3	0.0	2.9	102.81	100.00
*	0.210	1600.	2717.6	1.3	3.7	317.70	100.00
*	0.210	1900.	2717.8	0.2	3.7	364.60	100.00
*	0.210	2900.	2718.5	0.6	3.8	475.83	100.00
	0.210	900.	2717.4	0.0	1.1	282.11	40.00
	0.210	1600.	2718.3	0.9	0.7	452.17	40.00
	0.210	1900.	2718.6	0.2	0.7	492.80	40.00
	0.210	2900.	2719.2	0.6	0.7	320.84	40.00
	0.210	900.	2717.0	0.0	-0.4	97.07	1.00
	0.210	1600.	2718.3	1.4	0.0	453.96	1.00
	0.210	1900.	2718.7	0.3	0.1	511.78	1.00
	0.210	2900.	2719.3	0.6	0.2	523.81	1.00
	0.210	900.	2718.4	0.0	1.5	468.73	20.00
	0.210	1600.	2718.8	0.3	0.4	514.09	20.00
	0.210	1900.	2719.0	0.2	0.3	517.48	20.00
	0.210	2900.	2719.5	0.6	0.2	527.06	20.00
	0.210	900.	2718.4	0.0	-0.0	468.42	1.00
	0.210	1600.	2718.7	0.3	-0.0	513.69	1.00
	0.210	1900.	2718.9	0.2	-0.0	517.01	1.00
	0.210	2900.	2719.5	0.6	-0.0	526.41	1.00
	0.210	900.	2718.4	0.0	0.0	470.17	10.00
	0.210	1600.	2718.8	0.3	0.0	514.10	10.00
	0.210	1900.	2719.0	0.2	0.0	517.46	10.00
	0.210	2900.	2719.5	0.6	0.0	527.12	10.00
*	0.250	900.	2719.9	0.0	1.4	105.03	80.00
*	0.250	1600.	2721.2	1.4	2.4	340.36	80.00
*	0.250	1900.	2721.3	0.3	2.3	346.18	80.00
*	0.250	2900.	2722.2	0.7	2.7	513.20	80.00
	0.250	900.	2721.1	0.0	1.2	310.36	40.00
	0.250	1600.	2722.1	1.1	0.9	500.51	40.00

808

0.250  
0.250

1900.  
2900.

2722.4  
2723.0

8.3  
8.7

0.9  
0.8

0.0  
0.0

519.03  
527.34

40.00  
40.00

C08

SECMO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
0.250	900.	2721.4	0.0	0.3	0.0	233.00	1.00
0.250	1600.	2722.4	1.0	0.2	0.0	294.24	1.00
0.250	1900.	2722.6	0.3	0.2	0.0	308.54	1.00
0.250	2900.	2723.2	0.6	0.2	0.0	343.45	1.00
0.250	900.	2721.5	0.0	0.1	0.0	253.44	30.00
0.250	1600.	2722.5	1.0	0.1	0.0	302.56	30.00
0.250	1900.	2722.8	0.3	0.2	0.0	316.81	30.00
0.250	2900.	2723.5	0.7	0.2	0.0	350.00	30.00
0.250	900.	2721.5	0.0	0.0	0.0	350.00	1.00
0.250	1600.	2722.5	1.0	0.0	0.0	350.00	1.00
0.250	1900.	2722.8	0.3	0.0	0.0	350.00	1.00
0.250	2900.	2723.5	0.7	0.1	0.0	350.00	1.00
0.260	900.	2721.5	0.0	-0.0	0.0	255.00	25.00
0.260	1600.	2722.5	1.0	-0.0	0.0	255.00	25.00
0.260	1900.	2722.8	0.3	-0.0	0.0	255.00	25.00
0.260	2900.	2723.5	0.7	-0.0	0.0	255.00	25.00
*	0.300	900.	2722.6	0.0	1.1	184.98	200.00
*	0.300	1600.	2723.1	0.3	0.6	211.89	200.00
*	0.300	1900.	2723.3	0.2	0.3	216.30	200.00
*	0.300	2900.	2724.1	0.9	0.6	235.58	200.00
0.340	900.	2725.4	0.0	2.8	0.0	276.09	210.00
0.340	1600.	2726.2	0.7	3.1	0.0	342.59	210.00
0.340	1900.	2726.4	0.2	3.1	0.0	348.05	210.00
0.340	2895.	2726.9	0.5	2.8	0.0	375.12	210.00
*	0.430	895.	2734.6	0.0	9.2	262.98	540.00
*	0.430	1595.	2735.2	0.6	9.1	327.24	540.00
*	0.430	1895.	2735.5	0.2	9.1	351.56	540.00
*	0.430	2890.	2736.0	0.6	9.1	416.40	540.00
0.460	895.	2735.8	0.0	1.1	0.0	521.45	180.00
0.460	1595.	2736.5	0.8	1.3	0.0	612.21	180.00
0.460	1890.	2736.8	0.3	1.4	0.0	643.27	180.00
0.460	2890.	2737.5	0.7	1.5	0.0	705.02	180.00
*	0.480	895.	2737.3	0.0	1.7	691.14	40.00
*	0.480	1595.	2737.8	0.3	1.2	700.00	40.00
*	0.480	1890.	2737.8	0.0	1.0	700.00	40.00
*	0.480	2885.	2738.1	0.3	0.6	700.00	40.00
0.480	895.	2737.9	0.0	0.4	0.0	700.00	40.00
0.480	1595.	2738.3	0.4	0.3	0.0	700.00	40.00
0.480	1890.	2738.4	0.1	0.6	0.0	700.00	40.00
0.480	2885.	2738.8	0.3	0.6	0.0	700.00	40.00
0.480	895.	2737.9	0.0	-0.0	0.0	649.07	1.00
0.480	1595.	2738.3	0.4	0.0	0.0	699.89	1.00
0.480	1890.	2738.5	0.2	0.1	0.0	700.00	1.00
0.480	2885.	2738.8	0.4	0.1	0.0	700.00	1.00

SECMO	Q	CMSEL	DIFRSP	DIFRFX	DIFRFS	TORPID	ALCH
0.480	895.	2738.1	0.0	0.2	0.0	670.43	30.00
0.480	1595.	2738.3	0.4	0.2	0.0	700.00	30.00
0.480	1890.	2738.6	0.2	0.2	0.0	700.00	30.00
0.480	2885.	2739.0	0.4	0.2	0.0	700.00	30.00
0.480	895.	2738.0	0.0	-0.0	0.0	700.00	1.00
0.480	1595.	2738.3	0.4	-0.0	0.0	700.00	1.00
0.480	1890.	2738.6	0.2	-0.0	0.0	700.00	1.00
0.480	2885.	2739.0	0.4	-0.0	0.0	700.00	1.00
0.480	895.	2738.1	0.0	0.0	0.0	700.00	10.00
0.480	1595.	2738.3	0.4	0.0	0.0	700.00	10.00
0.480	1890.	2738.6	0.2	0.0	0.0	700.00	10.00
0.480	2885.	2739.0	0.4	0.0	0.0	700.00	10.00
*	0.510	895.	2740.5	0.0	0.0	285.21	130.00
*	0.510	1590.	2740.9	0.4	0.0	290.74	130.00
*	0.510	1890.	2741.0	0.1	0.0	292.40	130.00
*	0.510	2885.	2741.4	0.4	0.0	298.92	130.00
0.510	895.	2741.0	0.0	0.5	0.0	293.05	40.00
0.510	1590.	2741.3	0.3	0.7	0.0	301.03	40.00
0.510	1890.	2741.7	0.2	0.8	0.0	304.01	40.00
0.510	2885.	2742.2	0.5	0.8	0.0	307.63	40.00
0.510	895.	2740.8	0.0	-0.2	0.0	138.36	1.00
*	0.510	1590.	2741.4	0.6	0.0	166.32	1.00
*	0.510	1890.	2741.5	0.1	0.0	171.21	1.00
*	0.510	2885.	2742.0	0.3	0.0	193.19	1.00
0.540	895.	2742.2	0.0	1.4	0.0	199.63	180.00
0.540	1590.	2742.9	0.7	1.3	0.0	226.80	180.00
0.540	1890.	2743.2	0.3	1.7	0.0	237.21	180.00
0.540	2885.	2743.9	0.7	1.9	0.0	263.11	180.00
0.540	895.	2742.1	0.0	-0.1	0.0	318.08	1.00
0.540	1590.	2742.9	0.8	-0.0	0.0	319.87	1.00
0.540	1890.	2743.2	0.3	0.0	0.0	320.35	1.00
0.540	2885.	2744.0	0.8	0.1	0.0	322.30	1.00
0.540	895.	2742.3	0.0	0.2	0.0	322.22	30.00
0.540	1590.	2743.0	0.7	0.1	0.0	322.22	30.00
0.540	1890.	2743.3	0.3	0.1	0.0	322.22	30.00
0.540	2885.	2744.1	0.8	0.1	0.0	322.22	30.00
0.610	890.	2745.6	0.0	3.3	0.0	243.60	300.00
*	0.610	1590.	2746.3	0.7	0.0	243.74	300.00
*	0.610	1885.	2746.5	0.2	0.0	421.06	300.00
*	0.610	2875.	2746.8	0.3	0.0	432.64	300.00
0.610	890.	2746.3	0.0	0.7	0.0	401.97	40.00
0.610	1590.	2747.0	0.7	0.7	0.0	468.00	40.00
0.610	1885.	2747.2	0.2	0.7	0.0	468.00	40.00
0.610	2875.	2747.8	0.6	1.0	0.0	468.00	40.00

## E08

SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	VLCH
0.610	890.	2746.4	0.0	0.1	0.0	378.66	1.00
0.610	1590.	2747.1	0.7	0.1	0.0	449.98	1.00
0.610	1885.	2747.3	0.2	0.1	0.0	468.00	1.00
0.610	2875.	2747.9	0.6	0.1	0.0	468.00	1.00
0.610	890.	2746.6	0.0	0.2	0.0	416.80	30.00
0.610	1590.	2747.3	0.7	0.2	0.0	468.00	30.00
0.610	1885.	2747.5	0.2	0.2	0.0	468.00	30.00
0.610	2875.	2748.2	0.6	0.2	0.0	468.00	30.00
0.610	890.	2746.6	0.0	-0.0	0.0	422.21	1.00
0.610	1590.	2747.3	0.7	-0.0	0.0	468.00	1.00
0.610	1885.	2747.5	0.2	-0.0	0.0	468.00	1.00
0.610	2875.	2748.1	0.6	-0.0	0.0	468.00	1.00
0.610	890.	2746.6	0.0	0.0	0.0	423.43	10.00
0.610	1590.	2747.3	0.7	0.0	0.0	468.00	10.00
0.610	1885.	2747.6	0.2	0.0	0.0	468.00	10.00
0.610	2875.	2748.2	0.6	0.0	0.0	468.00	10.00
*	0.740	890.	2755.9	0.0	9.2	33.43	570.00
*	0.740	1585.	2757.9	2.1	10.6	305.57	570.00
*	0.740	1880.	2758.2	0.3	10.7	351.78	570.00
*	0.740	2865.	2759.0	0.7	10.8	798.00	570.00
0.740	890.	2757.6	0.0	1.7	0.0	231.27	40.00
0.740	1585.	2758.9	1.3	1.0	0.0	788.31	40.00
0.740	1880.	2759.2	0.3	1.0	0.0	844.29	40.00
0.740	2865.	2759.8	0.6	0.8	0.0	958.67	40.00
0.740	890.	2757.6	0.0	0.0	0.0	232.29	30.00
0.740	1585.	2758.9	1.3	0.0	0.0	789.21	30.00
0.740	1880.	2759.2	0.3	0.0	0.0	844.95	30.00
0.740	2865.	2759.8	0.5	-0.0	0.0	956.70	30.00
0.740	890.	2757.7	0.0	0.1	0.0	269.91	10.00
0.740	1585.	2759.0	1.3	0.0	0.0	796.50	10.00
0.740	1880.	2759.2	0.3	0.0	0.0	851.80	10.00
0.740	2865.	2759.8	0.5	0.0	0.0	963.96	10.00
*	0.800	885.	2759.5	0.0	1.8	360.02	300.00
0.800	1580.	2760.2	0.7	1.3	0.0	415.00	300.00
0.800	1875.	2760.4	0.2	1.2	0.0	415.00	300.00
0.800	2860.	2761.1	0.6	1.3	0.0	415.00	300.00
0.800	885.	2760.1	0.0	0.5	0.0	415.00	40.00
0.800	1590.	2760.7	0.6	0.4	0.0	415.00	40.00
0.800	1875.	2760.9	0.2	0.4	0.0	415.00	40.00
0.800	2860.	2761.5	0.6	0.4	0.0	415.00	40.00
0.800	885.	2760.5	0.0	0.5	0.0	415.00	30.00
0.800	1580.	2760.9	0.4	0.3	0.0	415.00	30.00
0.900	1875.	2761.1	0.1	0.2	0.0	415.00	30.00
0.800	2860.	2761.6	0.5	0.1	0.0	415.00	30.00



## F08

SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH	
*	0.800	885.	2760.6	0.0	0.1	0.0	405.22	30.00
*	0.800	1580.	2761.1	0.5	0.2	0.0	445.00	30.00
*	0.800	1875.	2761.3	0.2	0.2	0.0	445.00	30.00
*	0.800	2840.	2761.7	0.4	0.1	0.0	445.00	30.00
*	0.980	885.	2774.3	0.0	13.7	0.0	481.03	900.00
*	0.980	1575.	2774.7	0.4	13.6	0.0	558.32	900.00
*	0.980	1865.	2774.8	0.1	13.6	0.0	576.52	900.00
*	0.980	2850.	2775.2	0.3	13.5	0.0	594.71	900.00
0.980	885.	2774.7	0.0	0.4	0.0	557.06	40.00	
0.980	1575.	2775.2	0.5	0.5	0.0	595.82	40.00	
0.980	1865.	2775.3	0.2	0.5	0.0	604.33	40.00	
0.980	2850.	2775.8	0.4	0.6	0.0	627.19	40.00	
0.980	885.	2774.7	0.0	0.0	0.0	546.92	1.00	
0.980	1575.	2775.3	0.6	0.1	0.0	601.22	1.00	
0.980	1865.	2775.5	0.2	0.1	0.0	610.13	1.00	
0.980	2850.	2775.9	0.5	0.1	0.0	634.30	1.00	
0.980	885.	2775.0	0.0	0.2	0.0	584.62	30.00	
0.980	1575.	2775.5	0.5	0.2	0.0	611.08	30.00	
0.980	1865.	2775.6	0.2	0.2	0.0	620.27	30.00	
0.980	2850.	2776.1	0.5	0.2	0.0	644.37	30.00	
0.980	885.	2775.0	0.0	0.0	0.0	404.09	20.00	
0.980	1575.	2775.5	0.5	-0.0	0.0	610.99	20.00	
0.980	1865.	2775.6	0.2	-0.0	0.0	620.13	20.00	
0.980	2850.	2776.1	0.5	-0.0	0.0	644.41	20.00	
*	0.980	885.	2775.3	0.0	0.4	0.0	522.33	20.00
*	0.980	1575.	2775.7	0.4	0.3	0.0	557.78	20.00
*	0.980	1865.	2775.8	0.1	0.2	0.0	567.39	20.00
*	0.980	2850.	2776.2	0.3	0.1	0.0	597.56	20.00
*	1.190	600.	2790.1	0.0	14.7	0.0	18.35	1100.00
*	1.190	1100.	2791.9	1.8	16.2	0.0	533.94	1100.00
*	1.190	1300.	2792.0	0.1	16.2	0.0	562.49	1100.00
*	1.190	2000.	2792.3	0.3	16.2	0.0	631.14	1100.00
1.190	600.	2791.9	0.0	1.9	0.0	543.83	40.00	
1.190	1100.	2792.4	0.4	0.5	0.0	642.02	40.00	
1.190	1300.	2792.5	0.1	0.5	0.0	670.69	40.00	
1.190	2000.	2792.9	0.4	0.6	0.0	680.35	40.00	
1.190	600.	2792.2	0.0	0.2	0.0	683.09	30.00	
1.190	1100.	2792.4	0.2	0.1	0.0	743.22	30.00	
1.190	1300.	2792.6	0.1	0.0	0.0	761.54	30.00	
1.190	2000.	2793.0	0.4	0.0	0.0	771.12	30.00	
1.190	600.	2792.2	0.0	0.0	0.0	686.88	10.00	
1.190	1100.	2792.5	0.3	0.0	0.0	748.99	10.00	
1.190	1300.	2792.6	0.1	0.0	0.0	762.16	10.00	
1.190	2000.	2793.0	0.4	0.0	0.0	771.87	10.00	

SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH	
*	1.300	600.	2800.2	0.0	8.0	0.0	234.84	480.00
*	1.300	1100.	2800.9	0.7	8.5	0.0	431.13	480.00
*	1.300	1300.	2801.0	0.7	8.4	0.0	441.47	480.00
*	1.300	2000.	2801.4	0.4	8.4	0.0	458.60	480.00
	1.300	600.	2800.9	0.0	0.6	0.0	427.73	40.00
	1.300	1100.	2801.5	0.6	0.5	0.0	462.42	40.00
	1.300	1300.	2801.7	0.2	0.7	0.0	475.24	40.00
	1.300	2000.	2802.1	0.5	0.7	0.0	536.67	40.00
*	1.300	600.	2802.0	0.0	1.2	0.0	533.68	30.00
	1.300	1100.	2802.5	0.5	1.0	0.0	548.09	30.00
	1.300	1300.	2802.6	0.1	1.0	0.0	549.54	30.00
	1.300	2000.	2803.0	0.4	0.9	0.0	553.70	30.00
	1.300	600.	2802.0	0.0	0.0	0.0	534.07	10.00
	1.300	1100.	2802.5	0.5	0.0	0.0	548.26	10.00
	1.300	1300.	2802.6	0.1	0.0	0.0	549.72	10.00
	1.300	2000.	2803.0	0.4	0.0	0.0	553.95	10.00

SUMMARY OF ERRORS

CAUTION SECNO= 0.140 PROFILE= 1 CRITICAL DEPTH ASSUMED  
 CAUTION SECNO= 0.140 PROFILE= 1  
 PROBABLE MINIMUM SPECIFIC ENERGY  
 CAUTION SECNO= 0.140 PROFILE= 1  
 20 TRIALS ATTEMPTED TO BALANCE WSEL  
 CAUTION SECNO= 0.140 PROFILE= 2 CRITICAL DEPTH ASSUMED  
 CAUTION SECNO= 0.140 PROFILE= 3 CRITICAL DEPTH ASSUMED  
 CAUTION SECNO= 0.140 PROFILE= 4 CRITICAL DEPTH ASSUMED  
 CAUTION SECNO= 0.180 PROFILE= 1 CRITICAL DEPTH ASSUMED  
 CAUTION SECNO= 0.210 PROFILE= 1 CRITICAL DEPTH ASSUMED  
 CAUTION SECNO= 0.210 PROFILE= 1  
 PROBABLE MINIMUM SPECIFIC ENERGY  
 CAUTION SECNO= 0.210 PROFILE= 1  
 20 TRIALS ATTEMPTED TO BALANCE WSEL  
 CAUTION SECNO= 0.210 PROFILE= 2 CRITICAL DEPTH ASSUMED  
 CAUTION SECNO= 0.210 PROFILE= 2  
 PROBABLE MINIMUM SPECIFIC ENERGY  
 CAUTION SECNO= 0.210 PROFILE= 2  
 20 TRIALS ATTEMPTED TO BALANCE WSEL  
 CAUTION SECNO= 0.210 PROFILE= 3 CRITICAL DEPTH ASSUMED  
 CAUTION SECNO= 0.210 PROFILE= 3  
 PROBABLE MINIMUM SPECIFIC ENERGY  
 CAUTION SECNO= 0.210 PROFILE= 3  
 20 TRIALS ATTEMPTED TO BALANCE WSEL  
 CAUTION SECNO= 0.210 PROFILE= 4 CRITICAL DEPTH ASSUMED  
 CAUTION SECNO= 0.210 PROFILE= 4  
 PROBABLE MINIMUM SPECIFIC ENERGY  
 CAUTION SECNO= 0.210 PROFILE= 4  
 20 TRIALS ATTEMPTED TO BALANCE WSEL

H08

CAUTION SECNO= 0.250 PROFILE= 1 CRITICAL DEPTH ASSUMED  
CAUTION SECNO= 0.250 PROFILE= 1  
PROBABLE MINIMUM SPECIFIC ENERGY  
CAUTION SECNO= 0.250 PROFILE= 1  
20 TRIALS ATTEMPTED TO BALANCE WSEL  
CAUTION SECNO= 0.250 PROFILE= 2 CRITICAL DEPTH ASSUMED  
CAUTION SECNO= 0.250 PROFILE= 2  
PROBABLE MINIMUM SPECIFIC ENERGY  
CAUTION SECNO= 0.250 PROFILE= 2  
20 TRIALS ATTEMPTED TO BALANCE WSEL  
CAUTION SECNO= 0.250 PROFILE= 3 CRITICAL DEPTH ASSUMED  
CAUTION SECNO= 0.250 PROFILE= 3  
PROBABLE MINIMUM SPECIFIC ENERGY  
CAUTION SECNO= 0.250 PROFILE= 3  
20 TRIALS ATTEMPTED TO BALANCE WSEL  
CAUTION SECNO= 0.250 PROFILE= 4 CRITICAL DEPTH ASSUMED  
CAUTION SECNO= 0.250 PROFILE= 4  
PROBABLE MINIMUM SPECIFIC ENERGY  
CAUTION SECNO= 0.250 PROFILE= 4  
20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 0.300 PROFILE= 1 CRITICAL DEPTH ASSUMED  
CAUTION SECNO= 0.300 PROFILE= 1  
PROBABLE MINIMUM SPECIFIC ENERGY  
CAUTION SECNO= 0.300 PROFILE= 1  
20 TRIALS ATTEMPTED TO BALANCE WSEL  
CAUTION SECNO= 0.300 PROFILE= 2 CRITICAL DEPTH ASSUMED  
CAUTION SECNO= 0.300 PROFILE= 2  
PROBABLE MINIMUM SPECIFIC ENERGY  
CAUTION SECNO= 0.300 PROFILE= 2  
20 TRIALS ATTEMPTED TO BALANCE WSEL  
CAUTION SECNO= 0.300 PROFILE= 3 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 0.430 PROFILE= 1 CRITICAL DEPTH ASSUMED  
CAUTION SECNO= 0.430 PROFILE= 2 CRITICAL DEPTH ASSUMED  
CAUTION SECNO= 0.430 PROFILE= 2  
PROBABLE MINIMUM SPECIFIC ENERGY  
CAUTION SECNO= 0.430 PROFILE= 2  
20 TRIALS ATTEMPTED TO BALANCE WSEL  
CAUTION SECNO= 0.430 PROFILE= 3 CRITICAL DEPTH ASSUMED  
CAUTION SECNO= 0.430 PROFILE= 3  
PROBABLE MINIMUM SPECIFIC ENERGY  
CAUTION SECNO= 0.430 PROFILE= 3  
20 TRIALS ATTEMPTED TO BALANCE WSEL  
CAUTION SECNO= 0.430 PROFILE= 4 CRITICAL DEPTH ASSUMED  
CAUTION SECNO= 0.430 PROFILE= 4  
PROBABLE MINIMUM SPECIFIC ENERGY  
CAUTION SECNO= 0.430 PROFILE= 4  
20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 0.480 PROFILE= 1 CRITICAL DEPTH ASSUMED  
CAUTION SECNO= 0.480 PROFILE= 1  
PROBABLE MINIMUM SPECIFIC ENERGY  
CAUTION SECNO= 0.480 PROFILE= 1  
20 TRIALS ATTEMPTED TO BALANCE WSEL  
CAUTION SECNO= 0.480 PROFILE= 2 CRITICAL DEPTH ASSUMED  
CAUTION SECNO= 0.480 PROFILE= 2  
PROBABLE MINIMUM SPECIFIC ENERGY  
CAUTION SECNO= 0.480 PROFILE= 2  
20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 0.480 PROFILE= 3 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 0.480 PROFILE= 3

PROBABLE MINIMUM SPECIFIC ENERGY

CAUTION SECNO= 0.480 PROFILE= 3

20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 0.480 PROFILE= 4 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 0.480 PROFILE= 4

PROBABLE MINIMUM SPECIFIC ENERGY

CAUTION SECNO= 0.480 PROFILE= 4

20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 0.510 PROFILE= 1 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 0.510 PROFILE= 1

PROBABLE MINIMUM SPECIFIC ENERGY

CAUTION SECNO= 0.510 PROFILE= 1

20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 0.510 PROFILE= 2 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 0.510 PROFILE= 2

PROBABLE MINIMUM SPECIFIC ENERGY

CAUTION SECNO= 0.510 PROFILE= 2

20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 0.510 PROFILE= 3 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 0.510 PROFILE= 3

PROBABLE MINIMUM SPECIFIC ENERGY

CAUTION SECNO= 0.510 PROFILE= 3

20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 0.510 PROFILE= 4 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 0.510 PROFILE= 4

PROBABLE MINIMUM SPECIFIC ENERGY

CAUTION SECNO= 0.510 PROFILE= 4

20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 0.510 PROFILE= 2 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 0.510 PROFILE= 3 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 0.510 PROFILE= 4 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 0.610 PROFILE= 1 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 0.610 PROFILE= 1

PROBABLE MINIMUM SPECIFIC ENERGY

CAUTION SECNO= 0.610 PROFILE= 1

20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 0.610 PROFILE= 2 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 0.610 PROFILE= 2

PROBABLE MINIMUM SPECIFIC ENERGY

CAUTION SECNO= 0.610 PROFILE= 2

20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 0.610 PROFILE= 3 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 0.610 PROFILE= 3

PROBABLE MINIMUM SPECIFIC ENERGY

CAUTION SECNO= 0.610 PROFILE= 3

20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 0.610 PROFILE= 4 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 0.610 PROFILE= 4

PROBABLE MINIMUM SPECIFIC ENERGY

CAUTION SECNO= 0.610 PROFILE= 4

20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 0.740 PROFILE= 1 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 0.740 PROFILE= 1

PROBABLE MINIMUM SPECIFIC ENERGY

## JOB

CAUTION SECNO= 0.740 PROFILE= 1  
20 TRIALS ATTEMPTED TO BALANCE WSEL  
CAUTION SECNO= 0.740 PROFILE= 2 CRITICAL DEPTH ASSUMED  
CAUTION SECNO= 0.740 PROFILE= 2  
PROBABLE MINIMUM SPECIFIC ENERGY  
CAUTION SECNO= 0.740 PROFILE= 2  
20 TRIALS ATTEMPTED TO BALANCE WSEL  
CAUTION SECNO= 0.740 PROFILE= 3 CRITICAL DEPTH ASSUMED  
CAUTION SECNO= 0.740 PROFILE= 3  
PROBABLE MINIMUM SPECIFIC ENERGY  
CAUTION SECNO= 0.740 PROFILE= 3  
20 TRIALS ATTEMPTED TO BALANCE WSEL  
CAUTION SECNO= 0.740 PROFILE= 4 CRITICAL DEPTH ASSUMED  
CAUTION SECNO= 0.740 PROFILE= 4  
PROBABLE MINIMUM SPECIFIC ENERGY  
CAUTION SECNO= 0.740 PROFILE= 4  
20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 0.800 PROFILE= 1 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 0.800 PROFILE= 1 CRITICAL DEPTH ASSUMED  
CAUTION SECNO= 0.800 PROFILE= 1  
PROBABLE MINIMUM SPECIFIC ENERGY  
CAUTION SECNO= 0.800 PROFILE= 1  
20 TRIALS ATTEMPTED TO BALANCE WSEL  
CAUTION SECNO= 0.800 PROFILE= 2 CRITICAL DEPTH ASSUMED  
CAUTION SECNO= 0.800 PROFILE= 2  
PROBABLE MINIMUM SPECIFIC ENERGY  
CAUTION SECNO= 0.800 PROFILE= 2  
20 TRIALS ATTEMPTED TO BALANCE WSEL  
CAUTION SECNO= 0.800 PROFILE= 3 CRITICAL DEPTH ASSUMED  
CAUTION SECNO= 0.800 PROFILE= 3  
PROBABLE MINIMUM SPECIFIC ENERGY  
CAUTION SECNO= 0.800 PROFILE= 3  
20 TRIALS ATTEMPTED TO BALANCE WSEL  
CAUTION SECNO= 0.800 PROFILE= 4 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 0.980 PROFILE= 1 CRITICAL DEPTH ASSUMED  
CAUTION SECNO= 0.980 PROFILE= 2 CRITICAL DEPTH ASSUMED  
CAUTION SECNO= 0.980 PROFILE= 2  
PROBABLE MINIMUM SPECIFIC ENERGY  
CAUTION SECNO= 0.980 PROFILE= 2  
20 TRIALS ATTEMPTED TO BALANCE WSEL  
CAUTION SECNO= 0.980 PROFILE= 3 CRITICAL DEPTH ASSUMED  
CAUTION SECNO= 0.980 PROFILE= 4 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 0.980 PROFILE= 1 CRITICAL DEPTH ASSUMED  
CAUTION SECNO= 0.980 PROFILE= 1  
PROBABLE MINIMUM SPECIFIC ENERGY  
CAUTION SECNO= 0.980 PROFILE= 1  
20 TRIALS ATTEMPTED TO BALANCE WSEL  
CAUTION SECNO= 0.980 PROFILE= 2 CRITICAL DEPTH ASSUMED  
CAUTION SECNO= 0.980 PROFILE= 2  
PROBABLE MINIMUM SPECIFIC ENERGY  
CAUTION SECNO= 0.980 PROFILE= 2  
20 TRIALS ATTEMPTED TO BALANCE WSEL  
CAUTION SECNO= 0.980 PROFILE= 3 CRITICAL DEPTH ASSUMED  
CAUTION SECNO= 0.980 PROFILE= 3  
PROBABLE MINIMUM SPECIFIC ENERGY  
CAUTION SECNO= 0.980 PROFILE= 3

## 20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 0.980 PROFILE= 4 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 0.980 PROFILE= 4

## PROBABLE MINIMUM SPECIFIC ENERGY

CAUTION SECNO= 0.980 PROFILE= 4

## 20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 1.190 PROFILE= 1 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 1.190 PROFILE= 1

## PROBABLE MINIMUM SPECIFIC ENERGY

CAUTION SECNO= 1.190 PROFILE= 1

## 20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 1.190 PROFILE= 2 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 1.190 PROFILE= 3 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 1.190 PROFILE= 4 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 1.300 PROFILE= 1 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 1.300 PROFILE= 1

## PROBABLE MINIMUM SPECIFIC ENERGY

CAUTION SECNO= 1.300 PROFILE= 1

## 20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 1.300 PROFILE= 2 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 1.300 PROFILE= 2

## PROBABLE MINIMUM SPECIFIC ENERGY

CAUTION SECNO= 1.300 PROFILE= 2

## 20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 1.300 PROFILE= 3 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 1.300 PROFILE= 3

## PROBABLE MINIMUM SPECIFIC ENERGY

CAUTION SECNO= 1.300 PROFILE= 3

## 20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 1.300 PROFILE= 4 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 1.300 PROFILE= 4

## PROBABLE MINIMUM SPECIFIC ENERGY

CAUTION SECNO= 1.300 PROFILE= 4

## 20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 1.300 PROFILE= 1 HYDRAULIC JUMP D.S.

LOB

BROWNING BRANCH

WAYNESVILLE NC  
100 YEAR FLOOD

500 YEAR FLOOD

50 YEAR FLOOD

10 YEAR FLOOD

MILE	Q	ELEV	Q	ELEV	Q	ELEV	Q	ELEV
0.050	2900.	2706.6	1900.	2705.9	1600.	2705.6	900.	2704.6
0.140	2900.	2711.5	1900.	2711.0	1600.	2710.8	900.	2710.4
0.180	2900.	2714.7	1900.	2714.2	1600.	2713.9	900.	2713.4
0.210	2900.	2718.5	1900.	2717.8	1600.	2717.6	900.	2716.3
0.210	2900.	2719.5	1900.	2719.0	1600.	2718.8	900.	2718.4
0.250	2900.	2722.2	1900.	2721.5	1600.	2721.2	900.	2719.9
0.250	2900.	2723.5	1900.	2722.8	1600.	2722.5	900.	2721.5
0.260	2900.	2723.5	1900.	2722.8	1600.	2722.5	900.	2721.5
0.300	2900.	2724.1	1900.	2723.3	1600.	2723.1	900.	2722.6
0.340	2895.	2726.9	1900.	2726.4	1600.	2726.2	900.	2725.4
0.430	2890.	2736.0	1895.	2735.5	1595.	2735.2	895.	2734.6
0.460	2890.	2737.5	1890.	2736.8	1595.	2736.5	895.	2735.8
0.480	2885.	2738.1	1890.	2737.8	1595.	2737.8	895.	2737.5
0.480	2885.	2739.0	1890.	2738.6	1595.	2738.5	895.	2738.1
0.510	2885.	2741.4	1890.	2741.0	1590.	2740.9	895.	2740.5
0.510	2885.	2742.0	1890.	2741.5	1590.	2741.4	895.	2740.8
0.540	2885.	2743.9	1890.	2743.2	1590.	2742.9	895.	2742.2
0.540	2885.	2744.1	1890.	2743.3	1590.	2743.0	895.	2742.3
0.610	2875.	2746.8	1885.	2746.5	1590.	2746.3	890.	2745.6
0.610	2875.	2748.2	1885.	2747.6	1590.	2747.3	890.	2746.6
0.740	2865.	2759.0	1880.	2758.2	1585.	2757.9	890.	2755.9
0.740	2865.	2759.8	1880.	2759.2	1585.	2759.0	890.	2757.7
0.800	2860.	2761.1	1875.	2760.4	1580.	2760.2	885.	2759.5
0.800	2860.	2761.7	1875.	2761.3	1580.	2761.1	885.	2760.6
0.980	2850.	2775.2	1865.	2774.8	1575.	2774.7	885.	2774.3
0.980	2850.	2776.2	1865.	2775.8	1575.	2775.7	885.	2775.3

M08

1.190	2000.	2792.3	1300.	2792.0	1100.	2791.9	600.	2790.1
1.190	2000.	2793.0	1300.	2792.6	1100.	2792.5	600.	2792.2
1.300	2000.	2801.4	1300.	2801.0	1100.	2800.9	600.	2800.2
1.300	2000.	2803.0	1300.	2802.6	1100.	2802.5	600.	2802.0



FLOOD INSURANCE ZONE DATA FOR BROWNING BRANCH

FLOOD HAZARD FACTOR FOR ENTIRE REACH USING SECTIONS

SECTION NUMBER	CUMULATIVE DISTANCE	ELEVATION DIFFERENCE BETWEEN BASE FLOOD AND		
		104	24	0.24
0.050	0.	-1.34	-0.32	0.49
0.150	450.	-0.92	-0.13	0.00
0.180	480.	-0.74	-0.24	0.51
0.210	780.	-1.52	-0.24	0.63
0.210	820.	-1.78	-0.24	0.60
0.210	821.	-1.73	-0.33	0.57
0.210	841.	-0.53	-0.20	0.56
0.210	842.	-0.51	-0.20	0.56
0.210	852.	-0.53	-0.20	0.56
0.250	932.	-1.64	-0.28	0.73
0.250	972.	-1.23	-0.27	0.77
0.250	973.	-1.22	-0.26	0.77
0.250	1003.	-1.27	-0.29	0.70
0.250	1004.	-1.29	-0.29	0.70
0.280	1029.	-1.29	-0.28	0.72
0.300	1229.	-0.68	-0.18	0.88
0.340	1439.	-0.97	-0.24	0.84
0.430	1979.	-0.85	-0.21	0.76
0.460	2159.	-1.06	-0.27	0.72
0.480	2199.	-0.34	-0.03	0.30
0.480	2239.	-0.53	-0.13	0.33
0.480	2240.	-0.60	-0.16	0.33
0.480	2270.	-0.57	-0.15	0.36
0.480	2271.	-0.56	-0.15	0.36
0.480	2281.	-0.57	-0.15	0.36
0.510	2411.	-0.47	-0.11	0.43
0.510	2451.	-0.72	-0.20	0.48
0.510	2452.	-0.72	-0.11	0.48
0.540	2632.	-1.01	-0.28	0.71
0.540	2633.	-1.08	-0.29	0.78
0.540	2643.	-0.99	-0.28	0.77
0.610	2963.	-0.90	-0.21	0.51
0.610	3003.	-0.90	-0.21	0.51
0.610	3004.	-0.91	-0.21	0.51
0.610	3034.	-0.92	-0.22	0.52
0.610	3035.	-0.91	-0.22	0.52
0.610	3045.	-0.92	-0.22	0.52
0.740	3615.	-2.38	-0.33	0.71
0.740	3635.	-1.60	-0.27	0.53
0.740	3685.	-1.60	-0.27	0.53
0.740	3495.	-1.55	-0.27	0.53
0.800	3995.	-0.93	-0.23	0.62
0.800	4035.	-0.82	-0.21	0.62
0.800	4045.	-0.53	-0.14	0.49
0.800	4095.	-0.63	-0.17	0.42
0.980	4995.	-0.57	-0.13	0.54
0.980	5035.	-0.66	-0.16	0.43
0.980	5036.	-0.72	-0.17	0.43
0.980	5066.	-0.67	-0.17	0.43

0.980	5086.	-0.44	-0.17	0.45
0.980	5108.	-0.50	-0.11	0.35
1.190	6206.	-1.95	-0.13	0.32
1.190	6244.	-0.58	-0.13	0.40
1.190	6276.	-0.38	-0.13	0.39
1.190	6286.	-0.40	-0.13	0.40
1.300	6744.	-0.74	-0.06	0.43
1.300	6808.	-0.77	-0.20	0.43
1.300	6836.	-0.59	-0.13	0.38
1.300	6846.	-0.60	-0.13	0.38

WEIGHTED AVG FOR REACH -0.97 -0.19 0.51

FHF FOR THE REACH = 010 WITH 89.24 OF THE REACH WITHIN 0.5 FEET  
 ZONE FOR THE REACH = A 2

CONTINUOUS FLOOD HAZARD FACTORS BY EVEN INCREMENTS

INC NO.	TOTAL LENGTH	AVG ELEVATION DATA			WTD. AVG.	FHF	PERCENT WITHIN
		104	14	DIFF.			
	0.				SEC.	0.050	
1	100.	2708.23	2708.49	-1.26	-1.26	015	100.
2	200.	2706.51	2707.62	-1.10	-1.18	010	100.
3	300.	2707.79	2708.74	-0.94	-1.10	010	100.
4	400.	2709.07	2709.86	-0.79	-1.02	010	100.
	450.				SEC.	0.140	
5	500.	2710.37	2711.04	-0.68	-0.95	010	100.
6	600.	2711.69	2712.37	-0.68	-0.91	010	100.
	680.				SEC.	0.180	
7	700.	2713.18	2713.98	-0.80	-0.89	010	100.
	780.				SEC.	0.210	
8	800.	2715.43	2716.55	-1.13	-0.92	010	100.
	820.				SEC.	0.210	
	821.				SEC.	0.210	
	841.				SEC.	0.210	
	842.				SEC.	0.210	
	852.				SEC.	0.210	
9	900.	2718.07	2719.34	-1.27	-0.96	010	100.
	932.				SEC.	0.250	
	972.				SEC.	0.250	
	973.				SEC.	0.250	
10	1000.	2720.39	2721.62	-1.23	-0.99	010	100.
	1003.				SEC.	0.250	
	1004.				SEC.	0.250	
	1029.				SEC.	0.250	
11	1100.	2721.70	2722.87	-1.17	-1.00	010	100.
12	1200.	2722.17	2723.09	-0.92	-1.00	010	100.
	1229.				SEC.	0.300	
13	1300.	2722.99	2723.76	-0.77	-0.98	010	100.
14	1400.	2724.22	2725.07	-0.85	-0.97	010	100.
	1439.				SEC.	0.340	
15	1500.	2725.68	2726.61	-0.93	-0.97	010	100.
16	1600.	2727.31	2728.25	-0.95	-0.97	010	100.

C09

17	1700.	2729.01	2729.93	-0.92	-0.96	010	100.
18	1800.	2730.71	2731.61	-0.90	-0.96	010	100.
19	1900.	2732.41	2733.29	-0.88	-0.96	010	100.
	1979.				SEC.	0.430	
20	2000.	2734.00	2734.87	-0.87	-0.95	010	100.
21	2100.	2735.06	2735.99	-0.93	-0.95	010	100.
	2159.				SEC.	0.460	
	2199.				SEC.	0.480	
22	2200.	2736.44	2737.10	-0.67	-0.94	010	100.
	2239.				SEC.	0.480	
	2240.				SEC.	0.480	
	2270.				SEC.	0.480	
	2271.				SEC.	0.480	
	2281.				SEC.	0.480	
23	2300.	2737.96	2738.40	-0.45	-0.92	010	100.
24	2400.	2739.35	2739.87	-0.52	-0.90	010	100.
	2411.				SEC.	0.510	
	2451.				SEC.	0.510	
	2452.				SEC.	0.510	
25	2500.	2740.75	2741.37	-0.64	-0.89	010	100.
26	2600.	2741.55	2742.43	-0.88	-0.89	010	100.
	2632.				SEC.	0.540	
	2633.				SEC.	0.540	
	2643.				SEC.	0.540	
27	2700.	2742.33	2743.30	-0.97	-0.89	010	100.
28	2800.	2743.27	2744.23	-0.96	-0.89	010	100.
29	2900.	2744.35	2745.29	-0.93	-0.90	010	100.
	2963.				SEC.	0.610	
30	3000.	2745.57	2746.48	-0.91	-0.90	010	100.
	3003.				SEC.	0.610	
	3004.				SEC.	0.610	
	3034.				SEC.	0.610	
	3035.				SEC.	0.610	
	3045.				SEC.	0.610	
31	3100.	2746.89	2747.87	-0.98	-0.90	010	100.
32	3200.	2748.33	2749.52	-1.19	-0.91	010	100.
33	3300.	2749.95	2751.39	-1.44	-0.92	010	97.
34	3400.	2751.57	2753.27	-1.70	-0.95	010	97.
35	3500.	2753.18	2755.14	-1.96	-0.98	010	91.
36	3600.	2754.80	2757.01	-2.21	-1.01	010	89.
	3615.				SEC.	0.740	
	3655.				SEC.	0.740	
	3685.				SEC.	0.740	
	3695.				SEC.	0.740	
37	3700.	2755.60	2756.60	-1.94	-1.04	010	84.
38	3800.	2757.45	2758.45	-1.43	-1.05	010	84.
39	3900.	2759.86	2759.86	-1.23	-1.05	010	85.
	3935.				SEC.	0.800	
40	4000.	2759.25	2760.28	-1.02	-1.05	010	85.
	4035.				SEC.	0.800	
	4065.				SEC.	0.800	
	4095.				SEC.	0.800	
41	4100.	2760.12	2760.91	-0.79	-1.04	010	83.
42	4200.	2761.43	2762.08	-0.65	-1.03	010	86.
43	4300.	2762.95	2763.59	-0.64	-1.02	010	86.
44	4400.	2764.47	2765.10	-0.63	-1.02	010	89.
45	4500.	2765.98	2766.61	-0.63	-1.01	010	89.
46	4600.	2767.50	2768.12	-0.62	-1.00	010	89.
47	4700.	2769.02	2769.62	-0.60	-0.99	010	89.
48	4800.	2770.54	2771.13	-0.59	-0.98	010	90.

D09

49	4900.	2772.06	2772.44	-0.58	-0.97	010	90.
	4995.				SEC.		0.980
50	5000.	2773.56	2774.14	-0.58	-0.97	010	90.
	5035.				SEC.		0.980
	5036.				SEC.		0.980
	5066.				SEC.		0.980
	5086.				SEC.		0.980
51	5100.	2774.77	2775.34	-0.56	-0.96	010	90.
	5106.				SEC.		0.980
52	5200.	2775.92	2776.50	-0.58	-0.95	010	90.
53	5300.	2777.27	2777.96	-0.69	-0.95	010	92.
54	5400.	2778.61	2779.43	-0.82	-0.94	010	93.
55	5500.	2779.95	2780.90	-0.95	-0.94	010	93.
56	5600.	2781.29	2782.37	-1.08	-0.95	010	93.
57	5700.	2782.63	2783.84	-1.21	-0.95	010	91.
58	5800.	2783.97	2785.31	-1.34	-0.96	010	91.
59	5900.	2785.31	2786.79	-1.48	-0.97	010	90.
60	6000.	2786.65	2788.26	-1.61	-0.98	010	90.
61	6100.	2787.99	2789.73	-1.74	-0.99	010	89.
62	6200.	2789.33	2791.20	-1.87	-1.00	010	87.
	6206.				SEC.		1.190
	6246.				SEC.		1.190
	6276.				SEC.		1.190
	6286.				SEC.		1.190
63	6300.	2791.21	2792.38	-1.17	-1.01	010	87.
64	6400.	2793.27	2793.71	-0.44	-1.00	010	85.
65	6500.	2794.94	2795.46	-0.51	-0.99	010	86.
66	6600.	2796.62	2797.37	-0.75	-0.98	010	86.
67	6700.	2798.29	2798.95	-0.66	-0.98	010	87.
	6766.				SEC.		1.300
68	6800.	2799.96	2800.69	-0.73	-0.98	010	85.
	6806.				SEC.		1.300
	6836.				SEC.		1.300
	6846.				SEC.		1.300

THIS REACH CAN BE SUBDIVIDED BY INC NO. TO MEET FIA REQUIREMENTS  
 INPUT ZON WHERE N IS THE NUMBER OF REACHES AND THEN INPUT THE END  
 OF EACH REACH BY INC NO. FOR EXAMPLE: 202 68 68  
 A NEGATIVE INC NO. WILL SUPPRESS INTERMEDIATE INC OUTPUT.

CONTINUOUS FLOOD HAZARD FACTORS BY EVEN INCREMENTS

INC NO.	TOTAL LENGTH	AVG ELEVATION DATA			WTB. AVG.	FHF	PERCENT WITHIN
		104	14	DIFF.			
	0.				SEC.		0.050
1	100.	2705.23	2706.49	-1.26	-1.26	015	100.
2	200.	2706.51	2707.62	-1.10	-1.18	010	100.
3	300.	2707.79	2708.74	-0.94	-1.10	010	100.
4	400.	2709.07	2709.86	-0.79	-1.02	010	100.
	450.				SEC.		0.140
5	500.	2710.37	2711.04	-0.68	-0.95	010	100.
6	600.	2711.69	2712.37	-0.68	-0.91	010	100.
	680.				SEC.		0.180
7	700.	2713.18	2713.98	-0.80	-0.89	010	100.
	780.				SEC.		0.210

## E09

8	800.	2715.43	2716.55	-1.13	-0.92	010	100.
	820.					SEC.	0.210
	821.					SEC.	0.210
	841.					SEC.	0.210
	842.					SEC.	0.210
	852.					SEC.	0.210
9	900.	2718.07	2719.34	-1.27	-0.96	010	100.
	932.					SEC.	0.250
	972.					SEC.	0.250
	973.					SEC.	0.250
10	1000.	2720.39	2721.62	-1.23	-0.99	010	100.
	1003.					SEC.	0.250
	1004.					SEC.	0.250
	1029.					SEC.	0.280
11	1100.	2721.70	2722.87	-1.17	-1.00	010	100.
12	1200.	2722.17	2723.09	-0.92	-1.00	010	100.
	1229.					SEC.	0.300
13	1300.	2722.99	2723.76	-0.77	-0.98	010	100.
14	1400.	2724.22	2725.07	-0.85	-0.97	010	100.
	1439.					SEC.	0.340
15	1500.	2725.68	2726.61	-0.93	-0.97	010	100.
16	1600.	2727.31	2728.25	-0.93	-0.97	010	100.
17	1700.	2729.01	2729.93	-0.92	-0.96	010	100.
18	1800.	2730.71	2731.61	-0.90	-0.96	010	100.
19	1900.	2732.41	2733.29	-0.88	-0.96	010	100.
	1979.					SEC.	0.430
20	2000.	2734.00	2734.87	-0.87	-0.95	010	100.
21	2100.	2735.06	2735.99	-0.93	-0.95	010	100.
	2159.					SEC.	0.460
	2199.					SEC.	0.480
22	2200.	2736.44	2737.10	-0.67	-0.94	010	100.
	2239.					SEC.	0.480
	2240.					SEC.	0.480
	2270.					SEC.	0.480
	2271.					SEC.	0.480
	2281.					SEC.	0.480
23	2300.	2737.96	2738.60	-0.65	-0.92	010	100.
24	2400.	2739.35	2739.87	-0.52	-0.90	010	100.
	2411.					SEC.	0.510
	2451.					SEC.	0.510
	2452.					SEC.	0.510
25	2500.	2740.73	2741.37	-0.64	-0.89	010	100.
26	2600.	2741.55	2742.43	-0.88	-0.89	010	100.
	2632.					SEC.	0.540
	2633.					SEC.	0.540
	2663.					SEC.	0.540
27	2700.	2742.33	2743.30	-0.97	-0.89	010	100.
28	2800.	2743.27	2744.23	-0.96	-0.89	010	100.
29	2900.	2744.35	2745.29	-0.93	-0.90	010	100.
	2983.					SEC.	0.610
30	3000.	2745.57	2746.48	-0.91	-0.90	010	100.
	3003.					SEC.	0.610
	3004.					SEC.	0.610
	3034.					SEC.	0.610
	3035.					SEC.	0.610
	3045.					SEC.	0.610
31	3100.	2746.89	2747.67	-0.78	-0.90	010	100.
32	3200.	2748.33	2749.52	-1.19	-0.91	010	100.
33	3300.	2749.93	2751.39	-1.44	-0.92	010	97.
34	3400.	2751.57	2753.27	-1.70	-0.95	010	97.

35	3500.	2753.18	2755.14	-1.96	-0.98	010	91.
36	3600.	2754.00	2757.01	-2.21	-1.01	010	89.
	3615.						0.740
	3655.						0.740
	3685.						0.740
	3695.						0.740
37	3700.	2756.66	2759.60	-1.94	-1.04	010	84.
38	3800.	2758.02	2759.45	-1.43	-1.05	010	84.
39	3900.	2758.63	2759.86	-1.23	-1.05	010	85.
	3995.						0.800
40	4000.	2759.25	2760.28	-1.02	-1.05	010	85.
	4035.						0.800
	4045.						0.800
	4095.						0.800
41	4100.	2760.12	2760.91	-0.79	-1.04	010	85.
42	4200.	2761.43	2762.08	-0.65	-1.03	010	86.
43	4300.	2762.95	2763.59	-0.64	-1.02	010	86.
44	4400.	2764.47	2765.10	-0.63	-1.02	010	89.
45	4500.	2765.98	2766.61	-0.62	-1.01	010	89.
46	4600.	2767.50	2768.12	-0.61	-1.00	010	89.
47	4700.	2769.02	2769.62	-0.60	-0.99	010	89.
48	4800.	2770.54	2771.13	-0.59	-0.98	010	90.
49	4900.	2772.06	2772.64	-0.58	-0.97	010	90.
	4995.						0.980
50	5000.	2773.56	2774.14	-0.58	-0.97	010	90.
	5035.						0.980
	5036.						0.980
	5066.						0.980
	5086.						0.980
51	5100.	2774.77	2775.34	-0.56	-0.96	010	90.
	5106.						0.980
52	5200.	2775.92	2776.50	-0.58	-0.95	010	90.
53	5300.	2777.27	2777.96	-0.69	-0.95	010	92.
54	5400.	2778.61	2779.43	-0.82	-0.94	010	93.
55	5500.	2779.95	2780.90	-0.95	-0.94	010	93.
56	5600.	2781.29	2782.37	-1.08	-0.95	010	93.
57	5700.	2782.63	2783.84	-1.21	-0.95	010	91.
58	5800.	2783.97	2785.31	-1.34	-0.96	010	91.
59	5900.	2785.31	2786.79	-1.48	-0.97	010	90.
60	6000.	2786.65	2788.26	-1.61	-0.98	010	90.
61	6100.	2787.99	2789.73	-1.74	-0.99	010	89.
62	6200.	2789.33	2791.20	-1.87	-1.00	010	87.
	6206.						1.190
	6246.						1.190
	6276.						1.190
	6286.						1.190
63	6300.	2791.21	2792.38	-1.17	-1.01	010	87.
64	6400.	2793.27	2793.71	-0.44	-1.00	010	86.
65	6500.	2794.94	2795.46	-0.51	-0.99	010	86.
66	6600.	2796.62	2797.20	-0.58	-0.98	010	86.
67	6700.	2798.29	2798.95	-0.66	-0.98	010	87.
	6766.						1.300
68	6800.	2799.96	2800.69	-0.73	-0.98	010	85.
	6806.						1.300
	6836.						1.300
	6846.						1.300

\*\*\*\*\*  
 ELEVATION DIFFERENCE  
 BETWEEN BASE FLOOD AND  
 104      24      0.24

609

WEIGHTED AVG FOR REACH -0.98 -0.19 0.51

FHF FOR REACH 2 = 010 WITH 85.4 OF THE REACH WITHIN 0.5 FEET  
ZONE FOR THE REACH = A 2

\*\*\*\*\*

\*\*\*\*\*  
 PLEASE DATE NOV 78 UPDATED JU 1979  
 YEAR = 01 02 0  
 NO. CATION = 51,51  
 \*\*\*\*\*

T1 WAYNESVILLE 12-9-80 GNC 5  
 T2 100 YEAR FLOOD JUV KEY = HCD0134 10  
 T3 BROWNING BRANCH 100 YEAR FLOODWAY 15

J1 ICHECK INQ N.WY XSEC ST METRIC HVINS Q WSEL FQ  
 0. 4. 0. 0. 0.005 0. 0.0 0. 0.0 0.0 20

J2 NPROP (PLOT PRINTS XSECV XSECH FN ALLDC IBW CRNH ITRACE  
 0. 0. -1. 0. 0. 0.0 0.0 0. 0. 0. 25

J3 VARIABLE CODES FOR SUMMARY PRINTOUT  
 110.00 0.0 200.00 0.0 0.0 0.0 0.0 0.0 0.0 0.0 30

MC 0.100 0.070 0.045 0.1 0.5 35  
 ET 5. 900. 1400. 1900. 2900. 1900. 0. 0. 0. 0. 40  
 ET 0. 0.0 0.0 0.0 0.0 0.0 7.11 230.00 360.00 0.0 0.0 45

X1 0.05 21. 260. 280. 0. 0. 0. 0. 0.0 0.0 0. 50  
 GR 2707.3 60. 2706.2 130. 2730.0 130. 2730.0 170. 2705.3 170. 55  
 GR 2709.0 200. 2705.4 215. 2702.5 240. 2703.0 250. 2701.0 260. 60  
 GR 2698.5 240. 2698. 265. 2699.0 270. 2701.5 280. 2706.0 300. 65  
 GR 2708.0 330. 270. 334. 2705.5 340. 2703.0 343. 2706.0 530. 70  
 GR 2708.0 670. 0. 0. 0.0 0. 0.0 0. 0.0 0. 75  
 MC 0.070 0.070 0.045 0.0 0.0 80  
 ET 0. 0.0 0.0 0.0 0.0 0.0 7.11 290.00 400.00 0.0 0.0 85

X1 0.14 26. 318. 330. 450. 450. 450. 0.0 0.0 0. 90  
 GR 2720.0 55. 2715.0 63. 2712.7 65. 2711.7 91. 2711.4 119. 95  
 GR 2710.1 121. 2707.5 122. 2707.5 125. 2711.3 126. 2711.2 134. 100  
 GR 2711.0 200. 2711.2 230. 2708.5 300. 2708.7 318. 2706.0 320. 105  
 GR 2705.5 322. 2703.5 324. 2706.0 326. 2709.2 330. 2709.7 342. 110  
 GR 2709.3 342. 2709.3 392. 2709.7 392. 2709.8 487. 2710.3 487. 115  
 GR 2710.3 495. 0.0 0. 0.0 0. 0.0 0. 0.0 0. 120  
 MC 0.070 0.070 0.045 0.0 0.0 125  
 ET 0. 0.0 0.0 0.0 0.0 0.0 7.11 230.00 400.00 0.0 0.0 130

X1 0.18 18. 0. 321. 250. 230. 230. 0.0 0.0 0. 135  
 GR 2714.7 35. 2714.5 40. 2714.5 65. 2715.7 75. 2714.8 130. 140  
 GR 2725.0 130. 2715.0 230. 2713.2 230. 2712.5 285. 2712.6 300. 145  
 GR 2709.0 306. 2709.6 309. 2709.0 315. 2712.8 321. 2712.2 490. 150  
 GR 2712.7 490. 0.0 557. 2720.0 584. 0.0 0. 0.0 0. 155  
 ET 0. 0.0 0.0 0.0 0.0 0.0 7.11 230.00 400.00 0.0 0.0 160



B01

X1	0.21		300.	320.	150.	100.	100.	0.0	0.0	0.	165
GA	2725.0	35.	2718.6	35.	2718.4	45.	2715.5	50.	2718.2	52.	170
GA	2717.6	90.	2716.6	127.	2716.6	160.	2730.0	160.	2730.0	210.	175
GA	2716.9	210.	2717.0	257.	2714.7	300.	2711.0	306.	2710.5	310.	180
UN	2711.0	315.	2714.8	320.	2717.2	400.	2718.7	598.	2720.0	620.	185
ET	0.	6.0	0.0	0.0	0.0	7.11	230.00	400.00	0.0	0.0	190

X1	0.21	0.0	0.0	0.0	40.	40.	40.	0.0	0.0	0.0	190
ET	0.	0.0	0.0	0.0	0.0	7.11	230.00	400.00	0.0	0.0	200

X1	0.21	23.	300.	320.	1.	1.	1.	0.0	0.0	0.	205
BT	6.0	257.0	2717.0	0.0	300.0	2717.9	0.0	300.0	2717.9	2716.1	210
BT	320.0	2717.9	2716.1	320.0	2717.9	0.0	350.0	2717.6	0.0	0.0	215
GA	2725.0	35.	2718.6	35.	2718.4	45.	2715.5	50.	2718.2	52.	220
GA	2717.6	90.	2716.6	127.	2716.6	160.	2730.0	160.	2730.0	210.	225
GA	2716.9	210.	2717.0	257.	2717.9	300.	2712.5	300.	2711.6	304.	230
GA	2710.5	306.	2710.9	309.	2711.4	320.	2717.9	320.	2717.6	350.	235
GA	2717.2	400.	2718.7	598.	2720.0	620.	0.0	0.	0.0	0.	240
ET	0.	0.0	0.0	0.0	0.0	7.11	230.00	400.00	0.0	0.0	245

X1	0.21	0.0	0.0	0.0	20.	20.	20.	0.0	0.0	0.	250
X2	0.	0.0	0.0	0.0	0.0	0.0	1.	0.0	0.0	0.	255
ET	0.	0.0	0.0	0.0	0.0	7.11	230.00	400.00	0.0	0.0	260

X1	0.21	20.	300.	320.	1.	1.	1.	0.0	0.0	0.	265
GA	2725.0	35.	2718.6	35.	2718.4	45.	2715.5	50.	2718.2	52.	270
GA	2717.6	90.	2716.6	127.	2716.6	160.	2730.0	160.	2730.0	210.	275
GA	2716.9	210.	2717.0	257.	2714.7	300.	2711.0	306.	2710.5	310.	280
GA	2711.0	315.	2714.8	320.	2717.2	400.	2718.7	598.	2720.0	620.	285
ET	0.	0.0	0.0	0.0	0.0	7.11	230.00	400.00	0.0	0.0	290

X1	0.21	0.	0.	0.	10.	10.	10.	0.0	0.0	0.	295
MC	0.120	0.120	0.050	0.0	0.0	0.0	0.0	0.0	0.0	0.0	300
ET	0.	0.0	0.0	0.0	0.0	7.11	230.00	400.00	0.0	0.0	305

X1	0.25	0.	0.	0.	130.	80.	80.	0.0	3.50	0.	310
ET	0.	0.0	0.0	0.0	0.0	7.11	230.00	400.00	0.0	0.0	315

X1	0.25	0.	0.	0.	40.	40.	40.	0.0	0.0	0.	320
ET	0.	0.0	0.0	0.0	0.0	7.11	200.00	370.00	0.0	0.0	325

X1	0.25	75.	220.	329.	1.	1.	1.	0.0	0.0	0.	330
BT	14.0	55.0	2723.7	0.0	55.0	2723.7	2721.3	103.0	2723.3	2720.8	335
BT	103.0	2723.3	0.0	125.0	2723.0	0.0	150.0	2722.5	0.0	180.0	340
BT	2722.0	0.0	204.0	2721.7	0.0	220.0	2721.5	0.0	220.0	2721.5	345
BT	2719.1	329.0	2720.0	2717.7	329.0	2720.0	0.0	350.0	2719.8	0.0	350
BT	388.0	2719.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	355
GA	2750.0	55.	2718.5	55.	2718.4	60.	2718.6	66.	2721.2	66.	360
GA	2721.1	67.	2718.7	67.	2719.5	78.	2721.0	78.	2721.0	79.	365
GA	2719.5	79.	2719.5	91.	2721.0	91.	2721.0	92.	2719.5	92.	370
GA	2720.0	103.	2723.3	103.	2723.2	115.	2723.0	125.	2722.5	150.	375

C01

GR	2722.0	180.	2721.4	204.	2721.5	220.	2717.5	220.	2715.7	229.	380
GR	2719.0	229.	2719.0	230.	2715.8	230.	2716.0	241.	2719.0	241.	385
GR	2718.9	242.	2716.0	242.	2715.8	250.	2715.8	253.	2718.8	253.	390
GR	2718.7	254.	2715.8	254.	2716.0	259.	2715.8	268.	2718.4	268.	395
GR	2718.4	269.	2715.8	269.	2715.7	282.	2718.3	282.	2718.2	283.	400
GR	2715.7	283.	2715.7	293.	2715.1	296.	2718.0	296.	2718.0	297.	405
GR	2715.0	297.	2715.0	303.	2714.5	303.	2714.2	309.	2715.0	309.	410
GR	2718.0	310.	2714.3	310.	2714.0	312.	2714.1	315.	2718.0	318.	415
GR	2715.0	320.	2717.9	320.	2717.8	321.	2715.0	321.	2718.2	329.	420
GR	2720.0	329.	2717.5	350.	2718.5	355.	2718.0	370.	2718.2	372.	425
GR	2718.5	386.	2719.0	388.	2719.0	392.	2718.3	397.	2718.2	405.	430
ET	0.	0.0	0.0	0.0	0.0	7.11	200.00	370.00	0.0	0.0	435

X1	0.25	0.	0.	0.	30.	30.	30.	0.0	0.0	0.	440
X2	0.	0.0	0.	0.0	0.0	0.0	1.	0.0	0.0	0.	445
ET	0.	0.0	0.0	0.0	0.0	7.11	200.00	370.00	0.0	0.0	450

X1	0.25	38.	220.	329.	1.	1.	1.	0.0	0.0	0.	455
GR	2718.5	55.	2718.4	60.	2719.5	78.	2719.5	92.	2720.0	103.	460
GR	2720.2	104.	2720.3	110.	2721.0	120.	2721.1	122.	2721.4	145.	465
GR	2720.0	173.	2720.0	187.	2717.5	220.	2715.7	229.	2716.0	241.	470
GR	2715.8	250.	2715.8	253.	2716.0	259.	2715.8	268.	2715.7	282.	475
GR	2715.7	293.	2715.0	303.	2714.5	303.	2714.2	309.	2714.0	312.	480
GR	2714.1	315.	2715.0	318.	2715.0	320.	2716.5	329.	2717.5	350.	485
GR	2718.5	355.	2718.0	370.	2718.2	372.	2718.5	386.	2719.0	388.	490
GR	2719.0	392.	2718.3	397.	2718.2	405.	0.0	0.	0.0	0.	495
NC	0.100	0.100	0.050	0.0	0.0	0.0	0.0	0.0	0.0	0.0	500
ET	0.	0.0	0.0	0.0	0.0	7.11	180.00	350.00	0.0	0.0	505

X1	0.26	16.	305.	345.	25.	25.	25.	0.0	0.0	0.	510
GR	2721.0	150.	2720.0	185.	2718.0	188.	2718.0	192.	2719.2	196.	515
GR	2719.0	305.	2717.5	315.	2715.5	325.	2715.5	335.	2716.0	338.	520
GR	2717.9	345.	2718.5	386.	2719.0	387.	2719.0	395.	2718.3	400.	525
GR	2718.3	405.	0.0	0.	0.0	0.	0.0	0.	0.0	0.	530
NC	0.080	0.080	0.050	0.0	0.0	0.0	0.0	0.0	0.0	0.0	535
QT	5.	900.	1600.	1900.	2900.	1900.	0.	0.	0.	0.	540
ET	0.	0.0	0.0	0.0	0.0	7.11	200.00	350.00	0.0	0.0	545

X1	0.30	20.	21.	21.	200.	200.	200.	0.0	-2.50	0.	550
GR	2727.8	80.	2721.3	115.	2721.0	150.	2723.3	200.	2724.0	230.	555
GR	2727.3	240.	2721.3	253.	2721.0	257.	2721.3	258.	2721.4	263.	560
GR	2725.7	273.	2724.8	275.	2724.5	292.	2725.5	300.	2725.5	310.	565
GR	2740.0	310.	2740.0	350.	2724.5	350.	2724.8	390.	2740.0	390.	570
NC	0.080	0.080	0.045	0.0	0.0	0.0	0.0	0.0	0.0	0.0	575
QT	5.	900.	1600.	1900.	2895.	1900.	0.	0.	0.	0.	580
ET	0.	0.0	0.0	0.0	0.0	7.11	200.00	350.00	0.0	0.0	585

X1	0.34	19.	240.	273.	210.	210.	210.	0.0	0.0	0.	590
GR	2727.2	115.	2727.1	130.	2724.4	150.	2723.3	200.	2724.0	230.	595
GR	2727.5	240.	2721.8	253.	2721.2	257.	2721.4	263.	2721.8	265.	600
GR	2725.8	273.	2724.8	275.	2724.5	300.	2724.3	350.	2725.8	458.	605
GR	2726.0	462.	2726.0	485.	2726.4	489.	2727.8	543.	0.0	0.	610
NC	0.100	0.110	0.040	0.0	0.0	0.0	0.0	0.0	0.0	0.0	615
QT	5.	895.	1595.	1895.	2890.	1895.	0.	0.	0.	0.	620
ET	0.	0.0	0.0	0.0	0.0	7.11	300.00	500.00	0.0	0.0	625

001

X1	0.43	19.	380.	400.	540.	540.	540.	0.0	0.0	0.	630
GR	2762.0	0.	2762.0	100.	2762.0	250.	2752.7	250.	2734.5	370.	635
GR	2733.5	380.	2730.5	380.	2730.1	389.	2740.5	399.	2733.5	400.	640
GR	2733.8	423.	2734.0	440.	2733.5	460.	2734.4	500.	2734.8	525.	645
GR	2736.0	575.	2734.8	581.	2736.5	700.	2737.1	800.	0.0	0.	650
NC	0.00	0.070	0.040	0.0	0.0						655
QT	5.	695.	1595.	1890.	2890.	1890.	0.	0.	0.	0.	660
ET	0.	0.0	0.0	0.0	0.0	7.11	200.00	500.00	0.0	0.0	665

X1	0.46	19.	380.	400.	180.	180.	180.	0.0	1.00	0.	670
GR	2770.0	0.	2732.7	0.	2737.5	235.	2732.7	250.	2734.5	370.	675
GR	2733.5	380.	2730.5	380.	2730.1	389.	2730.5	399.	2733.5	400.	680
GR	2733.8	423.	2734.0	440.	2733.5	460.	2734.4	500.	2734.8	525.	685
GR	2736.0	575.	2734.8	581.	2736.5	700.	2737.1	800.	0.0	0.	690
QT	5.	895.	1595.	1890.	2885.	1890.	0.	0.	0.	0.	695
ET	0.	0.0	0.0	0.0	0.0	7.11	150.00	410.00	0.0	0.0	700

X1	0.48	16.	301.	317.	40.	40.	40.	0.0	0.0	0.	705
GR	2736.7	100.	2736.4	150.	2736.4	200.	2736.7	250.	2736.8	280.	710
GR	2737.0	301.	2733.3	302.	2733.2	305.	2733.5	312.	2733.9	317.	715
GR	2737.0	317.	2736.7	413.	2736.3	478.	2736.6	478.	2737.0	512.	720
GR	2737.5	800.	0.0	0.	0.0	0.	0.0	0.	0.0	0.	725
ET	0.	0.0	0.0	0.0	0.0	7.11	150.00	410.00	0.0	0.0	730

X1	0.48	0.	0.	0.	40.	40.	40.	0.0	0.0	0.	735
ET	0.	0.0	0.0	0.0	0.0	7.11	150.00	410.00	0.0	0.0	740

X1	0.48	16.	301.	317.	1.	1.	1.	0.0	0.0	0.	745
BT	14.0	100.0	2736.7	0.0	150.0	2736.4	0.0	200.0	2736.4	0.0	750
BT	250.0	2737.4	0.0	300.0	2738.3	0.0	302.0	2738.3	0.0	302.0	755
BT	2738.3	2737.9	317.0	2738.3	2737.9	317.0	2738.3	0.0	413.0	2736.7	760
BT	0.0	478.0	2736.3	0.0	478.0	2736.6	0.0	512.0	2737.0	0.0	765
BT	800.0	2737.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	770
GR	2736.7	100.	2736.4	150.	2736.4	200.	2737.4	250.	2738.3	300.	775
GR	2737.9	301.	2733.3	302.	2733.2	305.	2733.5	312.	2738.3	317.	780
GR	2738.3	317.	2736.7	413.	2736.3	478.	2736.6	478.	2737.0	512.	785
GR	2737.5	800.	0.0	0.	0.0	0.	0.0	0.	0.0	0.	790
ET	0.	0.0	0.0	0.0	0.0	7.11	150.00	410.00	0.0	0.0	795

X1	0.48	0.	0.	0.	30.	30.	30.	0.0	0.0	0.	800
X2	0.	0.0	0.	0.0	0.0	0.0	1.	0.0	0.0	0.	805
ET	0.	0.0	0.0	0.0	0.0	7.11	150.00	410.00	0.0	0.0	810

X1	0.48	16.	301.	317.	1.	1.	1.	0.0	0.0	0.	815
GR	2736.7	100.	2736.4	150.	2736.4	200.	2736.7	250.	2736.8	280.	820
GR	2737.0	301.	2733.3	302.	2733.2	305.	2733.5	312.	2733.9	317.	825
GR	2737.0	317.	2736.7	413.	2736.3	478.	2736.6	478.	2737.0	512.	830
GR	2737.5	800.	0.0	0.	0.0	0.	0.0	0.	0.0	0.	835
ET	0.	0.0	0.0	0.0	0.0	7.11	150.00	410.00	0.0	0.0	840

X1	0.48	0.	0.	0.	10.	10.	10.	0.0	0.0	0.	845
----	------	----	----	----	-----	-----	-----	-----	-----	----	-----

## E01

NC	0.090	0.060	0.045	0.0	0.0						850
QT	5.	895.	1590.	1890.	2885.	1890.	0.	0.	0.	0.	855
ET	0.	0.0	0.0	0.0	0.0	7.11	290.00	550.00	0.0	0.0	860
X1	0.51	10.	347.	363.	130.	130.	130.	0.0	0.0	0.	865
GR	2750.0	285.	2740.2	300.	2739.4	347.	2737.0	350.	2736.0	352.	870
GR	2737.0	361.	2739.2	363.	2740.0	578.	2741.9	604.	2749.2	615.	875
ET	0.	0.0	0.0	0.0	0.0	7.11	290.00	550.00	0.0	0.0	880
X1	0.51	0.	0.	0.	40.	40.	40.	0.0	0.0	0.	885
ET	0.	0.0	0.0	0.0	0.0	7.11	290.00	550.00	0.0	0.0	890
X1	0.51	22.	330.	362.	1.	1.	1.	0.0	0.0	0.	895
BT	6.0	300.0	2746.0	0.0	330.0	2745.2	0.0	330.0	2745.2	2741.0	900
BT	362.0	2744.4	2742.0	362.0	2744.4	0.0	450.0	2741.8	0.0	0.0	905
GR	2746.6	255.	2746.0	300.	2745.2	330.	2737.5	330.	2737.0	332.	910
GR	2738.0	340.	2741.3	340.	2741.3	341.	2738.0	341.	2738.3	345.	915
GR	2737.5	351.	2741.7	351.	2741.7	352.	2737.5	352.	2737.0	355.	920
GR	2737.5	362.	2744.3	362.	2741.8	450.	2739.8	512.	2740.0	578.	925
GR	2741.9	604.	2749.2	615.	0.0	0.	0.0	0.	0.0	0.	930
ET	0.	0.0	0.0	0.0	0.0	7.11	290.00	550.00	0.0	0.0	935
X1	0.54	0.	0.	0.	180.	50.	180.	0.0	0.0	0.	940
X2	0.	0.0	0.	0.0	0.0	0.0	1.	0.0	0.0	0.	945
ET	0.	0.0	0.0	0.0	0.0	7.11	290.00	550.00	0.0	0.0	950
X1	0.54	20.	347.	364.	1.	1.	1.	0.0	0.0	0.	955
GR	2750.0	267.	2741.2	287.	2741.2	300.	2740.6	347.	2737.0	353.	960
GR	2737.4	355.	2737.4	357.	2738.0	361.	2740.3	364.	2742.0	482.	965
GR	2741.2	512.	2741.7	515.	2741.7	520.	2741.7	525.	2740.8	537.	970
GR	2740.3	537.	2740.3	570.	2740.9	570.	2740.9	575.	2741.8	603.	975
ET	0.	0.0	0.0	0.0	0.0	7.11	290.00	550.00	0.0	0.0	980
X1	0.54	0.	0.	0.	30.	30.	30.	0.0	0.0	0.	985
NC	0.100	0.100	0.045	0.0	0.0						990
QT	5.	890.	1590.	1885.	2875.	1885.	0.	0.	0.	0.	995
ET	0.	0.0	0.0	0.0	0.0	7.11	40.00	410.00	0.0	0.0	1000
X1	0.61	22.	200.	225.	300.	300.	300.	0.0	0.0	0.	1005
GR	2746.5	0.	2745.7	47.	2745.7	128.	2746.3	150.	2746.3	175.	1010
GR	2744.8	200.	2740.8	208.	2740.3	211.	2740.8	217.	2746.8	225.	1015
GR	2746.8	253.	2747.0	259.	2746.1	285.	2755.0	285.	2755.0	335.	1020
GR	2745.2	335.	2744.3	370.	2747.7	415.	2744.9	465.	2743.9	505.	1025
GR	2744.5	518.	2760.0	550.	0.0	0.	0.0	0.	0.0	0.	1030
ET	0.	0.0	0.0	0.0	0.0	7.11	40.00	410.00	0.0	0.0	1035
X1	0.61	24.	200.	22.	40.	40.	40.	0.0	0.0	0.	1040
GR	2746.5	0.	2745.7	47.	2745.7	128.	2746.3	150.	2746.3	175.	1045
GR	2744.8	200.	2743.0	204.	2742.3	205.	2742.0	208.	2742.0	212.	1050
GR	2742.3	212.	2743.3	220.	2746.8	225.	2746.8	253.	2747.0	259.	1055
GR	2746.1	285.	2755.0	285.	2755.0	335.	2745.2	335.	2744.3	370.	1060
GR	2744.7	415.	2744.9	465.	2743.9	505.	2744.5	518.	0.0	0.	1065

F01

ET	0.	0.0	0.0	0.0	0.0	7.11	40.00	410.00	0.0	0.0	1070
X1	0.61	25.	204.	221.	1.	1.	1.	0.0	0.0	0.	1075
BT	6.0	197.0	2746.5	0.0	204.0	2746.7	0.0	204.0	2747.5	2745.5	1080
BT	221.0	2747.0	2746.0	221.0	2747.0	0.0	230.0	2747.2	0.0	0.0	1085
GR	2746.5	0.	2745.7	47.	2745.7	128.	2746.3	150.	2746.5	197.	1090
GR	2746.7	204.	2743.0	204.	2742.4	205.	2742.0	208.	2742.0	212.	1095
GR	2742.3	212.	2743.0	218.	2746.0	221.	2747.0	221.	2747.2	230.	1100
GR	2747.0	258.	2746.1	285.	2755.0	285.	2755.0	335.	2745.2	335.	1105
GR	2744.3	370.	2744.7	415.	2744.9	465.	2743.9	505.	2744.5	578.	1110
ET	0.	0.0	0.0	0.0	0.0	7.11	40.00	410.00	0.0	0.0	1115
X1	0.61	0.	0.	0.	30.	30.	30.	0.0	0.0	0.	1120
X2	0.	0.0	0.	0.0	0.0	0.0	1.	0.0	0.0	0.	1125
ET	0.	0.0	0.0	0.0	0.0	7.11	40.00	410.00	0.0	0.0	1130
X1	0.61	24.	200.	225.	1.	1.	1.	0.0	0.0	0.	1135
GR	2746.5	0.	2745.7	47.	2745.7	128.	2746.3	150.	2746.3	175.	1140
GR	2744.8	200.	2743.0	204.	2742.3	205.	2742.0	208.	2742.0	212.	1145
GR	2742.3	212.	2743.3	220.	2746.8	225.	2746.8	253.	2747.0	259.	1150
GR	2746.1	285.	2755.0	285.	2755.0	335.	2745.2	335.	2744.3	370.	1155
GR	2744.7	415.	2744.9	465.	2743.9	505.	2744.5	518.	0.0	0.	1160
ET	0.	0.0	0.0	0.0	0.0	7.11	40.00	410.00	0.0	0.0	1165
X1	0.61	0.	0.	0.	10.	10.	10.	0.0	0.0	0.	1170
NC	0.120	0.110	0.060	0.0	0.0						1175
QT	5.	890.	1585.	1880.	2865.	1880.	0.	0.	0.	0.	1180
ET	0.	0.0	0.0	0.0	0.0	7.11	450.00	670.00	0.0	0.0	1185
X1	0.74	21.	505.	542.	570.	570.	570.	0.0	0.0	0.	1190
GR	2759.8	0.	2758.9	100.	2758.5	200.	2758.3	300.	2758.5	400.	1195
GR	2758.7	460.	2756.5	505.	2752.5	505.	2751.8	508.	2751.8	512.	1200
GR	2751.3	515.	2751.5	520.	2752.5	520.	2756.5	542.	2756.8	550.	1205
GR	2774.0	550.	2774.0	580.	2757.6	580.	2758.0	600.	2756.6	700.	1210
GR	2760.0	1015.	0.0	0.	0.0	0.	0.0	0.	0.0	0.	1215
ET	0.	0.0	0.0	0.0	0.0	7.11	450.00	670.00	0.0	0.0	1220
X1	0.74	0.	0.	0.	40.	40.	40.	0.0	0.0	0.	1225
SB	1.25	1.60	3.00	0.	15.00	0.01	130.00	2.10	2751.5	2751.5	1230
ET	0.	0.0	0.0	0.0	0.0	7.11	450.00	670.00	0.0	0.0	1235
X1	0.74	0.	0.	0.	30.	30.	30.	0.0	0.0	0.	1240
X2	0.	0.0	0.	2756.6	2756.5	0.0	0.	0.0	0.0	0.	1245
BT	17.0	0.0	2759.8	0.0	100.0	2758.9	0.0	200.0	2758.5	0.0	1250
BT	300.0	2758.3	0.0	400.0	2758.5	0.0	460.0	2758.7	0.0	505.0	1255
BT	2758.8	0.0	505.0	2762.3	0.0	543.0	2762.3	0.0	543.0	2758.7	1260
BT	0.0	550.0	2758.7	0.0	550.0	2774.0	0.0	580.0	2774.0	0.0	1265
BT	580.0	2758.2	0.0	600.0	2758.0	0.0	700.0	2756.6	0.0	1015.0	1270
BT	2760.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1275
NC	0.110	0.100	0.050	0.0	0.0						1280
ET	0.	0.0	0.0	0.0	0.0	7.11	450.00	670.00	0.0	0.0	1285

601

X1	0.74	0.	0.	0.	10.	10.	10.	0.0	0.0	0.	1290
NC	0.100	0.100	0.045	0.0	0.0						1295
QT	5.	885.	1580.	1875.	2860.	1875.	0.	0.	0.	0.	1300
ET	0.	0.0	0.0	0.0	0.0	7.11	165.00	390.00	0.0	0.0	1305

X1	0.80	35.	250.	275.	300.	300.	300.	0.0	-1.00	0.	1310
GR	2760.8	25.	2760.5	58.	2760.3	60.	2759.5	81.	2759.9	110.	1315
GR	2760.0	150.	2760.8	180.	2760.8	185.	2770.0	185.	2770.0	215.	1320
GR	2760.8	215.	2760.4	225.	2759.4	240.	2759.2	250.	2756.5	257.	1325
GR	2756.0	262.	2755.8	268.	2756.5	272.	2759.6	275.	2759.7	285.	1330
GR	2770.0	285.	2770.0	315.	2760.3	315.	2760.5	322.	2760.3	330.	1335
GR	2770.0	330.	2770.0	360.	2759.7	360.	2759.5	375.	2760.2	392.	1340
GR	2759.8	421.	2759.4	471.	2759.0	492.	2760.3	508.	2760.3	530.	1345
ET	0.	0.0	0.0	0.0	0.0	7.11	165.00	390.00	0.0	0.0	1350

X1	0.80	0.	0.	0.	40.	40.	40.	0.0	0.0	0.	1355
SB	1.25	1.60	3.00	0.	11.00	0.01	55.00	0.50	2754.8	2754.8	1360
ET	0.	0.0	0.0	0.0	0.0	7.11	165.00	390.00	0.0	0.0	1365

X1	0.80	0.	0.	0.	30.	30.	30.	0.0	0.0	0.	1370
X2	0.	0.0	1.	2759.0	2759.0	0.0	0.	0.0	0.0	0.	1375
BT	24.0	30.0	2760.8	0.0	58.0	2760.8	0.0	61.0	2760.5	0.0	1380
BT	90.0	2760.0	0.0	118.0	2760.3	0.0	130.0	2760.0	0.0	150.0	1385
BT	2760.0	0.0	180.0	2760.8	0.0	215.0	2760.8	0.0	231.0	2760.0	1390
BT	0.0	250.0	2760.2	0.0	250.0	2761.5	0.0	253.0	2761.5	2759.0	1395
BT	269.0	2761.6	2759.0	269.0	2761.2	0.0	285.0	2760.0	0.0	325.0	1400
BT	2760.5	0.0	375.0	2759.4	0.0	392.0	2760.2	0.0	421.0	2759.8	1405
BT	0.0	471.0	2759.4	0.0	492.0	2759.0	0.0	508.0	2760.3	0.0	1410
BT	530.0	2760.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1415
ET	0.	0.0	0.0	0.0	0.0	7.11	165.00	390.00	0.0	0.0	1420

X1	0.80	32.	250.	272.	30.	30.	30.	0.0	0.0	0.	1425
GR	2760.8	25.	2760.5	58.	2760.3	60.	2759.5	81.	2759.9	110.	1430
GR	2760.0	150.	2760.8	180.	2760.8	185.	2770.0	185.	2770.0	215.	1435
GR	2760.8	215.	2760.4	225.	2759.4	240.	2759.2	250.	2756.5	257.	1440
GR	2756.0	262.	2755.8	268.	2756.5	272.	2759.6	275.	2760.1	297.	1445
GR	2760.5	322.	2760.3	330.	2770.0	330.	2770.0	360.	2759.7	360.	1450
GR	2759.5	375.	2760.2	392.	2759.8	421.	2759.4	471.	2759.0	492.	1455
GR	2760.3	508.	2760.3	530.	0.0	0.	0.0	0.	0.0	0.	1460
NC	0.100	0.060	0.040	0.0	0.0						1465
QT	5.	885.	1575.	1865.	2850.	1865.	0.	0.	0.	0.	1470
ET	0.	0.0	0.0	0.0	0.0	7.11	150.00	370.00	0.0	0.0	1475

X1	0.98	15.	246.	274.	900.	900.	900.	0.0	0.0	0.	1480
GR	2780.0	0.	2773.0	0.	2773.2	40.	2773.8	135.	2773.7	157.	1485
GR	2773.9	180.	2774.3	205.	2773.4	246.	2771.5	252.	2768.5	267.	1490
GR	2773.5	274.	2773.8	410.	2774.8	575.	2776.2	650.	2780.0	668.	1495
ET	0.	0.0	0.0	0.0	0.0	7.11	150.00	370.00	0.0	0.0	1500

X1	0.98	0.	0.	0.	40.	40.	40.	0.0	0.0	0.	1505
ET	0.	0.0	0.0	0.0	0.0	7.11	150.00	370.00	0.0	0.0	1510

X1	0.98	26.	254.	269.	1.	1.	1.	0.0	0.0	0.	1515
----	------	-----	------	------	----	----	----	-----	-----	----	------

## H01

BT	11.0	210.0	2774.2	0.0	250.0	2774.9	0.0	250.0	2775.6	0.0	1520
BT	254.0	2775.6	2771.5	256.0	2775.6	2772.9	281.0	2775.6	2774.4	264.0	1525
BT	2775.6	2773.0	267.0	2775.6	2772.0	269.0	2775.6	2770.0	264.0	2774.7	1530
BT	0.0	284.0	2774.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1535
GR	2780.0	0.	2773.0	0.	2775.2	40.	2773.8	135.	2773.7	157.	1540
GR	2773.9	180.	2774.3	205.	2774.2	210.	2774.9	250.	2774.8	254.	1545
GR	2770.4	254.	2770.2	256.	2769.5	261.	2768.9	264.	2768.5	267.	1550
GR	2770.0	269.	2774.7	269.	2774.4	284.	2774.9	284.	2774.2	305.	1555
GR	2774.0	369.	2773.7	372.	2773.8	410.	2774.8	575.	2776.2	653.	1560
GR	2780.0	668.	0.0	0.	0.0	0.	0.0	0.	0.0	0.	1565
ET	0.	0.0	0.0	0.0	0.0	7.11	150.00	370.00	0.0	0.0	1570

X1	0.98	0.	0.	0.	30.	30.	30.	0.0	0.0	0.	1575
X2	0.	0.0	0.	0.0	0.0	0.0	1.	0.0	0.0	0.	1580
ET	0.	0.0	0.0	0.0	0.0	7.11	150.00	370.00	0.0	0.0	1585

X1	0.98	10.	246.	274.	20.	20.	20.	0.0	0.0	0.	1590
GR	2780.0	0.	2775.0	0.	2775.0	180.	2773.4	246.	2771.5	253.	1595
GR	2768.5	267.	2773.5	274.	2773.8	410.	2774.8	575.	2776.2	650.	1600
ET	0.	0.0	0.0	0.0	0.0	7.11	150.00	370.00	0.0	0.0	1605

X1	0.98	17.	250.	281.	20.	20.	20.	0.0	0.0	0.	1610
GR	2780.0	0.	2775.0	0.	2775.0	180.	2773.4	246.	2773.2	250.	1615
GR	2771.5	260.	2771.2	264.	2771.3	269.	2771.9	272.	2774.9	281.	1620
GR	2774.4	316.	2774.8	350.	2774.7	400.	2775.1	500.	2776.2	600.	1625
GR	2776.2	650.	2780.0	668.	0.0	0.	0.0	0.	0.0	0.	1630
NC	0.085	0.085	0.045	0.0	0.0						1635
QT	5.	100.	1100.	1300.	2000.	1300.	0.	0.	0.	0.	1640
ET	0.	0.0	0.0	0.0	0.0	7.11	330.00	640.00	0.0	0.0	1645

X1	1.19	26.	511.	531.	1100.	1100.	1100.	0.0	0.0	0.	1650
GR	2792.0	0.	2791.0	100.	2790.5	200.	2791.6	300.	2791.5	330.	1655
GR	2804.0	330.	2804.0	370.	2791.5	370.	2792.5	400.	2792.1	440.	1660
GR	2790.4	445.	2790.3	450.	2791.5	500.	2791.7	511.	2787.0	511.	1665
GR	2786.0	520.	2787.0	526.	2791.6	531.	2791.5	550.	2910.0	550.	1670
GR	2810.0	640.	2791.5	640.	2791.6	700.	2792.5	800.	2796.2	890.	1675
GR	2799.5	965.	0.0	0.	0.0	0.	0.0	0.	0.0	0.	1680
ET	0.	0.0	0.0	0.0	0.0	7.11	330.00	640.00	0.0	0.0	1685

X1	1.19	0.	0.	0.	40.	40.	40.	0.0	0.0	0.	1690
SB	1.25	1.60	3.00	0.	6.00	0.01	27.00	0.0	2787.3	2787.3	1695
ET	0.	0.0	0.0	0.0	0.0	7.11	330.00	640.00	0.0	0.0	1700

X1	1.19	23.	511.	531.	30.	30.	30.	0.0	0.0	0.	1705
X2	0.	0.0	1.	2791.8	2791.8	0.0	0.	0.0	0.0	0.	1710
BT	20.0	0.0	2792.0	0.0	50.0	2791.8	0.0	200.0	2791.8	0.0	1715
BT	300.0	2791.8	0.0	330.0	2791.8	0.0	330.0	2804.0	0.0	370.0	1720
BT	2804.0	0.0	370.0	2791.8	0.0	400.0	2792.5	0.0	440.0	2792.1	1725
BT	0.0	445.0	2791.8	0.0	450.0	2791.8	0.0	500.0	2791.8	0.0	1730
BT	520.0	2791.9	0.0	526.0	2791.8	0.0	535.0	2791.8	0.0	700.0	1735
BT	2791.8	0.0	800.0	2792.5	0.0	890.0	2796.2	0.0	965.0	2799.5	1740
BT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1745
GR	2792.0	0.	2791.0	100.	2790.5	200.	2791.6	300.	2791.5	330.	1750
GR	2804.0	330.	2804.0	370.	2791.5	370.	2792.5	400.	2792.1	440.	1755





\*PROF 1

CCHV= 0.100 CEHV= 0.500

\*SECNO .050

2096 WSEL NOT GIVEN,AVG OF MAX,MIN USED

3265 DIVIDED FLOW

BROWNING BRANCH		100 YEAR FLOOD			08/01/81			
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID	
ELEV	CRJWS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTN	XNL	XNCH	XNR	QLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL
0.05	1900.	292.	965.	643.	0.47	0	319.	
2705.94	0.0	158.	129.	318.	0.50	0	2701.00	
7.44	0.0	1.85	7.45	2.02	0.0	2706.40	2701.50	
0.005032	0.0	0.100	0.045	0.070	0.0	-0.00	170.00	
	2698.50	0.	0.	0.	100.	256.	526.01	0.

\*SECNO .140

3265 DIVIDED FLOW

3280 CROSS SECTION 0.14 EXTENDED 0.68 FEET

BROWNING BRANCH		100 YEAR FLOOD			08/01/81			
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID	
ELEV	CRJWS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTN	XNL	XNCH	XNR	QLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL
0.14	1900.	556.	549.	795.	0.64	12	266.	
2710.98	2710.98	137.	53.	224.	0.18	16	2708.70	
5.48	0.0	4.05	10.42	3.54	3.88	2711.62	2709.20	
0.018015	0.045	0.070	0.045	0.070	0.09	-0.00	119.65	
	2705.50	450.	450.	450.	204.	171.	495.00	5.

\*SECNO .180

0.18	1900.	194.	688.	1018.	0.41	3	331.	
2714.18	0.0	98.	88.	369.	-0.23	0	2712.60	
5.58	0.0	1.98	7.77	2.76	2.94	2714.58	2712.80	
0.009263	0.045	0.090	0.045	0.070	0.02	-0.00	230.00	
	2708.60	250.	230.	230.	81.	250.	560.91	8.

\*SECNO .210

3265 DIVIDED FLOW

BROWNING BRANCH		100 YEAR FLOOD			08/01/81			
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID	

K01

ELEV	CRIMS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	SSTA	VOL
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	

3685 20 TRIALS ATTEMPTED WSEL,CWSEL  
 3693 PROBABLE MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSUMED

0.21	1900.	372.	1079.	449.	0.77	20	365.	
2717.84	2717.84	204.	118.	174.	0.36	11	2714.70	
7.34	0.0	1.83	9.12	2.59	0.94	2718.60	2714.80	
0.008273	0.044	0.090	0.045	0.070	0.18	-0.00	45.97	
	2710.50	150.	100.	100.	264.	174.	483.92	9.

\*SECNO .210

\*\*\* GR CARDS REPEATED

3263 DIVIDED FLOW

BROWNING BRANCH		100 YEAR FLOOD			08/01/81		TOPWID	
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	BANK ELEV	
ELEV	CRIMS	ALOB	ACH	AROB	DHV	IDC	LEFT/RIGHT	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	SSTA	
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	ENDST	VOL
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR		

0.21	1900.	495.	822.	580.	0.28	3	493.	
2718.57	0.0	349.	133.	328.	-0.49	0	2714.70	
8.07	0.0	1.43	6.18	1.77	0.20	2718.85	2714.80	
0.003260	0.044	0.090	0.045	0.070	0.05	-0.00	36.93	
	2710.50	40.	40.	40.	273.	270.	579.73	10.

\*SECNO .210

3265 DIVIDED FLOW

3370 NORMAL BRIDGE, NRD= 6 MIN ELTRD= 2717.00 MAX ELLC= 2715.10

0.21	1900.	782.	564.	554.	0.18	2	512.	
2718.69	0.0	308.	113.	240.	-0.10	0	2717.90	
8.19	0.0	2.54	4.97	2.31	0.01	2718.86	2717.90	
0.013523	0.044	0.090	0.045	0.070	0.01	-36.00	35.00	
	2710.50	1.	1.	1.	275.	287.	596.78	10.

\*SECNO .210

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3370 NORMAL BRIDGE, NRD= 6 MIN ELTRD= 2717.00 MAX ELLC= 2716.10

0.21	1900.	779.	463.	657.	0.11	2	517.	
2718.96	0.0	366.	119.	316.	-0.07	0	2717.90	

L01

8.46	0.0	2.13	3.90	2.08	0.20	2719.07	2717.90	
0.007807	0.044	0.090	0.045	0.070	0.01	-36.00	35.00	
	2710.50	20.	20.	20.	275.	292.	602.48	10.

\*SECNO .210

3265 DIVIDED FLOW

0.21	1900.	537.	14.	649.	0.17	2	517.	
2718.94	0.0	429.	140.	431.	0.06	0	2714.70	
8.44	0.0	1.25	5.08	1.51	0.00	2719.11	2714.80	
0.002048	0.044	0.090	0.045	0.070	0.03	-0.00	35.00	
	2710.50	1.	1.	1.	275.	292.	602.01	10.

\*SECNO .210

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

0.21	1900.	539.	07.	654.	0.16	2	517.	
2718.96	0.0	435.	141.	439.	-0.01	0	2714.70	
8.46	0.0	1.24	5.01	1.49	0.02	2719.13	2714.80	
0.001984	0.044	0.090	0.045	0.070	0.00	-0.00	35.00	
	2710.50	10.	10.	10.	275.	292.	602.46	10.

\*SECNO .250

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3301 HV CHANGED MORE THAN HVINS

BROWNING BRANCH		100 YEAR FLOOD			08/01/81		TOPWID	
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID	
ELEV	CRWS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSEL	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	SSTA	
	ELMIN	XLOBL	YLCH	XLOBR	WSDL	WSDR	ENDST	VOL

3685 20 TRIALS ATTEMPTED WSEL,CWSEL  
 3693 PROBABLE MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSUMED

0.25	1900.	385.	1160.	355.	0.88	20	396.	
2721.50	2721.50	233.	122.	201.	0.72	9	2718.20	
7.50	0.0	1.65	9.54	1.76	0.36	2722.38	2718.30	
0.010802	0.044	0.120	0.050	0.120	0.36	-0.00	45.70	
	2714.00	130.	80.	80.	264.	195.	504.99	12.

\*SECNO .250

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

M01

3301 HV CHANGED MORE THAN HVINS

0.25	1900.	531.	873.	496.	0.29	3	516.	
2722.38	0.0	417.	139.	415.	-0.59	0	2718.20	
8.38	0.0	1.27	6.27	1.19	0.24	2722.68	2718.30	
0.003891	0.044	0.120	0.050	0.120	0.06	-0.00	35.00	
	2714.00	40.	40.	40.	275.	271.	401.03	13.

\*SECNO .250

3265 DIVIDED FLOW

3280 CROSS SECTION 0.25 EXTENDED 4.41 FEET

3370 NORMAL BRIDGE, NRD= 14 MIN ELTRD= 2719.00 MAX ELLC= 2721.30

0.25	1900.	103.	1306.	491.	0.09	2	309.	
2722.61	0.0	130.	488.	248.	-0.20	0	2721.50	
8.61	0.0	0.79	2.67	1.98	0.00	2722.70	2720.00	
0.005607	0.044	0.120	0.050	0.120	0.02	-399.89	55.00	
	2714.00	1.	1.	1.	220.	131.	175.00	13.

\*SECNO .250

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3280 CROSS SECTION 0.25 EXTENDED 4.58 FEET

3370 NORMAL BRIDGE, NRD= 14 MIN ELTRD= 2719.00 MAX ELLC= 2721.30

0.25	1900.	110.	1295.	497.	0.08	2	317.	
2722.78	0.0	143.	506.	261.	-0.01	0	2721.50	
8.78	0.0	0.77	2.55	1.91	0.16	2722.86	2720.00	
0.004875	0.044	0.120	0.050	0.120	0.00	-407.66	55.00	
	2714.00	30.	30.	30.	277.	131.	405.00	14.

\*SECNO .250

3280 CROSS SECTION 0.25 EXTENDED 4.62 FEET

0.25	1900.	216.	1468.	217.	0.04	2	350.	
2722.82	0.0	485.	786.	368.	-0.04	0	2717.50	
8.82	0.0	0.44	1.87	0.59	0.00	2722.87	2716.50	
0.000286	0.044	0.120	0.050	0.120	0.00	-0.00	55.00	
	2714.00	1.	1.	1.	220.	131.	405.00	14.

\*SECNO .260

3280 CROSS SECTION 0.26 EXTENDED 4.51 FEET

BROWNING BRANCH		100 YEAR FLOOD			08/01/81		TOPWID		
Q	Q	QLOB	QCH	QROB	HV	ITRIAL	BANK ELEV		
CRINS	CRINS	ALOB	ACH	AROB	DHV	IDC	LEFT/RIGHT		
WSELK	WSELK	VLOB	VCH	VROB	HL	EG	SSTA		
MTN	MTN	XNL	XNCH	XNR	OLOSS	CORAR	ENDST		VOL
ELMIN	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR			
1900.	1900.	658.	866.	376.	0.10	2	255.		
0.0	0.0	532.	244.	267.	0.06	0	2719.00		
0.0	0.0	1.24	3.55	1.41	0.01	2722.91	2717.90		
0.044	0.044	0.100	0.050	0.100	0.03	-0.00	150.00		
2715.50	2715.50	25.	25.	25.	175.	80.	405.00		14.

\*SECTO .300

3265 DIVIDED FLOW

3301 HV CHANGED MORE THAN HVINS

BROWNING BRANCH		100 YEAR FLOOD			08/01/81		TOPWID		
Q	Q	QLOB	QCH	QROB	HV	ITRIAL	BANK ELEV		
CRINS	CRINS	ALOB	ACH	AROB	DHV	IDC	LEFT/RIGHT		
WSELK	WSELK	VLOB	VCH	VROB	HL	EG	SSTA		
MTN	MTN	XNL	XNCH	XNR	OLOSS	CORAR	ENDST		VOL
ELMIN	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR			
1900.	1900.	855.	803.	243.	0.76	3	216.		
2723.27	2723.27	185.	84.	77.	0.66	16	2724.80		
0.0	0.0	4.61	9.52	3.16	0.70	2724.03	2723.20		
0.045	0.045	0.080	0.050	0.080	0.33	-0.00	125.46		
2718.80	2718.80	200.	200.	200.	131.	134.	390.00		18.

\*SECTO .340

3265 DIVIDED FLOW

3301 HV CHANGED MORE THAN HVINS

BROWNING BRANCH		100 YEAR FLOOD			08/01/81		TOPWID		
Q	Q	QLOB	QCH	QROB	HV	ITRIAL	BANK ELEV		
CRINS	CRINS	ALOB	ACH	AROB	DHV	IDC	LEFT/RIGHT		
WSELK	WSELK	VLOB	VCH	VROB	HL	EG	SSTA		
MTN	MTN	XNL	XNCH	XNR	OLOSS	CORAR	ENDST		VOL
ELMIN	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR			
1900.	1900.	650.	624.	627.	0.24	4	348.		
0.0	0.0	233.	105.	303.	-0.52	0	2727.50		
0.0	0.0	2.79	5.96	2.07	2.55	2726.64	2725.20		
0.045	0.045	0.080	0.045	0.080	0.05	-0.00	135.22		
2721.20	2721.20	210.	210.	210.	121.	232.	488.95		20.

\*SECTO .430

3265 DIVIDED FLOW

3301 HV CHANGED MORE THAN HVINS

B02

BROWNING BRANCH

100 YEAR FLOOD

08/01/81

MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID	
ELEV	CRWS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTH	XNL	XNCH	XNR	QLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL

3685 20 TRIALS ATTEMPTED WSEL, CWSEL  
 3693 PROBABLE MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSUMED

0.43	1895.	541.	993.	361.	0.81	20	352.	
2735.46	2735.40	237.	101.	209.	0.57	8	2733.50	
5.36	0.0	2.28	9.79	1.72	4.59	2736.27	2733.50	
0.010826	0.044	0.100	0.040	0.110	0.28	-0.00	250.00	
	2730.10	540.	540.	540.	140.	237.	626.94	27.

\*SECNO .460

3265 DIVIDED FLOW

3301 HV CHANGED MORE THAN HVINS

0.46	1890.	1201.	390.	299.	0.06	3	643.	
2736.81	0.0	1087.	109.	289.	-0.76	0	2734.50	
5.71	0.0	1.10	3.59	1.04	0.53	2736.87	2734.50	
0.001332	0.043	0.100	0.040	0.070	0.08	-0.00	0.0	
	2731.10	180.	180.	180.	390.	262.	651.96	32.

\*SECNO .480

3280 CROSS SECTION 0.48 EXTENDED 1.12 FEET

BROWNING BRANCH

100 YEAR FLOOD

08/01/81

MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID	
ELEV	CRWS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTH	XNL	XNCH	XNR	QLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL

3685 20 TRIALS ATTEMPTED WSEL, CWSEL  
 3693 PROBABLE MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSUMED

0.48	1890.	480.	600.	810.	0.43	20	700.	
2737.82	2737.82	250.	68.	379.	0.37	13	2737.00	
4.62	0.0	1.92	8.79	2.14	0.12	2738.25	2737.00	
0.012314	0.043	0.100	0.040	0.070	0.18	0.0	100.00	
	2733.20	40.	40.	40.	209.	491.	800.00	33.

\*SECNO .480

\*\*\* GR CARDS REPEATED

3280 CROSS SECTION 0.48 EXTENDED 1.71 FEET

0.48	1890.	474.	390.	1027.	0.11	2	700.	
2738.41	0.0	367.	78.	661.	-0.32	0	2737.00	

C02

5.21	0.0	1.29	5.02	1.55	0.23	2738.51	2737.00	
0.003383	0.043	0.100	0.040	0.070	0.03	-0.00	100.00	33.
	2733.20	40.	40.	40.	209.	491.	800.00	

\*SECNO .480  
 3280 CROSS SECTION 0.48 EXTENDED 1.76 FEET

3370 NORMAL BRIDGE,HRD= 14 MIN ELTRD= 2736.30 MAX ELLC= 2737.90

0.48	1890.	491.	178.	1221.	0.06	2	700.	
2738.46	0.0	307.	58.	624.	-0.05	0	2737.90	
5.26	0.0	1.60	3.05	1.96	0.00	2738.52	2738.30	
0.005701	0.043	0.100	0.040	0.070	0.00	-8.83	100.00	33.
	2733.20	1.	1.	1.	209.	491.	800.00	

\*SECNO .480

\*\*\* GR CARDS REPEATED  
 3280 CROSS SECTION 0.48 EXTENDED 1.92 FEET

3370 NORMAL BRIDGE,HRD= 14 MIN ELTRD= 2736.30 MAX ELLC= 2737.90

0.48	1890.	483.	162.	1245.	0.05	2	700.	
2738.62	0.0	339.	61.	700.	-0.01	0	2737.90	
5.42	0.0	1.42	2.66	1.78	0.14	2738.67	2738.30	
0.004092	0.043	0.100	0.040	0.070	0.00	-8.83	100.00	34.
	2733.20	30.	30.	30.	209.	491.	800.00	

\*SECNO .480

3280 CROSS SECTION 0.48 EXTENDED 1.91 FEET

0.48	1890.	470.	347.	1073.	0.07	1	700.	
2738.61	0.0	409.	81.	762.	0.02	0	2737.00	
5.41	0.0	1.15	4.28	1.41	0.00	2738.68	2737.00	
0.002330	0.043	0.100	0.040	0.070	0.01	-0.00	100.00	34.
	2733.20	1.	1.	1.	209.	491.	800.00	

\*SECNO .480

\*\*\* GR CARDS REPEATED  
 3280 CROSS SECTION 0.48 EXTENDED 1.94 FEET

BROWNING BRANCH	100 YEAR FLOOD	08/01/81					
MILE	QLOB	QCH	QROB	HV	ITRIAL	TOPWID	
ELEV	QRIWS	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTN	XNCH	XHR	QLOSS	CORAR	SSTA	
	ELMIN	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL
0.48	1890.	470.	342.	1078.	0.07	0	700.

D02

2738.63	0.0	414.	81.	773.	-0.00	0	2737.00	
5.43	0.0	1.13	4.21	1.39	0.02	2738.70	2737.00	
0.002235	0.043	0.100	0.040	0.070	0.00	0.0	100.00	
	2733.20	10.	10.	10.	209.	491.	800.00	34.

\*SECNO .510

3301 HV CHANGED MORE THAN HVINS

BROWNING BRANCH		100 YEAR FLOOD			08/01/81		TOPWID	
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	BANK ELEV	
ELEV	CRWS	ALOB	ACH	AROB	DHV	IDC		
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	MTN	XNL	XNCH	XNR	OLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL

3685 20 TRIALS ATTEMPTED WSEL,CWSEL  
3693 PROBABLE MINIMUM SPECIFIC ENERGY

3720 CRITICAL DEPTH ASSUMED								
0.51	1890.	128.	610.	1152.	0.61	20	292.	
2740.97	2740.97	55.	63.	300.	0.54	9	2739.40	
4.97	0.0	2.32	9.65	3.84	0.62	2741.58	2739.20	
0.016148	0.043	0.090	0.045	0.060	0.27	0.0	298.83	
	2736.00	130.	130.	130.	56.	236.	591.23	37.

\*SECNO .510

\*\*\* GR CARDS REPEATED

0.51	1890.	158.	434.	1297.	0.20	2	304.	
2741.73	0.0	93.	75.	479.	-0.41	0	2739.40	
5.73	0.0	1.71	5.76	2.71	0.31	2741.93	2739.20	
0.004547	0.043	0.090	0.045	0.060	0.04	-0.00	297.66	
	2736.00	40.	40.	40.	57.	247.	601.67	37.

\*SECNO .510

3265 DIVIDED FLOW

3301 HV CHANGED MORE THAN HVINS

BROWNING BRANCH		100 YEAR FLOOD			08/01/81		TOPWID	
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	BANK ELEV	
ELEV	CRWS	ALOB	ACH	AROB	DHV	IDC		
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	MTN	XNL	XNCH	XNR	OLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL

3370 NORMAL BRIDGE,MRD= 6 MIN ELTRD= 2741.80 MAX ELLC= 2742.00

7185 MINIMUM SPECIFIC ENERGY

3720 CRITICAL DEPTH ASSUMED								
0.51	1890.	0.	933.	957.	0.76	3	171.	
2741.52	2741.52	0.	115.	169.	0.56	6	2745.20	
4.52	0.0	0.0	8.15	5.66	0.01	2742.28	2744.30	
0.036255	0.043	0.090	0.045	0.060	0.28	-4.36	330.00	



E02

2737.00 1. 1. 1. 16. 253. 598.83 37.

\*SECNO .540

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3301 HV CHANGED MORE THAN HVINS

3370 NORMAL BRIDGE, NRD= 6 MIN ELTRD= 2741.80 MAX ELLC= 2742.00

0.54	1890.	0.	328.	1562.	0.17	4	237.
2743.19	0.0	0.	118.	460.	-0.59	0	2745.20
6.19	0.0	0.0	2.78	3.40	1.02	2743.36	2744.30
0.005170	0.045	0.090	0.045	0.060	0.06	-55.68	330.00
	2737.00	180.	180.	50.	16.	260.	605.96 38.

\*SECNO .540

3280 CROSS SECTION 0.54 EXTENDED 1.40 FEET

BROWNING BRANCH		100 YEAR FLOOD			08/01/81		TOPWID	
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	BANK ELEV	
ELEV	CRWS	ALOB	ACH	AROB	DHV	IDC	LEFT/RIGHT	
DEPTH	MSELK	VLOB	VCH	VROB	HL	EG	SSTA	
SLOPE	WTH	XNL	XNCH	XNR	QLOSS	CORAR	ENDST	
	ELMIN	XLGBL	XLCH	XLOBR	WSDL	WSDR	VOL	
0.54	1890.	233.	454.	1203.	0.17	1	321.	
2743.19	0.0	139.	84.	493.	0.00	0	2740.60	
6.19	0.0	1.68	5.39	2.44	0.00	2743.37	2740.30	
0.003619	0.045	0.090	0.045	0.060	0.00	-0.00	292.45	
	2737.00	1.	1.	1.	73.	248.	603.00 38.	

\*SECNO .540

\*\*\* GR CARDS REPEATED

3280 CROSS SECTION 0.54 EXTENDED 1.52 FEET

0.54	1890.	235.	436.	1219.	0.15	0	321.
2743.32	0.0	147.	86.	523.	-0.02	0	2740.60
6.32	0.0	1.60	5.05	2.33	0.10	2743.47	2740.30
0.003079	0.045	0.090	0.045	0.060	0.00	-0.00	282.17
	2737.00	30.	30.	30.	73.	248.	603.00 39.

\*SECNO .610

3265 DIVIDED FLOW

BROWNING BRANCH		100 YEAR FLOOD			08/01/81		TOPWID	
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	BANK ELEV	
ELEV	CRWS	ALOB	ACH	AROB	DHV	IDC		



3370 NORMAL BRIDGE, NRD= 6 MIN ELTRD= 2746.50 MAX ELLC= 2746.00

0.61	1885.	363.	119.	1403.	0.05	1	528.	
2747.48	0.0	300.	51.	768.	-0.01	0	2746.70	
5.48	0.0	1.21	2.34	1.83	0.12	2747.53	2747.00	
0.003811	0.045	0.100	0.045	0.100	0.00	-29.57	0.0	
	2742.00	30.	30.	30.	213.	366.	578.00	45.

\*SECNO .610

3265 DIVIDED FLOW

3280 CROSS SECTION 0.61 EXTENDED 2.94 FEET

0.61	1885.	385.	528.	972.	0.14	2	468.	
2747.44	0.0	312.	106.	567.	0.09	0	2744.80	
5.44	0.0	1.23	5.00	1.71	0.00	2747.58	2746.80	
0.003724	0.045	0.100	0.045	0.100	0.04	-0.00	0.0	
	2742.00	1.	1.	1.	213.	306.	518.00	45.

\*SECNO .610

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3280 CROSS SECTION 0.61 EXTENDED 2.98 FEET

0.61	1885.	390.	523.	971.	0.13	0	468.	
2747.48	0.0	319.	107.	576.	-0.01	0	2744.80	
5.48	0.0	1.22	4.91	1.69	0.04	2747.62	2746.80	
0.003548	0.045	0.100	0.045	0.100	0.00	0.0	0.0	
	2742.00	10.	10.	10.	213.	306.	518.00	45.

\*SECNO .740

3265 DIVIDED FLOW

3301 HV CHANGED MORE THAN HVINS

BROWNING BRANCH		100 YEAR FLOOD			08/01/81			
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID	
ELEV	CRWS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WS2LK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTH	XNL	XNCH	XNR	OLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL

3685 20 TRIALS ATTEMPTED WSEL, CWSEL  
 3693 PROBABLE MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSUMED

0.74	1880.	42.	1480.	357.	0.84	20	349.	
2758.20	2758.20	30.	179.	230.	0.71	12	2756.50	

H02

6.90	0.0	1.42	8.26	1.55	3.75	2759.05	2756.50	
0.016294	0.047	0.120	0.060	0.110	0.53	-0.00	470.13	
	2751.30	570.	570.	570.	53.	325.	848.68	55.

\*SECNO .740

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3301 HV CHANGED MORE THAN HVINS

0.74	1880.	237.	1010.	633.	0.19	3	846.	
2759.21	0.0	328.	216.	555.	-0.65	0	2756.50	
7.91	0.0	0.72	4.66	1.14	0.29	2759.40	2756.50	
0.004046	0.047	0.120	0.060	0.110	0.07	-0.00	65.61	
	2751.30	40.	40.	40.	458.	418.	941.76	55.

SPECIAL BRIDGE

SB	HK	XKOR	COFQ	RDLEN	BMC	BWP	BAREA	SS
	1.25	1.60	3.00	0.0	15.00	0.01	130.00	2.10
	ELCHU	ELCHD						
	2751.50	2751.50						

\*SECNO .740

\*\*\* GR CARDS REPEATED

PRESS FLOW BECAUSE EGLWC OF 2759.40 EXCEEDS 1.5 DEPTH  
6870 D.S. ENERGY OF 2759.40 HIGHER THAN COMPUTED ENERGY OF 2759.31

3265 DIVIDED FLOW

BROWNING BRANCH		100 YEAR FLOOD			08/01/81			
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID	
ELEV	CRIMS	ALCB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL

PRESSURE AND WEIR FLOW

EGPRS	EGLWC	H3	QWEIR	QPR	BAREA	TAREA	ELLC
2764.41	2759.40	0.00	1617.	263.	130.	131.	2756.60

ELTRD  
2756.50

0.74	1880.	238.	1008.	634.	0.19	2	847.	
2759.21	0.0	329.	217.	556.	-0.00	0	2756.50	
7.91	0.0	0.72	4.66	1.14	0.0	2759.40	2756.50	
0.004028	0.047	0.120	0.060	0.110	0.0	-0.00	65.26	
	2751.30	30.	30.	30.	458.	419.	942.05	56.

\*SECNO .740

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

0.74	1880.	234.	1036.	610.	0.20	1	854.	
2759.24	0.0	344.	218.	569.	0.01	0	2756.50	
7.94	0.0	0.68	4.75	1.07	0.03	2759.44	2756.50	
0.002895	0.047	0.110	0.050	0.100	0.01	-0.00	61.58	
	2751.30	10.	10.	10.	462.	422.	945.12	56.

\*SECNO .200

3265 DIVIDED FLOW

3280 CROSS SECTION 0.60 EXTENDED 1.14 FEET

0.80	1875.	419.	872.	584.	0.44	2	415.	
2760.44	0.0	258.	116.	323.	0.24	0	2758.20	
5.64	0.0	1.62	7.54	1.81	1.32	2760.87	2758.60	
0.007458	0.047	0.100	0.045	0.100	0.12	-0.00	25.00	
	2754.80	300.	300.	300.	238.	268.	530.00	63.

\*SECNO .800

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3280 CROSS SECTION 0.80 EXTENDED 1.58 FEET

0.80	1875.	489.	754.	632.	0.24	2	415.	
2760.87	0.0	344.	127.	408.	-0.19	0	2758.20	
6.07	0.0	1.42	5.95	1.55	0.22	2761.11	2758.60	
0.004118	0.047	0.100	0.045	0.100	0.02	-0.00	25.00	
	2754.80	40.	40.	40.	238.	268.	530.00	63.

SPECIAL BRIDGE

SB	HK	XKOR	COFQ	RDLEN	BWC	BWP	BAREA	SS
	1.25	1.60	3.00	0.0	11.00	0.01	55.00	0.50
	ELCHU	ELCHD						
	2754.80	2754.80						

\*SECNO .800

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3280 CROSS SECTION 0.80 EXTENDED 1.77 FEET

PRESSURE AND WEIR FLOW

EGPRS 2789.74 EGLWC 2761.11 H3 0.00 QWEIR 1663. QPR 217. BAREA 55. TAREA 55. ELLC 2759.00

ELTRD 2759.00

0.80 1875. 513. 714. 647. 0.19 2 415.  
 2761.06 0.0 380. 131. 445. -0.05 0 2758.20  
 6.26 0.0 1.35 5.44 1.46 0.15 2761.26 2758.60  
 0.003278 0.047 0.100 0.045 0.100 0.0 -0.00 25.00  
 2754.80 30. 30. 30. 238. 288. 530.00 64.

\*SECTO .800

3265 DIVIDED FLOW

3280 CROSS SECTION 0.80 EXTENDED 0.95 FEET

BROWNING BRANCH		100 YEAR FLOOD			08/01/81		TOPWID		
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	BANK ELEV		
ELEV	CRHS	ALOB	ACH	AROB	DHV	IDC	LEFT/RIGHT		
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	SSTA		
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	ENDST		
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR			VOL

3685 20 TRIALS ATTEMPTED WSEL,CWSEL  
 3693 PROBABLE MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSUMED

0.80 1875. 372. 884. 619. 0.58 20 445.  
 2761.25 2761.25 222. 101. 329. 0.39 9 2759.20  
 5.45 0.0 1.68 8.72 1.88 0.16 2761.84 2756.50  
 0.009424 0.047 0.100 0.045 0.100 0.19 0.0 25.00  
 2755.80 30. 30. 30. 236. 269. 530.00 64.

\*SECTO .980

BROWNING BRANCH		100 YEAR FLOOD			08/01/81		TOPWID		
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	BANK ELEV		
ELEV	CRHS	ALOB	ACH	AROB	DHV	IDC	LEFT/RIGHT		
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	SSTA		
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	ENDST		
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR			VOL

7185 MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSUMED

0.98 1865. 459. 893. 513. 0.49 16 577.  
 2774.83 2774.83 301. 114. 248. -0.10 12 2773.40  
 6.33 0.0 1.52 7.87 2.07 7.63 2775.32 2773.50  
 0.007671 0.046 0.100 0.040 0.060 0.01 0.0 0.0  
 2768.50 900. 900. 900. 260. 317. 576.53 78.

\*SECTO .980

\*\*\* GR CARDS REPEATED

K02

0.98	1865.	503.	676.	686.	0.18	3	604.	
2775.35	0.0	429.	128.	412.	-0.31	0	2773.40	
6.85	0.0	1.17	5.28	1.66	0.18	2775.53	2773.50	
0.002938	0.046	0.100	0.040	0.060	0.03	-0.00	0.0	
	2768.50	40.	40.	40.	260.	344.	604.33	79.

\*SECHO .980

3370 NORMAL BRIDGE, NRD= 11 MIN ELTRD= 2774.20 MAX ELLC= 2774.40

0.98	1865.	764.	202.	898.	0.09	2	610.	
2775.45	0.0	432.	51.	392.	-0.09	0	2774.80	
6.95	0.0	1.77	3.95	2.29	0.00	2775.54	2774.70	
0.006463	0.046	0.100	0.040	0.060	0.01	-41.02	0.0	
	2768.50	1.	1.	1.	262.	349.	610.13	79.

\*SECHO .980

\*\*\* GR CARDS REPEATED

3370 NORMAL BRIDGE, NRD= 11 MIN ELTRD= 2774.20 MAX ELLC= 2774.40

0.98	1865.	763.	137.	965.	0.06	3	620.	
2775.64	0.0	479.	52.	457.	-0.03	0	2774.80	
7.14	0.0	1.59	2.64	2.11	0.16	2775.70	2774.70	
0.004626	0.046	0.100	0.040	0.060	0.00	-43.76	0.0	
	2768.50	30.	30.	30.	262.	359.	620.27	79.

\*SECHO .980

BROWNING BRANCH		100 YEAR FLOOD			08/01/81			
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID	
ELEV	CRWS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL
0.98	1865.	169.	734.	962.	0.21	2	620.	
2775.64	0.0	211.	134.	512.	0.15	0	2773.40	
7.14	0.0	0.80	5.49	1.88	0.07	2775.85	2773.50	
0.002938	0.046	0.100	0.040	0.060	0.08	-0.00	0.0	
	2768.50	20.	20.	20.	260.	360.	620.13	80.

\*SECHO .980

BROWNING BRANCH		100 YEAR FLOOD			08/01/81			
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID	
ELEV	CRWS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL
0.98	1865.	415.	866.	584.	0.48	20	567.	
2775.84	2775.84	270.	111.	258.	0.26	17	2773.20	
4.64	0.0	1.54	7.84	2.27	0.09	2776.32	2774.90	

3485 20 TRIALS ATTEMPTED WSEL, CWSEL  
 3693 PROBABLE MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSUMED

0.98	1865.	415.	866.	584.	0.48	20	567.	
2775.84	2775.84	270.	111.	258.	0.26	17	2773.20	
4.64	0.0	1.54	7.84	2.27	0.09	2776.32	2774.90	

L02

0.008412 0.046 0.100 0.040 0.060 0.13 -0.00 0.0  
2771.20 20. 20. 20. 266. 302. 567.39 80.

\*SECNO 1.190

3265 DIVIDED FLOW

3280 CROSS SECTION 1.19 EXTENDED 0.07 FEET

BROWNING BRANCH		100 YEAR FLOOD			08/01/81		TOPWID		
MILF	Q	QLOB	QCH	QROB	HV	ITRIAL	IDC	BANK ELEV	
ELEV	CRIMS	ALOB	ACH	AROB	DHV	EG	CORAR	LEFT/RIGHT	
DEPTH	WSELK	VLOB	VCH	VROB	HL	OLOSS	WSDR	SSTA	
SLOPE	WTN	XL	XNCH	XNR	OLOSS	WSDR	WSDR	ENDST	VOL
	ELMIN	XLOBL	XLCH	XLOBR					

7185 MINIMUM SPECIFIC ENERGY

3720 CRITICAL DEPTH ASSUMED

1.19	1300.	581.	678.	41.	0.42	15	562.		
2792.02	2792.02	369.	96.	47.	-0.06	12	2791.70		
6.02	0.0	1.58	7.03	0.87	9.13	2792.44	2791.60		
0.008145	0.045	0.085	0.045	0.085	0.01	-0.00	0.0		
	2786.00	1100.	1100.	1100.	521.	226.	747.02		95.

\*SECNO 1.190

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3280 CROSS SECTION 1.19 EXTENDED 0.53 FEET

1.19	1300.	715.	485.	100.	0.13	2	671.		
2792.52	0.0	592.	107.	125.	-0.28	0	2791.70		
6.52	0.0	1.21	4.55	0.80	0.19	2792.65	2791.60		
0.002993	0.045	0.085	0.045	0.085	0.03	-0.00	0.0		
	2787.00	40.	40.	40.	521.	280.	800.69		95.

SPECIAL BRIDGE

SB	HK	XXOR	COFO	RDLEN	BWC	BWP	BAREA	SS
	1.25	1.60	3.00	0.0	6.00	0.01	27.00	0.0
	ELCHU	ELCHD						
	2787.30	2787.30						

\*SECNO 1.190

3265 DIVIDED FLOW

3280 CROSS SECTION 1.19 EXTENDED 0.56 FEET

PRESSURE AND WEIR FLOW



M02

EGPRS 2850.12 EGLWC 2792.66 H3 0.00 QWEIR 1235. QPR 65. BAREA 27. TAREA 27. ELLC 2791.80

ELTRD 2791.80

1.19 1300. 676. 445. 179. 0.10 2 762.  
 2792.56 0.0 609. 107. 223. -0.03 0 2791.70  
 6.56 0.0 1.11 4.15 0.80 0.01 2792.66 2791.60  
 0.002463 0.045 0.085 0.045 0.085 0.0 -0.00 0.0  
 2786.00 30. 30. 30. 521. 281. 801.54 96.

\*SECNO 1.190

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3280 CROSS SECTION 1.19 EXTENDED 0.59 FEET

BROWNING BRANCH	100 YEAR FLOOD	08/01/81	TOPWID		
MILE Q	QLOB	HV	ITRIAL	BANK ELEV	
ELEV	ALOB	DHV	IDC	LEFT/RIGHT	
DEPTH	VLOB	HL	EG	SSTA	
SLOPE	XNL	OLOSS	CORAR	ENDST	VOL
ELMIN	XLOBL	WSDL	WSDR		
1.19	679.	0.10	0	762.	
2792.59	621.	-0.01	0	2791.70	
6.59	1.09	0.02	2792.69	2791.60	
0.002345	0.045	0.00	0.0	0.0	
2786.00	10.	521.	281.	802.16	95.

\*SECNO 1.300

3265 DIVIDED FLOW

3280 CROSS SECTION 1.30 EXTENDED 0.48 FEET

BROWNING BRANCH	100 YEAR FLOOD	08/01/81	TOPWID		
MILE Q	QLOB	HV	ITRIAL	BANK ELEV	
ELEV	ALOB	DHV	IDC	LEFT/RIGHT	
DEPTH	VLOB	HL	EG	SSTA	
SLOPE	XNL	OLOSS	CORAR	ENDST	VOL
ELMIN	XLOBL	WSDL	WSDR		
1.30	207.	0.57	20	441.	
2800.98	164.	0.47	13	2800.20	
4.68	1.27	2.16	2801.55	2799.00	
0.011984	0.100	0.24	-0.00	21.00	
2796.30	480.	288.	157.	465.68	104.

3685 20 TRIALS ATTEMPTED WSEL,CWSEL  
 3693 PROBABLE MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSUMED

1.30 1300. 207. 563. 530. 0.57 20 441.  
 2800.98 2800.98 164. 63. 221. 0.47 13 2800.20  
 4.68 0.0 1.27 8.88 2.39 2.16 2801.55 2799.00  
 0.011984 0.045 0.100 0.040 0.100 0.24 -0.00 21.00  
 2796.30 480. 480. 480. 288. 157. 465.68 104.

\*SECN 70

\*\*\* GR CARDS REPEATED  
3280 CROSS SECTION 1.30 EXTENDED 1.17 FEET

1.30	1300.	377.	411.	512.	0.16	2	475.
2801.66	0.0	356.	76.	332.	-0.41	0	2800.20
5.36	0.0	1.06	5.43	1.54	0.24	2801.82	2799.00
0.00328	0.045	0.100	0.040	0.100	0.04	-0.00	21.00
	2796.30	40.	40.	40.	288.	187.	496.24 104.

SPECIAL BRIDGE

SB	HK	XKOR	COFQ	RDLEN	BWC	BWP	BAREA	SS
	1.25	1.60	3.00	0.0	5.00	0.01	38.00	1.90
	ELCHU	ELCHD						
	2796.30	2796.30						

\*SECN 1.300

\*\*\* GR CARDS REPEATED  
3280 CROSS SECTION 1.30 EXTENDED 2.13 FEET

PRESSURE AND WEIR FLOW

EGPRS	EGLWC	H3	QWEIR	QPR	BAREA	TAREA	ELLC
2830.74	2801.82	0.00	1058.	243.	38.	39.	2799.70
ELTRD							
2801.00							

1.30	1300.	490.	300.	510.	0.05	2	550.
2802.63	0.0	625.	93.	558.	-0.12	0	2800.20
6.33	0.0	0.78	3.22	0.91	0.85	2802.68	2799.00
0.000943	0.045	0.100	0.040	0.100	0.0	-0.00	21.00
	2796.30	30.	30.	30.	288.	262.	570.54 105.

\*SECN 1.300

\*\*\* GR CARDS REPEATED  
3280 CROSS SECTION 1.30 EXTENDED 2.15 FEET

1.30	1300.	491.	299.	510.	0.05	1	550.
2802.64	0.0	630.	93.	562.	-0.00	0	2800.20
6.34	0.0	0.78	3.20	0.91	0.01	2802.69	2799.00
0.000925	0.045	0.100	0.040	0.100	0.00	-0.00	21.00
	2796.30	10.	10.	10.	288.	262.	570.72 105.

THIS RUN EXECUTED 08/01/81 8:20:21

\*\*\*\*\*  
HEC2 RELEASE DATED NOV 76 UPDATED JULY1979  
ERROR CORR - 01,02,03  
MODIFICATION - 50,51,52,53,54  
\*\*\*\*\*

T1 WAYNESVILLE NC 1890  
T2 100 YEAR FLOODWAY 1895  
T3 BROWNING BRANCH 1900

J1 ICHECK INQ MINV IDIR STAT METRIC HVINS Q WSEL FO  
0. 6. 0. 0. 0.00500 0. 0.0 0. 0.0 0.0 1905

J2 NPROF IPLOY PRFVS XSECV XSECH FN ALLDC IBW CHNIM ITRACE  
15. 0. -1. 0. 0. 0.0 0.0 0. 0. 0. 1910

C03

\*PROF 2

CEHV= 0.100 CEHV= 0.500

\*SECNO .050

2096 WSEL NOT GIVEN,AVG OF MAX,MIN USED

3280 CROSS SECTION 0.05 EXTENDED 0.72 FEET

BROMNING BRANCH			100 YEAR FLOODWA		08/01/81				
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID		
ELEV	CRWS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV		
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT		
SLOPE	MTN	XNL	XNCH	XNR	OLOSS	CORAR	SSTA		
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL	
3470 ENCROACHMENT STATIONS=			230.0	360.0	TYPE=	1	TARGET=	130.000	
0.05	1900.	318.	1161.	422.	0.65	0	130.		
2708.72	0.0	124.	145.	157.	0.50	0	2701.00		
8.22	2705.94	2.57	8.00	2.69	0.0	2707.37	2701.50		
0.004974	0.0	0.100	0.045	0.070	0.0	-0.00	230.00		
	2698.50	0.	0.	0.	40.	90.	360.00	0.	

\*SECNO .140

3280 CROSS SECTION 0.14 EXTENDED 1.14 FEET

3301 HV CHANGED MORE THAN HVINS

BROMNING BRANCH			100 YEAR FLOODWA		08/01/81			
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID	
ELEV	CRWS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	MTN	XNL	XNCH	XNR	OLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL
7185 MINIMUM SPECIFIC ENERGY								
3720 CRITICAL DEPTH ASSUMED								
3470 ENCROACHMENT STATIONS=			290.0	400.0	TYPE=	1	TARGET=	110.000
0.14	1900.	465.	712.	723.	1.15	11	110.	
2711.44	2711.44	78.	58.	145.	0.51	13	2708.70	
5.94	2710.98	5.93	12.25	5.00	4.10	2712.59	2709.20	
0.021803	0.045	0.070	0.045	0.070	0.25	-0.00	290.00	
	2705.50	450.	450.	450.	34.	76.	400.00	4.

\*SECNO .180

3301 HV CHANGED MORE THAN HVINS

3470 ENCROACHMENT STATIONS=			230.0	400.0	TYPE=	1	TARGET=	170.000
0.18	1900.	397.	877.	627.	0.56	3	170.	
2715.03	0.0	157.	106.	188.	-0.59	0	2712.60	
6.43	2714.18	2.52	8.25	3.34	2.95	2715.60	2712.80	
0.008165	0.045	0.090	0.045	0.070	0.06	-0.00	230.00	

D03

2708.60 250. 230. 230. 81. 89. 400.00 6.

\*SECH0 .210

3301 HV CHANGED MORE THAN HVINS

BROWNING BRANCH		100 YEAR FLOODWA			08/01/81		TOPWID		
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	IDC	BANK ELEV	
ELEV	CRWS	ALOB	ACH	AROB	DHV	EG	CORAR	LEFT/RIGHT	
DEPTH	WSELK	VLOB	VCH	VROB	HL	LOSS	WSDR	SSTA	
SLOPE	WTN	XNL	XNCH	XNR	QLOSS	WSDL	WSDR	ENDST	VOL
	ELMIN	XLOBL	XLCH	XLOBR					

3685 20 TRIALS ATTEMPTED WSEL,CWSEL  
 3693 PROBABLE MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSUMED

3470 ENCROACHMENT STATIONS=		230.0	400.0	TYPE=	1	TARGET=	170.000	
0.21	1900.	249.	1198.	453.	1.07	20	170.	
2717.78	2717.78	105.	117.	142.	0.51	8	2714.70	
7.28	2717.84	2.38	10.22	3.18	1.00	2718.85	2714.80	
0.010530	0.044	0.090	0.045	0.070	0.25	-0.00	230.00	
	2710.50	150.	100.	100.	80.	90.	400.00	7.

\*SECH0 .210

\*\*\* GR CARDS REPEATED

3301 HV CHANGED MORE THAN HVINS

BROWNING BRANCH		100 YEAR FLOODWA			08/01/81		TOPWID		
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	IDC	BANK ELEV	
ELEV	CRWS	ALOB	ACH	AROB	DHV	EG	CORAR	LEFT/RIGHT	
DEPTH	WSELK	VLOB	VCH	VROB	HL	LOSS	WSDR	SSTA	
SLOPE	WTN	XNL	XNCH	XNR	QLOSS	WSDL	WSDR	ENDST	VOL
	ELMIN	XLOBL	XLCH	XLOBR					

3470 ENCROACHMENT STATIONS=		230.0	400.0	TYPE=	1	TARGET=	170.000	
0.21	1900.	338.	984.	579.	0.47	3	170.	
2718.70	0.0	169.	136.	216.	-0.60	0	2714.70	
8.20	2718.57	2.00	7.26	2.68	0.26	2719.17	2714.80	
0.004375	0.044	0.090	0.045	0.070	0.06	-0.00	230.00	
	2710.50	40.	40.	40.	80.	90.	400.00	7.

\*SECH0 .210

3700. BRIDGE STENCL=		230.00	STENCR=	400.00	08/01/81		TOPWID		
BROWNING BRANCH		100 YEAR FLOODWA					BANK ELEV		
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	IDC	LEFT/RIGHT	
ELEV	CRWS	ALOB	ACH	AROB	DHV	EG	CORAR	SSTA	
DEPTH	WSELK	VLOB	VCH	VROB	HL	LOSS	WSDR	ENDST	
SLOPE	WTN	XNL	XNCH	XNR	QLOSS	WSDL	WSDR	ENDST	VOL
	ELMIN	XLOBL	XLCH	XLOBR					

3370 NORMAL BRIDGE, NRD= 6 MIN ELTRD= 2717.00 MAX ELLC= 2716.10

3685 20 TRIALS ATTEMPTED WSEL, GWSEL  
 3693 PROBABLE MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSUMED

3470 ENCROACHMENT STATIONS=		230.0	400.0	TYPE=	1	TARGET=	170.000
0.21	1900.	436.	1006.	458.	0.80	20	170.
2718.70	2718.70	101.	114.	94.	0.33	9	2717.90
8.20	2718.69	4.32	8.85	4.87	0.01	2719.50	2717.90
0.042751	0.044	0.090	0.045	0.070	0.17	-36.00	230.00
	2710.50	1.	1.	1.	80.	90.	400.00

\*SECNO .210

\*\*\* GR CARDS REPEATED

3301 HV CHANGED MORE THAN HVINS

3370 NORMAL BRIDGE, NRD= 6 MIN ELTRD= 2717.00 MAX ELLC= 2716.10

3470 ENCROACHMENT STATIONS=		230.0	400.0	TYPE=	1	TARGET=	170.000
0.21	1900.	542.	698.	660.	0.28	2	170.
2719.69	0.0	170.	133.	173.	-0.52	0	2717.90
9.19	2718.96	3.19	5.23	3.82	0.41	2719.97	2717.90
0.012073	0.044	0.090	0.045	0.070	0.05	-36.00	230.00
	2710.50	20.	20.	20.	80.	90.	400.00

\*SECNO .210

3470 ENCROACHMENT STATIONS=		230.0	400.0	TYPE=	1	TARGET=	170.000
0.21	1900.	403.	834.	663.	0.23	2	170.
2719.75	0.0	243.	157.	300.	-0.05	0	2714.70
9.25	2718.96	1.66	5.32	2.21	0.00	2719.98	2714.80
0.001942	0.044	0.090	0.045	0.070	0.01	-0.00	230.00
	2710.50	1.	1.	1.	80.	90.	400.00

\*SECNO .210

\*\*\* GR CARDS REPEATED

3470 ENCROACHMENT STATIONS=		230.0	400.0	TYPE=	1	TARGET=	170.000
0.21	1900.	404.	832.	664.	0.23	2	170.
2719.77	0.0	244.	157.	302.	-0.00	0	2714.70
9.27	2718.96	1.65	5.29	2.20	0.02	2720.00	2714.80
0.001913	0.044	0.090	0.045	0.070	0.00	-0.00	230.00
	2710.50	10.	10.	10.	80.	90.	400.00

\*SECNO .250

\*\*\* GR CARDS REPEATED

3301 HV CHANGED MORE THAN HVINS

BROWNING BRANCH		100 YEAR FLOODWA	08/01/81		
MILE	Q	QLOB	QCH	QROB	ITRIAL TOPWID

F03

ELEV	CRHS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	MSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	MTN	XNL	XNCH	XNR	OLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL

3685 20 TRIALS ATTEMPTED MSEL CMSEL  
 3693 PROBABLE MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSUMED

3470 ENCROACHMENT STATIONS= 230.0 400.0 TYPE= 1 TARGET= 170.000

0.25	1900.	266.	1265.	368.	1.12	20	170.	
2721.58	2721.58	126.	123.	166.	0.89	14	2718.20	
7.58	2721.50	2.12	10.27	2.22	0.35	2722.69	2718.30	
0.012299	0.044	0.120	0.050	0.120	0.44	-0.00	230.00	
	2714.00	130.	80.	80.	80.	90.	400.00	9.

\*SECHO .250

\*\*\* GR CARDS REPEATED

3301 HV CHANGED MORE THAN HVINS

3470 ENCROACHMENT STATIONS= 230.0 400.0 TYPE= 1 TARGET= 170.000

0.25	1900.	352.	1085.	462.	0.54	3	170.	
2722.53	0.0	192.	142.	242.	-0.58	0	2718.20	
8.55	2722.38	1.84	7.63	1.91	0.32	2723.07	2718.30	
0.005608	0.044	0.120	0.050	0.120	0.06	-0.00	230.00	
	2714.00	40.	40.	40.	80.	90.	400.00	9.

\*SECHO .250

3700. BRIDGE STENCL= 200.00 STENCR= 370.00  
 3280 CROSS SECTION 0.25 EXTENDED 4.80 FEET

3370 NORMAL BRIDGE, NRD= 14 MIN ELTRD= 2719.00 MAX ELLC= 2721.30

3470 ENCROACHMENT STATIONS= 200.0 370.0 TYPE= 1 TARGET= 170.000

0.25	1900.	34.	1541.	325.	0.12	10	170.	
2723.00	0.0	29.	531.	153.	-0.42	0	2721.50	
9.00	2722.61	1.20	2.90	2.13	0.01	2723.12	2720.00	
0.005918	0.044	0.120	0.050	0.120	0.04	-288.76	200.00	
	2714.00	1.	1.	1.	75.	95.	370.00	9.

\*SECHO .250

\*\*\* GR CARDS REPEATED

3280 CROSS SECTION 0.25 EXTENDED 4.97 FEET

3370 NORMAL BRIDGE, NRD= 14 MIN ELTRD= 2719.00 MAX ELLC= 2721.30

3470 ENCROACHMENT STATIONS= 200.0 370.0 TYPE= 1 TARGET= 170.000

G03

0.25	1900.	39.	1533.	328.	0.11	0	170	
2723.17	0.0	32.	549.	160.	-0.01	0	2721.50	
9.17	2722.78	1.21	2.79	2.05	0.17	2723.28	2720.00	
0.005221	0.044	0.120	0.050	0.120	0.00	-288.76	200.00	
	2714.00	30.	30.	30.	75.	95.	370.00	10.

\*SECNO .250  
3280 CROSS SECTION 0.25 EXTENDED 5.03 FEET

3470 ENCROACHMENT STATIONS= 200.0 370.0 TYPE= 1 TARGET= 170.000

0.25	1900.	56.	1690.	154.	0.08	2	170.	
2723.23	0.0	100.	831.	232.	-0.05	0	2717.50	
9.23	2722.82	0.56	2.03	0.66	0.00	2723.29	2716.50	
0.000316	0.044	0.120	0.050	0.120	0.01	-0.00	200.00	
	2714.00	1.	1.	1.	75.	95.	370.00	10.

\*SECNO .260  
3280 CROSS SECTION 0.26 EXTENDED 4.89 FEET

BROWNING BRANCH 100 YEAR FLOODWA 08/01/81

MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID	
ELEV	CRIMS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL

3470 ENCROACHMENT STATIONS= 180.0 350.0 TYPE= 1 TARGET= 170.000

0.26	1900.	790.	1080.	30.	0.17	2	170.	
2723.19	0.0	513.	259.	26.	0.11	0	2719.00	
7.69	2722.81	1.54	4.17	1.14	0.02	2723.36	2717.90	
0.001658	0.044	0.100	0.050	0.100	0.06	-0.00	180.00	
	2715.50	25.	25.	25.	145.	25.	350.00	10.

\*SECNO .300  
3265 DIVIDED FLOW

3301 HV CHANGED MORE THAN HVINS

BROWNING BRANCH 100 YEAR FLOODWA 08/01/81

MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID	
ELEV	CRIMS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL

3685 20 TRIALS ATTEMPTED WSEL, CWSEL  
3693 PROBABLE MINIMUM SPECIFIC ENERGY  
3720 CRITICAL DEPTH ASSUMED

3470 ENCROACHMENT STATIONS= 200.0 350.0 TYPE= 1 TARGET= 150.000

0.30	1900.	530.	1141.	229.	1.20	20	106.	
------	-------	------	-------	------	------	----	------	--



H03

2724.05	2724.05	97.	108.	57.	1.03	19	2724.80	
5.25	2723.27	5.48	10.58	4.05	0.85	2725.25	2723.20	
0.026200	0.045	0.080	0.050	0.080	0.52	-0.00	200.00	
	2718.80	200.	200.	200.	57.	54.	310.00	13.

\*SECNO .340

3265 DIVIDED FLOW

3301 HV CHANGED MORE THAN HVINS

3470 ENCROACHMENT STATIONS=	200.0	350.0	TYPE=	1	TARGET=	150.000		
0.34	1900.	393.	872.	634.	0.37	4	149.	
2727.35	0.0	127.	135.	219.	-0.83	0	2727.50	
6.15	2726.39	3.09	6.47	2.89	2.39	2727.72	2725.80	
0.006325	0.045	0.080	0.045	0.080	0.08	-0.00	200.00	
	2721.20	210.	210.	210.	57.	93.	350.00	15.

\*SECNO .430

3301 HV CHANGED MORE THAN HVINS

BROWNING BRANCH		100 YEAR FLOODWA			08/01/81			
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID	
ELEV	CRWS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL

3685 20 TRIALS ATTEMPTED WSEL, CWSEL  
 3693 PROBABLE MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSUMED

3470 ENCROACHMENT STATIONS=	300.0	500.0	TYPE=	1	TARGET=	200.000		
0.43	1895.	344.	1102.	449.	0.94	20	200.	
2735.88	2735.88	153.	110.	205.	0.56	10	2733.50	
5.78	2735.46	2.26	10.01	2.19	4.27	2736.82	2733.50	
0.010171	0.044	0.100	0.040	0.110	0.28	-0.00	300.00	
	2730.10	540.	540.	540.	90.	110.	500.00	20.

\*SECNO .460

3280 CROSS SECTION 0.46 EXTENDED 0.37 FEET

3301 HV CHANGED MORE THAN HVINS

3470 ENCROACHMENT STATIONS=	200.0	500.0	TYPE=	1	TARGET=	300.000		
0.46	1890.	818.	590.	482.	0.14	2	300.	
2737.47	0.0	566.	122.	264.	-0.80	0	2734.50	
6.37	2736.81	1.45	4.85	1.83	0.71	2737.61	2734.50	
0.002082	0.043	0.100	0.040	0.070	0.08	-0.00	200.00	
	2731.10	180.	180.	180.	190.	110.	500.00	23.

\*SECNO .480  
3280 CROSS SECTION 0.48 EXTENDED 0.88 FEET

3301 HV CHANGED MORE THAN HVINS

BROWNING BRANCH		100 YEAR FLOODWA			08/01/81		TOPWID		
MI	Q	QLOB	QCH	QROB	HV	ITRIAL	IDC	BANK ELEV	
ELEV	CRIMS	ALOB	ACH	AROB	DHV	EG	LEFT/RIGHT		
DEPTH	WSELK	VLOB	VCH	VROB	HL	CORAR	SSTA		
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	WSDR	ENDST		VOL
	ELMIN	XLOBL	XLCH	XLOBR	WSDL				

3685 20 TRIALS ATTEMPTED WSEL,CWSTA  
3693 PROBABLE MINIMUM SPECIFIC ENERGY  
3720 CRITICAL DEPTH ASSUMED

3470 ENCROACHMENT STATIONS=		150.0	410.0	TYPE=	1	TARGET=	260.000		
0.48	1890.	676.	762.	452.	0.68	20	260.		
2738.38	2738.38	270.	77.	142.	0.54	14	2737.00		
5.18	2737.82	2.50	9.87	3.19	0.17	2739.06	2737.00		
0.013210	0.043	0.100	0.040	0.070	0.27	-0.00	150.00		
	2733.20	40.	40.	40.	159.	101.	410.00		24.

\*SECNO .480

\*\*\* GR CARDS REPEATED  
3280 CROSS SECTION 0.48 EXTENDED 1.64 FEET

3470 ENCROACHMENT STATIONS=		150.0	410.0	TYPE=	1	TARGET=	260.000		
0.48	1890.	748.	598.	544.	0.27	2	260.		
2739.13	0.0	385.	89.	213.	-0.41	0	2737.00		
5.93	2738.41	1.94	6.70	2.56	0.31	2739.41	2737.00		
0.004997	0.043	0.100	0.040	0.070	0.04	-0.00	150.00		
	2733.20	40.	40.	40.	159.	101.	410.00		25.

\*SECNO .480

3700. BRIDGE STENCL= 150.00 STENCR= 410.00  
3280 CROSS SECTION 0.48 EXTENDED 1.71 FEET

3370 NORMAL BRIDGE,NRD= 14 MIN ELTRD= 2736.30 MAX ELLC= 2737.90

3470 ENCROACHMENT STATIONS=		150.0	410.0	TYPE=	1	TARGET=	260.000		
0.48	1890.	969.	378.	543.	0.21	11	260.		
2739.20	0.0	324.	70.	156.	-0.06	0	2737.90		
6.00	2733.46	2.99	5.37	3.47	0.01	2739.42	2738.30		
0.013813	0.043	0.100	0.040	0.070	0.01	-8.83	150.00		
	2733.20	1.	1.	1.	159.	101.	410.00		25.

\*SECNO .480

\*\*\* GR CARDS REPEATED  
3280 CROSS SECTION 0.48 EXTENDED 2.09 FEET

3370 NORMAL BRIDGE, NRD= 14 MIN ELTRD= 2736.30 MAX ELLC= 2737.90

3470 ENCROACHMENT STATIONS=	150.0	410.0	TYPE=	1	TARGET=	260.000		
0.48	1890.	968.	335.	587.	0.15	2	260.	
2739.59	0.0	383.	77.	192.	-0.07	0	2737.90	
6.39	2738.62	2.53	4.37	3.05	0.31	2739.74	2738.30	
0.008184	0.043	0.100	0.040	0.070	0.01	-8.83	150.00	
	2733.20	30.	30.	30.	159.	101.	410.00	25.

\*SECNO .480  
3280 CROSS SECTION 0.48 EXTENDED 2.08 FEET

3470 ENCROACHMENT STATIONS=	150.0	410.0	TYPE=	1	TARGET=	260.000		
0.48	1890.	773.	540.	578.	0.18	2	260.	
2739.58	0.0	452.	96.	253.	0.03	0	2737.00	
6.38	2738.61	1.71	5.60	2.28	0.00	2739.76	2737.00	
0.003155	0.043	0.100	0.040	0.070	0.02	-0.00	150.00	
	2733.20	1.	1.	1.	159.	101.	410.00	25.

\*SECNO .480

\*\*\* GR CARDS REPEATED  
3280 CROSS SECTION 0.48 EXTENDED 2.13 FEET

BROWNING BRANCH		100 YEAR FLOODWA			08/01/81			
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID	
ELEV	CRINS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL

3470 ENCROACHMENT STATIONS=	150.0	410.0	TYPE=	1	TARGET=	260.000		
0.48	1890.	775.	534.	581.	0.17	1	260.	
2739.62	0.0	459.	97.	258.	-0.01	0	2737.00	
6.42	2738.63	1.69	5.50	2.25	0.03	2739.79	2737.00	
0.003011	0.043	0.100	0.040	0.070	0.00	-0.00	150.00	
	2733.20	10.	10.	10.	159.	101.	410.00	25.

\*SECNO .510

3301 HV CHANGED MORE THAN HVINS

BROWNING BRANCH		100 YEAR FLOODWA			08/01/81			
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID	
ELEV	CRINS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	

K03

SLOPE	WTN ELMIN	XNL XLOBL	XNCH XLCH	XNR XLOBR	OLOSS WSDL	CORAR WSDR	SSTA ENDST	VOL
-------	--------------	--------------	--------------	--------------	---------------	---------------	---------------	-----

3685 20 TRIALS ATTEMPTED WSEL,CWSEL  
 3693 PROBABLE MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSUMED

3470 ENCROACHMENT STATIONS=	290.0	550.0	TYPE=	1	TARGET=	260.000		
0.51	1890.	136.	639.	1115.	0.70	20	251.	
2740.98	2740.98	56.	63.	269.	0.52	13	2739.40	
4.98	2740.97	2.43	10.07	4.15	0.78	2741.68	2739.20	
0.017461	0.043	0.090	0.045	0.060	0.26	-0.00	298.80	
	2736.00	130.	130.	130.	56.	195.	550.00	27.

\*SECNO .510

\*\*\* GR CARDS REPEATED

3470 ENCROACHMENT STATIONS=	290.0	550.0	TYPE=	1	TARGET=	260.000		
0.51	1890.	176.	460.	1254.	0.23	2	252.	
2741.83	0.0	97.	77.	426.	-0.47	0	2739.40	
5.83	2741.73	1.81	5.98	2.94	0.33	2742.06	2739.20	
0.004767	0.043	0.090	0.045	0.060	0.05	-0.00	297.51	
	2736.00	40.	40.	40.	57.	195.	550.00	27.

\*SECNO .510

3700. BRIDGE STENCL= 290.00 STENCR= 550.00

3265 DIVIDED FLOW

3301 HV CHANGED MORE THAN HVINS

BROWNING BRANCH			100 YEAR FLOODWA			08/01/81		
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID	
ELEV	CRISW	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL

3370 NORMAL BRIDGE,MRD= 6 MIN ELTRD= 2741.80 MAX ELLC= 2742.00

3685 20 TRIALS ATTEMPTED WSEL,CWSEL  
 3693 PROBABLE MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSUMED

3470 ENCROACHMENT STATIONS=	290.0	550.0	TYPE=	1	TARGET=	260.000		
0.51	1890.	0.	1033.	857.	0.97	20	130.	
2741.73	2741.73	0.	117.	129.	0.75	9	2745.20	
4.73	2741.52	0.0	8.84	6.65	0.01	2742.70	2744.30	
0.046124	0.043	0.090	0.045	0.060	0.37	-8.48	330.00	
	2737.00	1.	1.	1.	16.	204.	550.00	27.

\*SECNO .540

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3301 HV CHANGED MORE THAN HVINS

3370 NORMAL BRIDGE, NRD= 6 MIN ELTRD= 2741.80 MAX ELLC= 2742.00

3470 ENCROACHMENT STATIONS=		290.0	550.0	TYPE=	1	TARGET=	260.000	
0.54	1890.	0.	349.	1541.	0.21	5	203.	
2743.82	0.0	0.	118.	406.	-0.77	0	2745.20	
6.82	2743.19	0.0	2.98	3.79	1.24	2744.02	2744.30	
0.005863	0.045	0.090	0.045	0.060	0.08	-76.83	330.00	
	2737.00	180.	180.	50.	16.	204.	550.00	28.

\*SECNO .540  
3280 CROSS SECTION 0.54 EXTENDED 2.09 FEET

BROWNING BRANCH		100 YEAR FLOODWA			08/01/81			
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID	
ELEV	CRWS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL

3470 ENCROACHMENT STATIONS=		290.0	550.0	TYPE=	1	TARGET=	260.000	
0.54	1890.	272.	459.	1159.	0.14	2	260.	
2743.89	0.0	167.	96.	500.	-0.06	0	2740.60	
6.89	2743.19	1.62	4.79	2.32	0.00	2744.03	2740.30	
0.002403	0.045	0.090	0.045	0.060	0.01	-0.00	290.00	
	2737.00	1.	1.	1.	66.	194.	550.00	28.

\*SECNO .540

\*\*\* GR CARDS REPEATED  
3280 CROSS SECTION 0.54 EXTENDED 2.17 FEET

3470 ENCROACHMENT STATIONS=		290.0	550.0	TYPE=	1	TARGET=	260.000	
0.54	1890.	273.	451.	1166.	0.13	2	260.	
2743.97	0.0	172.	97.	514.	-0.01	0	2740.60	
6.97	2743.32	1.59	4.64	2.27	0.07	2744.10	2740.30	
0.002213	0.045	0.090	0.045	0.060	0.00	-0.00	290.00	
	2737.00	30.	30.	30.	66.	194.	550.00	29.

\*SECNO .610

3265 DIVIDED FLOW

3301 HV CHANGED MORE THAN HVINS

#03

BROWNING BRANCH		100 YEAR FLOODWA	08/01/81						
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID		
ELEV	CRIMS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV		
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIG/IT		
SLOPE	WTN	XNL	XNCH	XNR	OLSS	CORAR	SSTA		
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST		VOL

3685 20 TRIALS ATTEMPTED WSEL, CWSEL  
 3693 PROBABLE MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSUMED

3470 ENCROACHMENT STATIONS*	40.0	410.0	TYPE=	1	TARGET=	370.000		
0.61	1885.	330.	1061.	495.	0.76	20	318.	
2746.97	2746.97	185.	117.	194.	0.62	10	2744.80	
6.67	2746.48	1.78	9.10	2.55	1.28	2747.73	2746.80	
0.011343	0.045	0.100	0.045	0.100	0.31	-0.00	40.00	
	2740.30	300.	300.	300.	173.	197.	410.00	33.

\*SECNO .610

3265 DIVIDED FLOW

3280 CROSS SECTION 0.61 EXTENDED 3.31 FEET

3470 ENCROACHMENT STATIONS*	40.0	410.0	TYPE=	1	TARGET=	370.000		
0.61	1885.	347.	724.	614.	0.27	3	320.	
2747.81	0.0	319.	115.	307.	-0.49	0	2744.80	
5.81	2747.21	1.72	6.30	2.00	0.30	2748.08	2746.80	
0.005307	0.045	0.100	0.045	0.100	0.05	-0.00	40.00	
	2742.00	40.	40.	40.	173.	197.	410.00	34.

\*SECNO .610

3700. BRIDGE STENCL= 40.00 STENCR= 410.00

3265 DIVIDED FLOW

3280 CROSS SECTION 0.61 EXTENDED 3.49 FEET

3370 NORMAL BRIDGE, NRD\* 6 MIN ELTRD= 2746.50 MAX ELLC= 2746.00

3470 ENCROACHMENT STATIONS*	40.0	410.0	TYPE=	1	TARGET=	370.000		
0.61	1885.	781.	183.	921.	0.11	2	320.	
2747.99	0.0	329.	57.	326.	-0.16	0	2746.70	
5.99	2747.35	2.37	3.23	2.83	0.01	2748.10	2747.00	
0.009949	0.045	0.100	0.045	0.100	0.02	-32.31	40.00	
	2742.00	1.	1.	1.	173.	197.	410.00	34.

\*SECNO .610

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3280 CROSS SECTION 0.61 EXTENDED 3.76 FEET

BROWNING BRANCH		100 YEAR FLOODWA			08/01/81		TOPWID		
MILE	Q	QLOB	QCH	QPOB	HV	ITRIAL	IDC	BANK ELEV	
ELEV	CRINS	ALOB	ACH	AX23	DHV	EG	LEFT/RIGHT		
DEPTH	MSELK	VLOB	VCH	VROB	HL	CORAR	SSTA		
SLOPE	MTN	XNL	XNCH	XNR	QLOSS	WSDR	ENDST		VOL
	ELMIN	XLOBL	XLCH	XLOBR	WSDL				

3370 NORMAL BRIDGE,HRD= 6 MIN ELTRD= 2746,50 MAX ELLC= 2746,00

3470 ENCROACHMENT STATIONS=		40.0	410.0	TYPE=	1	TARGET=	370,000	
0.61	1885.	807.	175.	902.	0.09	2	320.	
2748.26	0.0	374.	61.	364.	-0.02	0	2746.70	
6.26	2747.48	2.16	2.85	2.48	0.25	2748.35	2747.00	
0.007001	0.045	0.100	0.045	0.100	0.00	-32.31	40.00	
	2742.00	30.	30.	30.	173.	197.	410.00	34.

\*SECNO .610

3265 DIVIDED FLOW

3280 CROSS SECTION 0.61 EXTENDED 3.72 FEET

3470 ENCROACHMENT STATIONS=		40.0	410.0	TYPE=	1	TARGET=	370,000	
0.61	1885.	595.	666.	623.	0.18	2	320.	
2748.22	0.0	385.	125.	362.	0.09	0	2744.80	
6.22	2747.44	1.55	5.32	1.72	0.00	2748.40	2746.80	
0.003372	0.045	0.100	0.045	0.100	0.05	-0.00	40.00	
	2742.00	1.	1.	1.	173.	197.	410.00	34.

\*SECNO .610

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3280 CROSS SECTION 0.61 EXTENDED 3.77 FEET

3470 ENCROACHMENT STATIONS=		40.0	410.0	TYPE=	1	TARGET=	370,000	
0.61	1885.	600.	661.	624.	0.18	1	320.	
2748.26	0.0	393.	126.	369.	-0.01	0	2744.80	
6.26	2747.48	1.55	5.23	1.69	0.03	2748.44	2746.80	
0.003216	0.045	0.100	0.045	0.100	0.00	-0.00	40.00	
	2742.00	10.	10.	10.	173.	197.	410.00	34.

\*SECNO .740

3265 DIVIDED FLOW

3301 HV CHANGED MORE THAN HVINS

BROWNING BRANCH		100 YEAR FLOODWA			08/01/81				
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID		
ELEV	CRIMS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV		
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT		
SLOPE	MTN	XML	XNCH	XNROB	GLOSS	CORAR	SSTA		
	ELMIN	XLGBL	XLCH	XLROB	MSDL	MSDR	ENDST	VOL	

3685 20 TRIALS ATTEMPTED WSEL,CWSEL  
 3693 PROBABLE MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSURED

3470 ENCROACHMENT STATIONS=		450.0	670.0	TYPE=	1	TARGET=	220,000		
0.74	1880.	53.	1896.	130.	1.22	20	172.		
2758.29	2758.29	33.	182.	78.	1.04	11	2756.50		
6.99	2759.20	1.63	9.30	1.68	3.74	2759.50	2756.50		
0.020188	0.047	0.120	0.080	0.110	0.52	-0.00	488.39		
	2751.30	570.	570.	570.	55.	146.	670.00	42.	

\*SEENO .740

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3301 HV CHANGED MORE THAN HVINS

3470 ENCROACHMENT STATIONS=		450.0	670.0	TYPE=	1	TARGET=	220,000		
0.74	1880.	144.	1897.	338.	0.44	3	190.		
2759.56	0.0	97.	229.	202.	-0.78	0	2756.50		
8.26	2759.21	1.49	6.09	1.67	0.42	2760.00	2756.50		
0.006380	0.047	0.120	0.080	0.110	0.08	-0.00	450.00		
	2751.30	40.	40.	40.	74.	146.	670.00	43.	

SPECIAL BRIDGE

SB	HK	XKOR	COFG	RDLEN	BWC	BWP	BAREA	SS
	1.25	1.60	3.00	0.0	15.00	0.01	130.00	2.10
	ELCHU	ELCHD						
	2751.50	2751.50						

\*SEENO .740

3700. BRIDGE STENCL= 450.00 STENCR= 670.00

\*\*\* GR CARDS REPEATED

PRESS FLOW BECAUSE EGLWC OF 2760.00 EXCEEDS 1.5 DEPTH

3265 DIVIDED FLOW

BROWNING BRANCH		100 YEAR FLOODWA			08/01/81				
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID		
ELEV	CRIMS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV		



C04

DEPTH SLOPE	NSELK WTH ELMIN	VLOB XNL XLOBL	VCH XNCH XLCH	VROB XNR XLOBR	HL LOSS WSDL	EG CORAR WSDR	LEFT/RIGHT SSTA ENDST	VOL
----------------	-----------------------	----------------------	---------------------	----------------------	--------------------	---------------------	-----------------------------	-----

PRESSURE AND WEIR FLOW

EGPRS 2764.76	EGLWC 2760.00	H3 0.00	QWEIR 1258.	QPR 632.	BAREA 130.	TAREA 131.	ELLC 2756.60
------------------	------------------	------------	----------------	-------------	---------------	---------------	-----------------

ELTRD  
2756.50

3470 ENCROACHMENT STATIONS=	450.0	670.0	TYPE=	1	TARGET=	220.000		
0.74	1880.	159.	1356.	365.	0.38	2	190.	
2759.77	0.0	109.	238.	224.	-0.06	0	2756.50	
8.47	2759.21	1.66	5.70	1.63	0.15	2760.15	2756.50	
0.005343	0.047	0.120	0.060	0.110	0.0	-0.00	450.00	
	2751.30	30.	30.	30.	74.	146.	670.00	43.

\*SECNO .740

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3470 ENCROACHMENT STATIONS=	450.0	670.0	TYPE=	1	TARGET=	220.000		
0.74	1880.	150.	1384.	340.	0.39	2	190.	
2759.81	0.0	111.	239.	227.	0.02	0	2756.50	
8.51	2759.24	1.36	5.80	1.53	0.04	2760.20	2756.50	
0.003811	0.047	0.110	0.050	0.100	0.01	-0.00	450.00	
	2751.30	10.	10.	10.	74.	146.	670.00	43.

\*SECNO .800

3265 DIVIDED FLOW

3280 CROSS SECTION      0.80 EXTENDED      0.93 FEET

3301 HV CHANGED MORE THAN HVINS

3470 ENCROACHMENT STATIONS=	165.0	390.0	TYPE=	1	TARGET=	225.000		
0.80	1875.	267.	1305.	302.	1.03	2	135.	
2761.23	0.0	112.	175.	129.	0.64	0	2758.20	
6.43	2760.44	2.38	9.64	2.34	1.74	2762.26	2758.60	
0.009874	0.047	0.100	0.045	0.100	0.32	-0.00	165.00	
	2754.80	300.	300.	300.	98.	127.	390.00	46.

\*SECNO .800

\*\*\* GR CARDS REPEATED

D04

3265 DIVIDED FLOW

3280 CROSS SECTION 0.80 EXTENDED 1.63 FEET

3470 ENCROACHMENT STATIONS=		165.0	390.0	TYPE=	1	TARGET=	225.000	
0.80	1875.	321.	1212.	342.	0.65	3	135.	
2761.94	0.0	151.	153.	168.	-0.38	0	2758.20	
7.14	2760.87	2.13	7.92	2.04	0.29	2762.59	2758.60	
0.005665	0.047	0.100	0.045	0.100	0.04	-0.00	165.00	
	2754.80	40.	40.	40.	98.	127.	390.00	47.

SPECIAL BRIDGE

SB	HK	XKOR	COFQ	RDLEN	BWC	BWP	BAREA	SS
	1.25	1.60	3.00	0.0	11.00	0.01	55.00	0.50
ELCHU	ELCHD							
2754.80	2754.80							

\*SECO .800  
 3700. BRIDGE STENCL= 165.00 STENCR= 390.00

\*\*\* GR CARDS REPEATED  
 6870 D.S. ENCR.Y OF 2762.59 HIGHER THAN COMPUTED ENERGY OF 2762.39

3265 DIVIDED FLOW

3280 CROSS SECTION 0.80 EXTENDED 2.64 FEET

PRESSURE AND WEIR FLOW

EGPRS	EGLWC	H3	QWEIR	QPR	BAREA	TAREA	ELLC
2790.81	2762.59	0.00	1653.	234.	55.	55.	2759.00
ELTRD							
2759.00							

3470 ENCROACHMENT STATIONS=		165.0	390.0	TYPE=	1	TARGET=	225.000	
0.80	1875.	321.	1212.	342.	0.65	3	135.	
2761.94	0.0	151.	153.	168.	-0.00	0	2758.20	
7.14	2761.06	2.12	7.91	2.03	0.0	2762.59	2758.60	
0.005643	0.047	0.100	0.045	0.100	0.0	-0.00	165.00	
	2754.80	30.	30.	30.	98.	127.	390.00	47.

\*SECO .800

3265 DIVIDED FLOW

3280 CROSS SECTION 0.80 EXTENDED 1.68 FEET

ROWING BRANCH	100 YEAR FLOODWA	08/01/81	
MILE	QCH	HV	ITRIAL
Q	QOB		OPWID

E04

ELEV	CRWS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTN	XML	XNCH	XNR	OLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLGBR	WSDL	WSDR	ENDST	VOL

7185 MINIMUM SPECIFIC ENERGY  
3720 CRITICAL DEPTH ASSUMED

3470 ENCROACHMENT STATIONS=	165.0	390.0	TYPE=	1	TARGET=	225.000		
0.80	1875.	228.	1209.	437.	1.10	2	165.	
2761.98	2761.98	98.	117.	181.	0.44	10	2759.20	
6.18	2761.25	2.33	10.31	2.41	0.23	2763.07	2756.50	
0.010849	0.047	0.100	0.045	0.100	0.22	-0.00	165.00	
	2755.80	30.	30.	30.	98.	129.	390.00	47.

\*SECNO .980

BROWNING BRANCH

100 YEAR FLOODWA 08/01/81

MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID	
ELEV	CRWS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTN	XML	XNCH	XNR	OLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLGBR	WSDL	WSDR	ENDST	VOL

7185 MINIMUM SPECIFIC ENERGY  
3720 CRITICAL DEPTH ASSUMED

3470 ENCROACHMENT STATIONS=	150.0	370.0	TYPE=	1	TARGET=	220.000		
0.98	1865.	214.	1155.	496.	0.89	4	220.	
2775.18	2775.18	124.	123.	151.	-0.20	8	2773.40	
6.68	2774.83	1.73	9.36	3.27	9.23	2776.08	2773.50	
0.009707	0.046	0.100	0.040	0.100	0.02	-0.00	150.00	
	2768.50	900.	900.	900.	110.	110.	370.00	56.

\*SECNO .980

\*\*\* GP. CARDS REPEATED

3301 HV CHANGED MORE THAN HVINS

3470 ENCROACHMENT STATIONS=	150.0	370.0	TYPE=	1	TARGET=	220.000		
0.98	1865.	296.	959.	610.	0.51	3	220.	
2775.97	0.0	199.	145.	227.	-0.50	0	2773.40	
7.47	2775.35	1.49	6.60	2.69	0.23	2776.36	2773.50	
0.003683	0.046	0.100	0.040	0.060	0.05	-0.00	150.00	
	2768.50	40.	40.	40.	110.	110.	370.00	56.

\*SECNO .980

3700. BRIDGE STENCL= 150.00 STENCR= 370.00

3370 NORMAL BRIDGE,MRD= 11 MIN ELTRD= 2774.20 MAX ELLC= 2774.40

3470 ENCROACHMENT STATIONS=	150.0	370.0	TYPE=	1	TARGET=	220.000	
0.98	1865.	588.	353.	924.	0.38	0	220.
2775.98	0.0	180.	57.	173.	-0.01	0	2774.80
7.48	2775.45	3.27	6.21	5.33	0.01	2776.37	2774.70

F04

0.022727	0.046	0.100	0.040	0.060	0.00	-43.76	150.00	
	2768.50	1.	1.	1.	112.	108.	370.00	56.

\*SECNO .980

\*\*\* GR CARDS REPEATED

3370 NORMAL BRIDGE, NRD= 11 MIN ELTRD= 2774.20 MAX ELLC= 2774.40

3470 ENCROACHMENT STATIONS=	150.0	370.0	TYPE=	1	TARGET=	220.000		
0.98	1865.	608.	288.	970.	0.22	2	220.	
2776.58	0.0	243.	66.	235.	-0.17	0	2774.80	
8.08	2775.64	2.50	4.37	4.13	0.41	2776.80	2774.70	
0.009226	0.046	0.100	0.040	0.060	0.02	-43.76	150.00	
	2768.50	30.	30.	30.	112.	108.	370.00	56.

\*SECNO .980

3280 CROSS SECTION 0.98 EXTENDED 0.44 FEET

BROWNING BRANCH		100 YEAR FLOODWA			03/01/81			
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID	
ELFV	CRWS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL

3470 ENCROACHMENT STATIONS=	150.0	370.0	TYPE=	1	TARGET=	220.000		
0.98	1865.	257.	891.	717.	0.26	2	220.	
5.64	0.0	210.	162.	291.	0.05	0	2773.40	
8.14	2775.64	1.22	5.50	2.46	0.08	2776.90	2773.50	
0.002338	0.046	0.100	0.040	0.060	0.02	-0.00	150.00	
	2768.50	20.	20.	20.	110.	110.	370.00	57.

\*SECNO .980

3470 ENCROACHMENT STATIONS=	150.0	370.0	TYPE=	1	TARGET=	220.000		
0.98	1865.	415.	961.	489.	0.45	2	220.	
2776.61	0.0	221.	135.	174.	0.19	0	2773.20	
5.41	2775.84	1.88	7.14	2.81	0.07	2777.07	2774.90	
0.005381	0.046	0.100	0.040	0.060	0.09	-0.00	150.00	
	2771.20	20.	20.	20.	116.	104.	370.00	57.

\*SECNO 1.190

3265 DIVIDED FLOW

BROWNING BRANCH		100 YEAR FLOODWA			08/01/81			
MILE	Q	QLOB	QCH	QROB	HV	ITRIAL	TOPWID	
ELEV	CRWS	ALOB	ACH	AROB	DHV	IDC	BANK ELEV	
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	LEFT/RIGHT	
SLOPE	WTN	XNL	XNCH	XNR	OLOSS	CORAR	SSTA	
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR	ENDST	VOL

3685 20 TRIALS ATTEMPTED W/E, CWSEL  
 3693 PROBABLE MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSUMED

3470 ENCROACHMENT STATIONS=	330.0	640.0	TYPE=	1	TARGET=	310.000		
1.19	1300.	334.	928.	38.	0.82	20	180.	
2792.65	2792.65	152.	109.	21.	0.37	9	2791.70	
6.65	2792.02	2.20	8.51	1.81	7.49	2793.48	2791.60	
0.010123	0.045	0.085	0.045	0.085	0.18	0.0	330.00	
	2786.00	1100.	1100.	1100.	191.	29.	550.00	67.

\*SECNO 1.190

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

3470 ENCROACHMENT STATIONS=	330.0	640.0	TYPE=	1	TARGET=	310.000		
1.19	1300.	478.	763.	59.	0.37	3	180.	
2793.41	0.0	259.	124.	35.	-0.46	0	2791.70	
7.41	2792.52	1.85	6.14	1.65	0.26	2793.78	2791.60	
0.004437	0.045	0.085	0.045	0.085	0.05	-0.00	330.00	
	2786.00	40.	40.	40.	191.	29.	550.00	68.

SPECIAL BRIDGE

SB	HK	XKOR	COFQ	RDLEN	BWC	BLP	BAREA	SS
	1.25	1.60	3.00	0.0	6.00	0.01	27.00	0.0
	ELCHU	ELCHD						
	2787.30	2787.30						

\*SECNO 1.190

3700. BRIDGE STENCL= 330.00 STENCR= 640.00

6870 D.S. ENERGY OF 2793.78 HIGHER THAN COMPUTED ENERGY OF 2793.63

3265 DIVIDED FLOW

PRESSURE AND WEIR FLOW

EGPRS	EGLWC	H3	QWEIR	QPR	BAREA	TAREA	ELLC
2851.01	2793.78	0.00	1231.	79.	27.	27.	2791.80
ELTRD							
2791.80							

3470 ENCROACHMENT STATIONS=	330.0	640.0	TYPE=	1	TARGET=	310.000		
1.19	1300.	409.	582.	308.	0.16	0	270.	
2793.62	0.0	289.	129.	228.	-0.21	0	2791.70	
7.62	2792.50	1.42	4.53	1.36	0.0	2793.78	2791.60	
0.002308	0.045	0.085	0.045	0.085	0.0	-0.00	330.00	
	2786.00	30.	30.	30.	191.	119.	640.00	68.

\*SECNO 1.190

\*\*\* GR CARDS REPEATED

3265 DIVIDED FLOW

BROWNING BRANCH		100 YEAR FLOODWA			08/01/81		TOPWID		
MILE	Q	QLOB	QCH	QROB	HV	ITP/AL	BANK ELEV		
ELEV	CRWS	ALOB	ACH	AROB	DHV	IDC	LEFT/RIGHT		
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	SSTA		
SLOPE	WTN	XML	XNCH	XNR	OLOSS	CORAR	ENDST		VOL
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR			
3470 ENCROACHMENT STATIONS=		330.0	640.0	TYPE=	1	TARGET=	310.000		
1.19	1300.	412.	578.	311.	0.15	0	270.		
2793.65	0.0	293.	129.	231.	-0.00	0	2791.70		
7.65	2792.59	1.41	4.48	1.35	0.02	2793.80	2791.60		
0.002240	0.043	0.085	0.045	0.085	0.00	-0.00	330.00		
	2786.00	10.	10.	10.	191.	119.	640.00		68.

\*SECNO 1.300

3301 HV CHANGED MORE THAN HVINS

BROWNING BRANCH		100 YEAR FLOODWA			08/01/81		TOPWID		
MILE	Q	QLOB	QCH	QROB	HV	ITP/AL	BANK ELEV		
ELEV	CRWS	ALOB	ACH	AROB	DHV	IDC	LEFT/RIGHT		
DEPTH	WSELK	VLOB	VCH	VROB	HL	EG	SSTA		
SLOPE	WTN	XML	XNCH	XNR	OLOSS	CORAR	ENDST		VOL
	ELMIN	XLOBL	XLCH	XLOBR	WSDL	WSDR			

3685 20 TRIALS ATTEMPTED WSEL, CWSEL  
 3693 PROBABLE MINIMUM SPECIFIC ENERGY  
 3720 CRITICAL DEPTH ASSUMED

3470 ENCROACHMENT STATIONS=		260.0	350.0	TYPE=	1	TARGET=	90.000		
1.30	1300.	133.	802.	365.	1.25	20	90.		
2801.48	2801.48	57.	72.	99.	1.09	20	2800.20		
5.18	2800.98	2.31	11.08	3.71	2.26	2802.72	2799.00		
0.015617	0.045	0.100	0.040	0.100	0.55	-0.00	260.00		
	2796.30	480.	480.	480.	49.	41.	350.00		73.

\*SECNO 1.300

\*\*\* GR CARDS REPEATED

3301 HV CHANGED MORE THAN HVINS

3470 ENCROACHMENT STATIONS=		260.0	350.0	TYPE=	1	TARGET=	90.000		
1.30	1300.	205.	731.	364.	0.60	3	90.		
2802.55	0.0	100.	92.	133.	-0.65	0	2800.20		
6.25	2801.66	2.05	7.97	2.74	0.36	2803.15	2799.00		
0.005892	0.045	0.100	0.040	0.100	0.06	-0.00	260.00		
	2796.30	40.	40.	40.	49.	41.	350.00		73.

SPECIAL BRIDGE

SB	HK	XKOR	COFQ	RDLEN	BWC	BWP	BAREA	SS
	1.25	1.60	3.00	0.0	5.00	0.01	38.00	1.20
	ELCHU	ELCHD						
	2796.30	2796.30						

\*SECNO 1.300  
3700. BRIDGE STENCL= 260.00 STENCR= 350.00

\*\*\* GR CARDS REPEATED  
PRESSURE AND WEIR FLOW

EGPRS	EGLWC	H3	QWEIR	QPR	BAREA	TAREA	ELLC
2831.63	2803.15	0.00	1030.	278.	38.	39.	2799.70
ELTRD							
2801.00							

3470 ENCROACHMENT STATIONS=	260.0	350.0	TYPE=	1	TARGET=	90.000		
1.30	1300.	249.	690.	361.	0.36	2	90.	
2803.52	0.0	139.	109.	164.	-0.24	0	2800.20	
7.22	2802.63	1.79	6.32	2.20	0.73	2803.88	2799.00	
0.002928	0.045	0.100	0.040	0.100	0.0	-0.00	260.00	
	2796.30	30.	30.	30.	49.	49.	350.00	73.

\*SECNO 1.300

\*\*\* GR CARDS REPEATED

3470 ENCROACHMENT STATIONS=	260.0	350.0	TYPE=	1	TARGET=	90.000		
1.30	1300.	251.	689.	360.	0.35	0	90.	
2803.56	0.0	141.	110.	165.	-0.01	0	2800.20	
7.26	2802.64	1.78	6.26	2.18	0.03	2803.91	2799.00	
0.002853	0.045	0.100	0.040	0.100	0.00	-0.00	260.00	
	2796.30	10.	10.	10.	49.	41.	350.00	73.

\*\*\*\*\*  
 HEC2 RELEASE DATED NOV 76 UPDATED JULY1979  
 ERROR CORR - 01,02,03  
 MODIFICATION - 50,51,52,53,54  
 \*\*\*\*\*

NOTE- ASTERISK (\*) AT LEFT OF CROSS-SECTION NUMBER  
 INDICATES MESSAGE IN SUMMARY OF ERRORS LIST/

IHO219I FIOCS - MISSING DD CARD OR DCB ERROR FOR ASCII TAPE FOR FT51F001

TRACEBACK ROUTINE CALLED FROM ISN	REG. 14	REG. 15	REG. 0	REG. 1
IBCOM	000E2F88	000F9AF1	00000000	00068E1C
SUMPO	420C607C	000E2050	0000000C	00000000
MAIN	0002C698	000C5810	0089D2D0	000C4FF8

ENTRY POINT= 000C5810

STANDARD FIXUP TAKEN , EXECUTION CONTINUING

\*\*\*\*\*  
 BROWNING BRANCH

SUMMARY PRINTOUT TABLE 110

SECNO	CWSEL	DIFKWS	EG	TOPWID	PERENC	STENCL	STENCR	STCHL	STCHR	QLOB	QCH	QROB
0.050	2705.94	0.0	2706.40	319.	0.	0.	0.	260.	280.	292.	965.	643.
0.050	2706.72	0.78	2707.37	130.	130.	230.	360.	260.	280.	318.	1161.	422.
* 0.140	2710.98	0.0	2711.62	266.	0.	0.	0.	318.	330.	556.	549.	795.
* 0.140	2711.44	0.46	2712.59	110.	110.	290.	400.	318.	330.	465.	712.	723.
0.180	2714.18	0.0	2714.58	331.	0.	0.	0.	300.	321.	194.	688.	1018.
0.180	2715.03	0.86	2715.60	170.	170.	230.	400.	300.	321.	397.	877.	627.
* 0.210	2717.84	0.0	2718.60	365.	0.	0.	0.	300.	320.	372.	1079.	549.
* 0.210	2717.78	-0.06	2718.85	170.	170.	230.	400.	300.	320.	249.	1198.	453.
0.210	2718.57	0.0	2718.85	493.	0.	0.	0.	300.	320.	498.	822.	580.
0.210	2718.70	0.13	2719.17	170.	170.	230.	400.	300.	320.	338.	984.	579.
0.210	2718.69	0.0	2718.86	512.	0.	0.	0.	300.	320.	782.	564.	554.
* 0.210	2718.70	0.02	2719.50	170.	170.	230.	400.	300.	320.	436.	1006.	458.
0.210	2718.96	0.0	2719.07	517.	0.	0.	0.	300.	320.	779.	463.	657.
0.210	2719.69	0.72	2719.97	170.	170.	230.	400.	300.	320.	542.	698.	660.
0.210	2718.94	0.0	2719.11	517.	0.	0.	0.	300.	320.	537.	714.	649.
0.210	2719.75	0.81	2719.98	170.	170.	230.	400.	300.	320.	403.	834.	663.



K04

0.210	2718.96	0.0	2719.13	517.	0.	0.	0.	300.	320.	539.	707.	654.
0.210	2719.77	0.81	2720.00	170.	170.	230.	400.	300.	320.	404.	832.	864.
0.250	2721.50	0.0	2722.38	396.	0.	0.	0.	300.	320.	385.	1160.	355.
0.250	2721.58	0.08	2722.69	170.	170.	230.	400.	300.	320.	266.	1265.	368.
0.250	2722.38	0.0	2722.68	516.	0.	0.	0.	300.	320.	531.	873.	496.
0.250	2722.53	0.14	2723.07	170.	170.	230.	400.	300.	320.	352.	1085.	462.
0.250	2722.61	0.0	2722.70	309.	0.	0.	0.	220.	329.	103.	1303.	491.
0.250	2723.00	0.39	2723.12	170.	170.	200.	370.	220.	329.	34.	1541.	325.
0.250	2722.78	0.0	2722.86	317.	0.	0.	0.	220.	329.	110.	1293.	497.
0.250	2723.17	0.40	2723.28	170.	170.	200.	370.	220.	329.	39.	1533.	328.

## L04

SECNO	CWSEL	DIFKWS	EG	TOPWID	PERENC	STENCL	STENCR	STCHL	STCHR	QLOB	QCH	QROB
0.250	2722.92	0.0	2722.97	350.	0.	0.	0.	220.	329.	216.	1468.	217.
0.250	2723.23	0.41	2723.29	170.	170.	200.	370.	220.	329.	56.	1690.	154.
0.260	2722.81	0.0	2722.91	255.	0.	0.	0.	305.	345.	658.	866.	376.
0.260	2723.19	0.39	2723.36	170.	170.	180.	350.	305.	345.	790.	1080.	30.
* 0.300	2723.27	0.0	2724.03	216.	0.	0.	0.	240.	273.	855.	803.	243.
* 0.300	2724.05	0.78	2725.25	106.	150.	200.	350.	240.	273.	530.	1141.	229.
0.340	2726.39	0.0	2726.64	348.	0.	0.	0.	240.	273.	650.	624.	627.
0.340	2727.35	0.96	2727.72	149.	150.	200.	350.	240.	273.	393.	872.	634.
* 0.430	2735.46	0.0	2736.27	352.	0.	0.	0.	380.	400.	541.	993.	361.
* 0.430	2735.88	0.43	2736.82	200.	200.	300.	500.	380.	400.	344.	1102.	449.
0.460	2736.81	0.0	2736.87	643.	0.	0.	0.	380.	400.	1201.	390.	299.
0.460	2737.47	0.66	2737.61	300.	300.	200.	500.	380.	400.	818.	590.	482.
* 0.480	2737.82	0.0	2738.25	700.	0.	0.	0.	301.	317.	480.	600.	810.
* 0.480	2738.38	0.55	2739.06	260.	260.	150.	410.	301.	317.	676.	762.	452.
0.480	2738.41	0.0	2738.51	700.	0.	0.	0.	301.	317.	474.	390.	1027.
0.480	2739.13	0.73	2739.41	260.	260.	150.	410.	301.	317.	748.	598.	544.
0.480	2738.46	0.0	2738.52	700.	0.	0.	0.	301.	317.	491.	178.	1221.
0.480	2739.20	0.75	2739.42	260.	260.	150.	410.	301.	317.	969.	378.	543.
0.480	2738.62	0.0	2738.67	700.	0.	0.	0.	301.	317.	483.	162.	1245.
0.480	2739.59	0.97	2739.74	260.	260.	150.	410.	301.	317.	968.	335.	587.
0.480	2738.61	0.0	2738.68	700.	0.	0.	0.	301.	317.	470.	347.	1073.
0.480	2739.58	0.97	2739.76	260.	260.	150.	410.	301.	317.	773.	540.	578.
0.480	2738.63	0.0	2738.70	700.	0.	0.	0.	301.	317.	470.	342.	1078.
0.480	2739.62	0.98	2739.79	260.	260.	150.	410.	301.	317.	775.	534.	581.
* 0.510	2740.97	0.0	2741.58	292.	0.	0.	0.	347.	363.	128.	610.	1152.
* 0.510	2740.98	0.02	2741.68	251.	260.	290.	550.	347.	363.	136.	639.	1115.
0.510	2741.73	0.0	2741.93	304.	0.	0.	0.	347.	363.	150.	434.	1297.
0.510	2741.83	0.10	2742.06	252.	260.	290.	550.	347.	363.	176.	460.	1254.
* 0.510	2741.52	0.0	2742.28	171.	0.	0.	0.	330.	362.	0.	933.	957.
* 0.510	2741.73	0.21	2742.70	130.	260.	290.	550.	330.	362.	0.	1033.	857.
0.540	2743.19	0.0	2743.36	237.	0.	0.	0.	330.	362.	0.	328.	1562.
0.540	2743.82	0.63	2744.02	203.	260.	290.	550.	330.	362.	0.	349.	1541.
0.540	2743.19	0.0	2743.37	321.	0.	0.	0.	347.	364.	233.	454.	1203.
0.540	2743.89	0.70	2744.03	260.	260.	290.	550.	347.	364.	272.	459.	1159.
0.540	2743.32	0.0	2743.47	321.	0.	0.	0.	347.	364.	235.	436.	1219.
0.540	2743.97	0.65	2744.10	260.	260.	290.	550.	347.	364.	273.	451.	1166.
* 0.610	2746.48	0.0	2747.06	421.	0.	0.	0.	200.	225.	146.	893.	846.
* 0.610	2746.97	0.50	2747.73	318.	370.	40.	410.	200.	225.	330.	1061.	495.

SECNO	CNSEL	DIFKUS	EG	TOPMID	PERENC	STENCL	STENCR	STCHL	STCHR	ALOB	QCH	QR08
0.610	2747.21	0.0	2747.39	468.	0.	0.	410.	200.	225.	347.	561.	976.
0.610	2747.81	0.60	2748.08	320.	370.	40.	0.	200.	225.	547.	724.	614.
0.610	2747.35	0.0	2747.41	528.	0.	0.	410.	204.	221.	339.	131.	1415.
0.610	2747.99	0.64	2748.10	320.	370.	40.	0.	204.	221.	781.	183.	921.
0.610	2747.48	0.0	2747.53	528.	0.	0.	410.	204.	221.	363.	119.	1403.
0.610	2748.26	0.78	2748.35	320.	370.	40.	0.	204.	221.	807.	175.	902.
0.610	2747.44	0.0	2747.58	468.	0.	0.	410.	200.	225.	385.	528.	972.
0.610	2748.22	0.78	2748.40	320.	370.	40.	0.	200.	225.	595.	666.	623.
0.610	2747.48	0.0	2747.62	468.	0.	0.	410.	200.	225.	390.	523.	971.
0.610	2748.26	0.78	2748.44	320.	370.	40.	0.	200.	225.	600.	661.	624.
* 0.740	2758.20	0.0	2759.05	349.	0.	0.	670.	505.	542.	42.	1480.	357.
* 0.740	2758.29	0.08	2759.50	172.	220.	450.	0.	505.	542.	53.	1696.	130.
0.740	2759.21	0.0	2759.40	846.	0.	0.	670.	505.	542.	237.	1010.	633.
0.740	2759.36	0.35	2760.00	190.	220.	450.	0.	505.	542.	144.	1397.	338.
0.740	2759.21	0.0	2759.40	847.	0.	0.	670.	505.	542.	238.	1008.	634.
0.740	2759.77	0.56	2760.15	190.	220.	450.	0.	505.	542.	159.	1356.	365.
0.740	2759.24	0.0	2759.44	854.	0.	0.	670.	505.	542.	234.	1036.	610.
0.740	2759.81	0.57	2760.20	190.	220.	450.	0.	505.	542.	150.	1384.	346.
0.800	2760.44	0.0	2760.87	415.	0.	0.	390.	250.	275.	419.	872.	584.
0.800	2761.23	0.79	2762.26	135.	225.	165.	0.	250.	275.	267.	1305.	302.
0.800	2760.87	0.0	2761.11	415.	0.	0.	390.	250.	275.	489.	754.	632.
0.800	2761.94	1.07	2762.59	135.	225.	165.	0.	250.	275.	321.	1212.	342.
0.800	2761.06	0.0	2761.26	415.	0.	0.	390.	250.	275.	513.	714.	647.
0.800	2761.94	0.88	2762.59	135.	225.	165.	0.	250.	275.	321.	1212.	342.
* 0.800	2761.25	0.0	2761.84	445.	0.	0.	390.	250.	272.	372.	864.	619.
* 0.800	2761.98	0.72	2763.07	165.	225.	165.	0.	250.	272.	228.	1209.	437.
* 0.980	2774.83	0.0	2775.32	577.	0.	0.	370.	246.	274.	459.	893.	513.
* 0.980	2775.18	0.35	2776.08	220.	220.	150.	0.	246.	274.	214.	1155.	496.
0.980	2775.35	0.0	2775.53	604.	0.	0.	370.	246.	274.	503.	676.	686.
0.980	2775.97	0.62	2776.36	220.	220.	150.	0.	246.	274.	296.	959.	610.
0.980	2775.45	0.0	2775.54	610.	0.	0.	370.	254.	269.	764.	202.	898.
0.980	2775.98	0.53	2776.37	220.	220.	150.	0.	254.	269.	588.	353.	924.
0.980	2775.64	0.0	2775.70	620.	0.	0.	370.	254.	269.	763.	137.	965.
0.980	2776.58	0.94	2776.80	220.	220.	150.	0.	254.	269.	608.	288.	970.
0.980	2775.64	0.0	2775.85	620.	0.	0.	370.	246.	274.	169.	734.	962.
0.980	2776.64	1.00	2776.90	220.	220.	150.	0.	246.	274.	257.	891.	717.
* 0.980	2775.84	0.0	2776.32	567.	0.	0.	370.	250.	281.	415.	866.	584.
0.980	2776.61	0.77	2777.07	220.	220.	150.	0.	250.	281.	415.	961.	489.

A05

SECNO	CWSEL	DIFKWS	EG	TOPWID	PERENC	STENCL	STENCR	STCHL	STCHR	QLOB	GCH	QRCB
* 1.190	2792.02	0.0	2792.44	562.	0.	0.	0.	511.	531.	581.	678.	41.
* 1.190	2792.63	0.63	2793.48	180.	310.	330.	640.	511.	531.	534.	928.	38.
1.190	2792.52	0.0	2792.65	671.	0.	0.	0.	511.	531.	715.	485.	100.
1.190	2793.41	0.89	2793.78	180.	310.	330.	640.	511.	531.	478.	783.	59.
1.190	2792.56	0.0	2792.66	762.	0.	0.	0.	511.	531.	676.	445.	179.
1.190	2793.82	1.06	2793.78	270.	310.	330.	640.	511.	531.	409.	582.	308.
1.190	2792.59	0.0	2792.69	762.	0.	0.	0.	511.	531.	679.	438.	183.
1.190	2793.83	1.06	2793.80	270.	310.	330.	640.	511.	531.	412.	578.	311.
* 1.300	2800.98	0.0	2801.55	441.	0.	0.	0.	300.	318.	207.	563.	530.
* 1.300	2801.48	0.50	2802.72	90.	90.	260.	350.	300.	318.	133.	802.	383.
1.300	2801.66	0.0	2801.82	475.	0.	0.	0.	300.	318.	377.	411.	512.
1.300	2802.55	0.89	2803.15	90.	90.	260.	350.	300.	318.	205.	731.	364.
1.300	2802.63	0.0	2802.68	550.	0.	0.	0.	300.	318.	490.	300.	510.
1.300	2803.32	0.89	2803.88	90.	90.	260.	350.	300.	318.	249.	690.	381.
1.300	2802.64	0.0	2802.69	550.	0.	0.	0.	300.	318.	491.	299.	510.
1.300	2803.36	0.92	2803.91	90.	90.	260.	350.	300.	318.	251.	689.	380.

SUMMARY OF ERRORS

CAUTION SECNO= 0.140 PROFILE= 1 CRITICAL DEPTH ASSUMED  
 CAUTION SECNO= 0.140 PROFILE= 2 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 0.210 PROFILE= 1 CRITICAL DEPTH ASSUMED  
 CAUTION SECNO= 0.210 PROFILE= 1

PROBABLE MINIMUM SPECIFIC ENERGY  
 CAUTION SECNO= 0.210 PROFILE= 1  
 20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 0.210 PROFILE= 2 CRITICAL DEPTH ASSUMED  
 CAUTION SECNO= 0.210 PROFILE= 2

PROBABLE MINIMUM SPECIFIC ENERGY  
 CAUTION SECNO= 0.210 PROFILE= 2  
 20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 0.210 PROFILE= 2 CRITICAL DEPTH ASSUMED  
 CAUTION SECNO= 0.210 PROFILE= 2

PROBABLE MINIMUM SPECIFIC ENERGY  
 CAUTION SECNO= 0.210 PROFILE= 2  
 20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 0.250 PROFILE= 1 CRITICAL DEPTH ASSUMED  
 CAUTION SECNO= 0.250 PROFILE= 1

PROBABLE MINIMUM SPECIFIC ENERGY  
 CAUTION SECNO= 0.250 PROFILE= 1  
 20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 0.250 PROFILE= 2 CRITICAL DEPTH ASSUMED  
 CAUTION SECNO= 0.250 PROFILE= 2

PROBABLE MINIMUM SPECIFIC ENERGY

CAUTION SECNO= 0.250 PROFILE= 2  
20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 0.300 PROFILE= 1 CRITICAL DEPTH ASSUMED  
CAUTION SECNO= 0.300 PROFILE= 2 CRITICAL DEPTH ASSUMED  
CAUTION SECNO= 0.300 PROFILE= 2  
PROBABLE MINIMUM SPECIFIC ENERGY

CAUTION SECNO= 0.300 PROFILE= 2  
20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 0.430 PROFILE= 1 CRITICAL DEPTH ASSUMED  
CAUTION SECNO= 0.430 PROFILE= 1  
PROBABLE MINIMUM SPECIFIC ENERGY

CAUTION SECNO= 0.430 PROFILE= 1  
20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 0.430 PROFILE= 2 CRITICAL DEPTH ASSUMED  
CAUTION SECNO= 0.430 PROFILE= 2  
PROBABLE MINIMUM SPECIFIC ENERGY  
CAUTION SECNO= 0.430 PROFILE= 2  
20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 0.480 PROFILE= 1 CRITICAL DEPTH ASSUMED  
CAUTION SECNO= 0.480 PROFILE= 1  
PROBABLE MINIMUM SPECIFIC ENERGY

CAUTION SECNO= 0.480 PROFILE= 1  
20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 0.480 PROFILE= 2 CRITICAL DEPTH ASSUMED  
CAUTION SECNO= 0.480 PROFILE= 2  
PROBABLE MINIMUM SPECIFIC ENERGY  
CAUTION SECNO= 0.480 PROFILE= 2  
20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 0.510 PROFILE= 1 CRITICAL DEPTH ASSUMED  
CAUTION SECNO= 0.510 PROFILE= 1  
PROBABLE MINIMUM SPECIFIC ENERGY

CAUTION SECNO= 0.510 PROFILE= 1  
20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 0.510 PROFILE= 2 CRITICAL DEPTH ASSUMED  
CAUTION SECNO= 0.510 PROFILE= 2  
PROBABLE MINIMUM SPECIFIC ENERGY  
CAUTION SECNO= 0.510 PROFILE= 2  
20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 0.510 PROFILE= 1 CRITICAL DEPTH ASSUMED  
CAUTION SECNO= 0.510 PROFILE= 2 CRITICAL DEPTH ASSUMED  
CAUTION SECNO= 0.510 PROFILE= 2

PROBABLE MINIMUM SPECIFIC ENERGY  
CAUTION SECNO= 0.510 PROFILE= 2  
20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 0.610 PROFILE= 1 CRITICAL DEPTH ASSUMED  
CAUTION SECNO= 0.610 PROFILE= 1  
PROBABLE MINIMUM SPECIFIC ENERGY

CAUTION SECNO= 0.610 PROFILE= 1  
20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 0.610 PROFILE= 2 CRITICAL DEPTH ASSUMED  
CAUTION SECNO= 0.610 PROFILE= 2  
PROBABLE MINIMUM SPECIFIC ENERGY  
CAUTION SECNO= 0.610 PROFILE= 2  
20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 0.740 PROFILE= 1 CRITICAL DEPTH ASSUMED  
CAUTION SECNO= 0.740 PROFILE= 1  
PROBABLE MINIMUM SPECIFIC ENERGY

CAUTION SECNO= 0.740 PROFILE= 1  
20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 0.740 PROFILE= 2 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 0.740 PROFILE= 2  
PROBABLE MINIMUM SPECIFIC ENERGY

CAUTION SECNO= 0.740 PROFILE= 2  
20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 0.800 PROFILE= 1 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 0.800 PROFILE= 1  
PROBABLE MINIMUM SPECIFIC ENERGY

CAUTION SECNO= 0.800 PROFILE= 1  
20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 0.800 PROFILE= 2 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 0.980 PROFILE= 1 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 0.980 PROFILE= 2 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 0.980 PROFILE= 1 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 0.980 PROFILE= 1  
PROBABLE MINIMUM SPECIFIC ENERGY

CAUTION SECNO= 0.980 PROFILE= 1  
20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 1.190 PROFILE= 1 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 1.190 PROFILE= 2 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 1.190 PROFILE= 2  
PROBABLE MINIMUM SPECIFIC ENERGY

CAUTION SECNO= 1.190 PROFILE= 2  
20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 1.300 PROFILE= 1 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 1.300 PROFILE= 1  
PROBABLE MINIMUM SPECIFIC ENERGY

CAUTION SECNO= 1.300 PROFILE= 1  
20 TRIALS ATTEMPTED TO BALANCE WSEL

CAUTION SECNO= 1.300 PROFILE= 2 CRITICAL DEPTH ASSUMED

CAUTION SECNO= 1.300 PROFILE= 2  
PROBABLE MINIMUM SPECIFIC ENERGY

CAUTION SECNO= 1.300 PROFILE= 2  
20 TRIALS ATTEMPTED TO BALANCE WSEL

FLOODWAY DATA BROWNING BRANCH  
 PROFILE NO. 2

STATION	WIDTH (FT)	FLOODWAY SECTION AREA	MEAN VELOCITY	WATER SURFACE ELEVATION		
				WITH FLOODWAY	WITHOUT FLOODWAY	DIFFERENCE
0.050	170.	425.	4.5	2706.7	2705.9	0.8
0.140	170.	281.	6.8	2711.4	2711.0	0.4
0.180	170.	451.	4.2	2715.0	2714.2	0.8
0.210	170.	364.	5.2	2717.8	2717.8	0.0
0.210	170.	520.	3.7	2718.7	2718.6	0.1
0.210	170.	308.	6.2	2718.7	2718.7	0.0
0.210	170.	476.	4.0	2719.7	2719.0	0.7
0.210	170.	699.	2.7	2719.7	2718.9	0.8
0.210	170.	703.	2.7	2719.8	2719.0	0.8
0.250	170.	415.	4.6	2721.6	2721.5	0.1
0.250	170.	576.	3.3	2722.5	2722.4	0.1
0.250	170.	712.	2.7	2723.0	2722.6	0.4
0.250	170.	741.	2.6	2723.2	2722.8	0.4
0.250	170.	1162.	1.6	2723.2	2722.8	0.4
0.260	170.	799.	2.4	2723.2	2722.8	0.4
0.300	150.	261.	7.3	2724.0	2723.3	0.7
0.340	150.	481.	3.9	2727.4	2726.4	1.0
0.430	200.	468.	4.1	2735.9	2735.5	0.4
0.460	300.	951.	2.0	2737.5	2736.8	0.7
0.480	260.	489.	3.9	2738.4	2737.8	0.6
0.480	260.	687.	2.8	2739.1	2738.4	0.7
0.480	260.	551.	3.4	2739.2	2738.5	0.7
0.480	260.	651.	2.9	2739.6	2738.6	1.0
0.480	260.	802.	2.4	2739.6	2738.6	1.0
0.480	260.	814.	2.3	2739.6	2738.6	1.0
0.510	260.	388.	4.9	2741.0	2741.0	0.0
0.510	260.	601.	3.1	2741.8	2741.7	0.1
0.510	260.	246.	7.7	2741.7	2741.5	0.2
0.540	260.	524.	3.6	2743.8	2743.2	0.6
0.540	260.	763.	2.5	2743.9	2743.2	0.7
0.540	260.	784.	2.4	2744.0	2743.3	0.7
0.610	370.	496.	3.8	2747.0	2746.5	0.5
0.610	370.	740.	2.5	2747.8	2747.2	0.6
0.610	370.	712.	2.6	2748.0	2747.3	0.7
0.610	370.	799.	2.4	2748.3	2747.5	0.8
0.610	370.	873.	2.2	2748.2	2747.4	0.8
0.610	370.	888.	2.1	2748.3	2747.5	0.8
0.740	220.	293.	6.4	2758.3	2758.2	0.1
0.740	220.	529.	3.6	2759.6	2759.2	0.4
0.740	220.	571.	3.3	2759.8	2759.2	0.6
0.740	220.	576.	3.3	2759.8	2759.2	0.6
0.800	225.	377.	5.0	2761.2	2760.4	0.8
0.800	225.	472.	4.0	2761.9	2760.9	1.0
0.800	225.	473.	4.0	2761.9	2761.1	0.8
0.800	225.	397.	4.7	2762.0	2761.3	0.7
0.980	220.	399.	4.7	2775.2	2774.8	0.4
0.980	220.	571.	3.3	2776.0	2775.3	0.7
0.980	220.	410.	4.5	2776.0	2775.5	0.5
0.980	220.	543.	3.4	2776.6	2775.6	1.0
0.980	220.	664.	2.8	2776.6	2775.6	1.0

**FLOODWAY DATA BROWNING BRANCH**  
**PROFILE NO. 2**

STATION	WIDTH (FT)	FLOODWAY SECTION AREA	MEAN VELOCITY	WATER SURFACE ELEVATION		
				WITH FLOODWAY	WITHOUT FLOODWAY	DIFFERENCE
0.980	220.	530.	3.5	2776.6	2775.8	0.8
1.190	310.	282.	4.6	2792.7	2792.0	0.7
1.190	310.	418.	3.1	2793.4	2792.5	0.9
1.190	310.	645.	2.0	2793.6	2792.6	1.0
1.190	310.	652.	2.0	2793.6	2792.6	1.0
1.300	90.	228.	5.7	2801.5	2801.0	0.5
1.300	90.	325.	4.0	2802.6	2801.7	0.9
1.300	90.	413.	3.1	2803.5	2802.6	0.9
1.300	90.	416.	3.1	2803.6	2802.6	1.0

..