

Hominy Creek

HOMINY

CREEK

DATE	TIME	TYPE	FLIGHT	WGT	PRICE	ST	ICRYS	VCM	AREA	01K
16.070	0.0	0.0	2240.5	2275.0	0.0	2257.54	55.51	7.78	313.62	305.34
16.070	0.0	0.0	2240.6	3766.0	0.0	2257.04	70.20	10.20	395.08	422.91
16.070	0.0	0.0	2240.6	4555.0	0.0	2250.57	51.02	11.35	430.80	477.44
16.070	0.0	0.0	2240.6	6435.0	0.0	2250.75	111.63	13.54	513.20	609.60
16.070	0.0	0.0	2240.6	2275.0	0.0	2256.66	55.53	7.68	313.59	305.31
16.070	0.0	0.0	2240.6	3765.0	0.0	2257.04	70.42	10.20	394.85	422.47
16.070	0.0	0.0	2240.6	4555.0	0.0	2250.52	91.03	11.35	430.79	477.40
16.070	0.0	0.0	2240.6	6435.0	0.0	2250.75	111.64	13.54	513.17	609.57
16.070	0.0	0.0	2240.6	2275.0	0.0	2256.72	53.09	7.57	318.51	312.23
16.070	0.0	0.0	2240.6	3765.0	0.0	2250.12	73.02	7.06	405.07	437.01
16.070	0.0	0.0	2240.6	4555.0	0.0	2258.73	83.71	11.00	445.23	499.94
16.070	0.0	0.0	2240.6	6435.0	0.0	2250.14	94.08	12.01	540.11	654.48
16.070	0.0	0.0	2240.6	2275.0	0.0	2258.69	181.09	12.05	193.51	167.53
16.070	0.0	0.0	2240.6	3765.0	0.0	2250.49	170.13	14.14	283.91	295.95
16.070	0.0	0.0	2240.6	4555.0	0.0	2261.37	150.35	14.94	331.35	352.95
16.070	0.0	0.0	2240.6	6435.0	0.0	2263.30	131.87	16.30	444.91	559.18
17.070	0.0	0.0	2246.1	2245.0	0.0	2263.09	55.07	7.23	529.57	302.52
17.070	0.0	0.0	2246.1	3730.0	0.0	2265.26	42.66	7.81	959.57	571.11
17.070	0.0	0.0	2246.1	4510.0	0.0	2264.51	61.92	8.29	1030.78	731.74
17.070	0.0	0.0	2246.1	6375.0	0.0	2268.61	42.15	8.68	1452.45	981.49
17.070	0.0	0.0	2246.1	2245.0	0.0	2263.27	173.31	10.49	409.21	170.53
17.070	0.0	0.0	2246.1	3730.0	0.0	2265.23	70.72	9.18	895.88	417.73
17.070	0.0	0.0	2246.1	4510.0	0.0	2264.20	61.92	8.29	1096.53	573.13
17.070	0.0	0.0	2246.1	6375.0	0.0	2269.39	42.15	8.68	1452.45	981.49
17.070	0.0	0.0	2246.1	2245.0	0.0	2263.72	235.08	10.78	376.42	146.42
17.070	0.0	0.0	2246.1	3730.0	0.0	2265.13	250.89	12.18	574.80	235.49
17.070	0.0	0.0	2246.1	4510.0	0.0	2266.24	206.07	11.63	734.77	314.17
17.070	0.0	0.0	2246.1	6375.0	0.0	2268.55	164.08	11.25	1082.50	497.68
17.070	0.0	0.0	2246.1	2245.0	0.0	2264.94	102.55	7.70	545.55	221.69
17.070	0.0	0.0	2246.1	3730.0	0.0	2266.38	132.50	9.38	756.22	324.04
17.070	0.0	0.0	2246.1	4510.0	0.0	2267.17	137.42	9.84	971.59	394.73
17.070	0.0	0.0	2246.1	6375.0	0.0	2269.29	132.70	10.30	1183.94	553.40
17.070	0.0	0.0	2246.1	2245.0	0.0	2264.92	108.22	7.90	544.25	215.90
17.070	0.0	0.0	2246.1	3730.0	0.0	2266.36	142.13	9.70	751.56	312.87
17.070	0.0	0.0	2246.1	4510.0	0.0	2267.14	148.57	10.23	857.50	377.00
17.070	0.0	0.0	2246.1	6375.0	0.0	2269.17	145.32	10.75	1178.20	529.38
17.070	0.0	0.0	2246.1	2245.0	0.0	2265.21	117.85	8.79	257.16	206.80
17.070	0.0	0.0	2246.1	3730.0	0.0	2266.53	148.05	11.35	334.07	304.55
17.070	0.0	0.0	2246.1	4510.0	0.0	2267.20	154.32	12.31	374.71	361.04
17.070	0.0	0.0	2246.1	6375.0	0.0	2269.94	129.34	13.58	495.59	540.05
17.250	0.0	0.0	2272.7	2215.0	0.0	2291.61	134.56	10.46	221.41	190.95
17.250	0.0	0.0	2272.7	3685.0	0.0	2287.15	118.58	12.17	355.01	333.40
17.250	0.0	0.0	2272.7	4455.0	0.0	2287.26	116.92	12.98	416.31	417.01
17.250	0.0	0.0	2272.7	6295.0	0.0	2284.53	127.99	15.13	529.38	556.42

DATE	TIME	SEC	FLY	Q	CONF	CE	FS	LOS	VCH	APF	OLK
17.310	0.0	0.0	2275.3	2235.0	2185.74	2285.75	2289.76	223.24	13.03	167.92	147.58
17.311	0.0	0.0	2275.3	2470.0	2328.29	2285.70	2292.70	150.05	16.13	255.84	244.19
17.312	0.0	0.0	2275.3	4425.0	2380.45	2285.46	2293.75	170.62	17.32	378.62	331.29
17.313	0.0	0.0	2275.3	6270.0	2391.80	2281.99	2294.94	171.14	19.73	477.09	422.80
17.314	0.0	0.0	2295.3	2135.0	2293.17	0.0	2294.93	55.75	9.45	249.41	223.11
17.315	0.0	0.0	2295.3	3660.0	2295.17	0.0	2297.37	57.30	11.19	347.22	321.72
17.316	0.0	0.0	2295.3	4425.0	2296.54	0.0	2299.67	62.95	11.95	477.09	459.45
17.317	0.0	0.0	2295.3	6255.0	2297.93	0.0	2301.67	75.25	13.13	575.30	521.95
17.318	0.0	0.0	2295.3	2195.0	2293.60	0.0	2296.89	75.12	9.80	249.30	253.26
17.319	0.0	0.0	2295.3	3660.0	2295.82	0.0	2297.70	79.99	11.01	332.97	309.21
17.320	0.0	0.0	2295.3	4425.0	2296.85	0.0	2299.34	83.07	11.88	372.46	494.51
17.321	0.0	0.0	2295.3	6255.0	2297.59	0.0	2301.77	61.62	12.44	614.33	794.19
17.322	0.0	0.0	2295.3	2195.0	2294.12	0.0	2295.17	48.97	8.25	266.07	313.65
17.323	0.0	0.0	2295.3	3660.0	2296.54	0.0	2298.15	49.08	10.13	361.35	522.43
17.324	0.0	0.0	2295.3	4425.0	2297.93	0.0	2299.70	45.24	10.66	414.97	557.91
17.325	0.0	0.0	2295.3	6255.0	2301.84	0.0	2303.32	26.91	10.13	803.03	1295.87
17.326	0.0	0.0	2295.3	2195.0	2296.29	0.0	2295.23	43.42	7.89	304.78	333.07
17.327	0.0	0.0	2295.3	3660.0	2296.89	0.0	2298.22	40.50	9.42	447.52	575.13
17.328	0.0	0.0	2295.3	4425.0	2298.35	0.0	2299.77	36.13	9.78	539.17	735.17
17.329	0.0	0.0	2295.3	6255.0	2297.89	0.0	2301.36	24.61	10.10	807.03	1212.65
17.330	0.0	0.0	2292.1	2155.0	2298.75	2296.36	2301.24	145.30	12.68	174.22	138.19
17.331	0.0	0.0	2292.1	3610.0	2300.93	2300.93	2301.22	121.22	14.45	267.30	327.88
17.332	0.0	0.0	2292.1	4355.0	2301.93	2301.93	2305.48	112.60	15.38	318.60	411.35
17.333	0.0	0.0	2292.1	6170.0	2303.96	2303.96	2309.09	101.11	16.86	444.77	413.42
17.334	0.0	0.0	2297.4	2155.0	2305.11	0.0	2306.70	76.92	10.45	217.07	245.71
17.335	0.0	0.0	2297.4	3610.0	2307.01	0.0	2309.60	84.79	13.11	306.67	392.05
17.336	0.0	0.0	2297.4	4355.0	2307.78	2307.23	2310.52	89.22	14.29	350.12	462.11
17.337	0.0	0.0	2297.4	6170.0	2309.33	2305.24	2313.40	99.02	15.75	448.91	623.06
17.338	0.0	0.0	2297.4	2155.0	2305.59	0.0	2307.09	61.40	9.81	219.78	275.02
17.339	0.0	0.0	2297.4	3610.0	2307.31	0.0	2309.96	89.14	13.06	274.52	403.26
17.340	0.0	0.0	2297.4	4355.0	2309.01	0.0	2311.31	89.45	14.56	293.84	451.52
17.341	0.0	0.0	2297.4	6170.0	2312.07	2305.14	2313.85	35.65	11.75	881.15	1033.38
17.342	0.0	0.0	2297.4	2155.0	2305.59	0.0	2307.08	77.73	9.81	219.77	244.44
17.343	0.0	0.0	2297.4	3610.0	2307.94	0.0	2311.71	58.12	21.77	155.79	152.81
17.344	0.0	0.0	2297.4	4355.0	2311.23	0.0	2312.57	31.69	9.72	600.32	752.01
17.345	0.0	0.0	2297.4	6170.0	2312.64	0.0	2314.45	41.88	11.65	890.45	953.36
17.346	0.0	0.0	2297.4	2155.0	2305.85	0.0	2307.17	66.48	9.30	249.31	244.30
17.347	0.0	0.0	2297.4	3610.0	2311.07	0.0	2311.96	24.86	8.24	594.67	724.00
17.348	0.0	0.0	2297.4	4355.0	2311.29	0.0	2312.60	33.07	9.64	615.67	759.06
17.349	0.0	0.0	2297.4	6170.0	2312.75	2305.20	2314.50	40.34	11.49	917.62	971.44
17.350	0.0	0.0	2306.3	2110.0	2312.29	0.0	2313.45	54.89	9.75	257.00	279.75
17.351	0.0	0.0	2306.3	3545.0	2314.40	0.0	2316.20	63.24	11.03	382.83	445.77
17.352	0.0	0.0	2306.3	4280.0	2315.43	0.0	2317.55	63.08	11.75	459.37	543.21
17.353	0.0	0.0	2306.3	6055.0	2317.42	2315.60	2319.77	60.40	13.08	700.27	779.10

DATE	TIME	TYPE	FLIC	ELVIN	Q	CAPFL	CPINC	FR	1045	VC4	AREA	DLK
12,150	10	0.0	0.0	2355.8	1963.0	2366.62	C.C	2367.27	46.75	7.37	245.85	273.20
12,150	10	0.0	0.0	2358.8	3325.0	2369.93	C.C	2371.78	41.10	8.59	330.93	519.55
12,150	10	0.0	0.0	2359.8	4025.0	2372.14	C.C	2373.62	37.79	8.05	461.67	654.77
12,150	10	0.0	0.0	2359.8	5725.0	2373.63	C.C	2373.66	46.98	10.91	552.05	935.23
12,150	10	2373.2	2376.4	2359.0	1963.0	2365.89	2375.08	2365.21	152.97	12.23	160.27	141.05
12,150	10	2373.2	2376.4	2359.0	3325.0	2368.77	2377.59	2371.07	186.35	13.74	239.56	243.57
12,150	10	2373.2	2376.4	2359.0	4025.0	2369.28	C.C	2372.34	166.72	16.03	285.99	311.73
12,150	10	2373.2	2376.4	2359.0	5725.0	2370.62	2375.08	2375.08	270.47	15.06	317.82	385.57
12,150	10	2373.2	2376.4	2359.0	1963.0	2367.39	C.C	2363.48	85.67	9.11	215.04	211.76
12,150	10	2373.2	2376.4	2359.0	3325.0	2370.62	C.C	2371.56	101.72	11.10	299.59	329.67
12,150	10	2373.2	2376.4	2359.0	4025.0	2372.95	C.C	2372.82	109.40	11.03	317.37	384.83
12,150	10	2373.2	2376.4	2359.0	5725.0	2372.95	2370.62	2375.73	124.23	13.41	449.61	513.65
12,150	10	2373.2	2376.4	2359.8	1963.0	2368.20	C.C	2369.77	19.60	5.51	357.11	454.46
12,150	10	2373.2	2376.4	2359.8	3325.0	2370.25	C.C	2371.66	10.89	6.79	507.73	745.54
12,150	10	2373.2	2376.4	2359.8	4025.0	2372.16	C.C	2372.97	10.52	7.26	580.75	911.20
12,150	10	2373.2	2376.4	2359.8	5725.0	2375.35	C.C	2375.96	12.01	6.76	1303.53	1651.64
12,150	10	2373.2	2376.4	2362.2	1955.0	2369.12	C.C	2370.20	101.01	8.76	233.89	194.52
12,150	10	2373.2	2376.4	2362.2	3325.0	2371.74	C.C	2373.08	81.70	9.27	339.58	357.31
12,150	10	2373.2	2376.4	2362.2	4025.0	2372.90	C.C	2373.35	75.18	9.67	422.24	463.06
12,150	10	2373.2	2376.4	2362.2	5725.0	2375.56	C.C	2377.19	61.33	10.30	590.08	729.76
12,150	10	2373.2	2376.4	2365.7	1955.0	2374.50	C.C	2375.62	84.22	8.51	230.09	210.53
12,150	10	2373.2	2376.4	2365.7	3325.0	2376.69	C.C	2378.43	55.51	10.60	327.13	337.26
12,150	10	2373.2	2376.4	2365.7	4025.0	2377.63	C.C	2379.65	100.65	11.45	363.04	400.12
12,150	10	2373.2	2376.4	2365.7	5725.0	2379.58	C.C	2382.16	101.17	13.09	491.59	559.32
12,150	10	2373.2	2376.4	2373.9	1950.0	2383.51	C.C	2385.71	169.14	10.75	183.68	157.68
12,150	10	2373.2	2376.4	2374.9	3325.0	2385.87	2385.42	2385.10	131.53	12.63	328.48	287.74
12,150	10	2373.2	2376.4	2376.9	4025.0	2386.80	2386.63	2389.05	121.99	12.00	425.95	362.16
12,150	10	2373.2	2376.4	2376.9	5725.0	2389.66	C.C	2390.72	101.33	13.19	684.57	556.73
12,150	10	2373.2	2376.4	2381.8	1203.0	2388.61	C.C	2389.05	40.68	5.32	231.88	189.15
12,150	10	2373.2	2376.4	2381.8	2003.0	2389.74	C.C	2391.29	32.17	6.33	352.63	352.63
12,150	10	2373.2	2376.4	2381.8	2500.0	2391.53	C.C	2392.19	24.22	6.67	417.21	427.35
12,150	10	2373.2	2376.4	2381.8	3600.0	2392.85	C.C	2393.76	39.18	7.93	548.05	575.11
12,150	10	2373.2	2376.4	2385.5	1200.0	2388.67	2388.62	2390.02	249.53	9.32	128.31	75.90
12,150	10	2373.2	2376.4	2385.5	2003.0	2390.75	C.C	2391.09	109.59	8.92	224.11	191.05
12,150	10	2373.2	2376.4	2385.5	2500.0	2391.59	C.C	2392.72	86.00	8.00	374.97	249.59
12,150	10	2373.2	2376.4	2385.5	3600.0	2392.94	C.C	2394.27	80.12	9.79	461.01	407.14
12,150	10	2394.3	2391.9	2385.5	1200.0	2390.05	C.C	2390.65	66.27	4.26	191.82	167.41
12,150	10	2394.3	2391.9	2385.5	2000.0	2392.29	C.C	2393.00	41.85	6.78	276.39	302.29
12,150	10	2394.3	2391.9	2385.5	2500.0	2394.50	C.C	2395.12	25.47	4.30	305.92	405.34
12,150	10	2394.3	2391.9	2385.5	3600.0	2398.07	C.C	2399.17	6.76	4.37	1511.69	1385.89
12,150	10	2394.3	2391.9	2385.5	1200.0	2390.24	C.C	2390.72	52.12	5.72	220.71	156.21
12,150	10	2394.3	2391.9	2385.5	2000.0	2392.59	C.C	2393.06	20.16	5.80	429.77	364.10
12,150	10	2394.3	2391.9	2385.5	2500.0	2394.88	C.C	2395.17	13.93	4.79	756.11	549.02
12,150	10	2394.3	2391.9	2385.5	3600.0	2398.01	C.C	2398.18	6.74	4.07	1613.66	1384.91

DATE	MEMO	FLIC	FLIM	?	FAEL	CPAS	FG	ICRS	VCH	STRA	01K
10,010	470	0.0	2300.0	1200.0	2400.25	2304.15	2305.33	201.24	9.50	153.25	84.59
10,050	470	0.0	2300.0	2000.0	2305.24	2305.24	2305.54	180.66	9.52	255.29	145.60
10,050	470	0.0	2300.0	2500.0	2305.05	C.C	2307.14	145.77	9.38	342.68	207.42
10,060	470	0.0	2300.0	1400.0	2300.65	0.0	2307.06	44.70	7.15	703.59	529.55
10,010	275	0.0	2300.0	1200.0	2300.00	C.C	2400.29	150.15	9.81	137.31	95.12
10,010	275	0.0	2300.0	2000.0	2400.21	2300.04	2402.14	165.14	11.20	184.51	143.17
10,010	275	0.0	2300.0	2500.0	2400.74	2400.74	2403.14	214.58	12.52	209.09	169.06
10,010	275	0.0	2300.0	1400.0	2400.30	2400.30	2400.08	172.57	13.70	311.06	274.95
10,010	400	0.0	2305.4	1200.0	2307.94	2305.96	2401.50	254.34	10.02	124.14	75.24
10,010	400	0.0	2305.4	2000.0	2401.30	2401.30	2403.27	274.66	11.42	178.11	133.49
10,010	400	0.0	2305.4	2500.0	2402.15	2402.15	2405.18	186.68	11.73	243.03	182.93
10,010	400	0.0	2305.4	1600.0	2403.41	2403.41	2405.76	168.73	12.89	346.78	277.15
10,010	400	2403.3	2305.4	1200.0	2401.15	C.C	2401.91	91.04	7.13	180.01	125.77
10,010	400	2403.3	2305.4	2000.0	2402.97	C.C	2403.83	67.14	7.76	309.36	244.09
10,010	400	2403.3	2305.4	2500.0	2404.92	C.C	2405.51	23.82	6.65	489.02	429.90
10,010	400	2403.3	2305.4	1600.0	2403.87	C.C	2407.60	23.85	6.73	842.58	709.31
10,010	100	0.0	2305.4	1200.0	2401.29	C.C	2402.01	61.40	6.87	187.61	133.00
10,010	100	0.0	2305.4	2000.0	2403.09	C.C	2403.00	62.34	7.57	318.94	253.30
10,010	100	0.0	2305.4	2500.0	2404.97	C.C	2405.54	33.21	6.61	492.97	433.84
10,010	100	0.0	2305.4	1600.0	2406.90	C.C	2407.42	25.55	6.70	847.71	712.22

HOMINY CREEK

STIMULY PRINT CO TABLE 150

SECNO	Q	CWSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
16.600	2300.	2240.6	0.0	0.0	0.0	90.87	0.0
16.600	3800.	2241.7	1.4	0.0	0.0	173.27	0.0
16.600	4600.	2242.5	0.6	0.0	0.0	214.00	0.0
16.600	6500.	2243.6	1.1	0.0	0.0	266.01	0.0
16.600	2300.	2241.1	0.0	0.6	0.0	133.79	40.0
16.600	3800.	2242.8	1.6	0.8	0.0	222.89	40.0
16.600	4600.	2243.4	0.6	0.9	0.0	261.71	40.0
16.600	6500.	2244.5	1.1	0.9	0.0	294.40	40.0
16.600	2300.	2241.4	0.0	0.3	0.0	129.20	1.0
16.600	3800.	2242.9	1.5	0.1	0.0	138.72	1.0
16.600	4600.	2243.4	0.5	-0.0	0.0	140.22	1.0
16.600	6500.	2243.4	1.0	-0.2	0.0	142.88	1.0
16.600	2300.	2241.7	0.0	0.2	0.0	131.04	20.0
16.600	3800.	2243.2	1.5	0.3	0.0	139.70	20.0
16.600	4600.	2243.8	0.6	0.4	0.0	141.26	30.0
16.600	6500.	2245.0	1.2	0.6	0.0	144.49	30.0
16.600	2300.	2241.6	0.0	-0.1	0.0	159.85	1.0
16.600	3800.	2243.2	1.6	0.0	0.0	256.43	1.0
16.600	4600.	2243.9	0.7	0.2	0.0	273.21	1.0
16.600	6500.	2245.5	1.5	0.5	0.0	297.48	1.0
16.600	2300.	2241.6	0.0	0.1	0.0	161.52	10.0
16.600	3800.	2243.3	1.6	0.1	0.0	258.25	10.0
16.600	4600.	2244.0	0.7	0.1	0.0	274.28	10.0
16.600	6500.	2245.5	1.5	0.0	0.0	297.79	10.0
16.600	2300.	2244.4	0.0	2.8	0.0	63.66	470.0
16.600	3800.	2245.4	1.9	3.1	0.0	115.25	470.0
16.600	4600.	2247.1	0.8	3.1	0.0	134.18	470.0
16.600	6500.	2248.6	1.5	3.1	0.0	160.04	470.0
16.670	2275.	2256.2	0.0	11.8	0.0	82.27	920.0
16.670	3765.	2257.5	1.3	11.1	0.0	96.31	920.0
16.670	4555.	2258.1	0.6	11.0	0.0	88.23	920.0
16.670	6435.	2259.4	1.2	10.8	0.0	91.35	920.0
16.670	2275.	2256.1	0.0	0.4	0.0	59.58	40.0
16.670	3765.	2258.0	1.3	0.5	0.0	63.47	40.0
16.670	4555.	2258.5	0.6	0.4	0.0	65.11	40.0
16.670	6435.	2259.3	1.2	0.4	0.0	58.73	40.0
16.670	2275.	2256.6	0.0	0.0	0.0	59.57	40.0
16.670	3765.	2258.0	1.3	0.0	0.0	63.46	40.0
16.670	4555.	2258.5	0.6	0.0	0.0	65.10	40.0
16.670	6435.	2259.3	1.2	0.0	0.0	68.73	40.0
16.670	2275.	2256.7	0.0	0.1	0.0	59.92	10.0
16.670	3765.	2258.1	1.4	0.7	0.0	63.93	10.0
16.670	4555.	2258.7	0.6	0.2	0.0	65.75	10.0
16.670	6435.	2260.1	1.4	0.4	0.0	71.06	10.0

PCNO	C	CMFL	DIFWP	DIFWX	DIFWC	TPWD	XLCH	
*	16.950	2260.	2259.7	0.0	2.0	0.0	47.38	280.0
(16.950	3745.	2260.5	1.8	2.4	0.0	52.54	280.0
	16.950	4575.	2261.4	0.9	2.5	0.0	55.02	280.0
*	16.950	6410.	2263.3	1.9	3.2	0.0	72.06	280.0
	17.030	2245.	2263.1	0.0	4.4	0.0	142.06	280.0
	17.030	3730.	2265.3	2.2	4.8	0.0	161.21	280.0
	17.030	4510.	2266.3	1.1	4.9	0.0	165.95	280.0
	17.030	6375.	2269.5	2.3	5.3	0.0	206.12	280.0
	17.040	2245.	2263.3	0.0	0.2	0.0	173.12	50.0
	17.040	3730.	2265.5	2.2	0.2	0.0	189.55	50.0
	17.040	4510.	2266.5	1.1	0.2	0.0	192.92	50.0
	17.040	6375.	2269.8	2.3	0.2	0.0	200.19	50.0
*	17.040	2245.	2263.7	0.0	0.4	0.0	136.58	1.0
	17.040	3730.	2265.1	1.4	-0.3	0.0	143.08	1.0
	17.040	4510.	2266.3	1.1	-0.3	0.0	146.67	1.0
	17.040	6375.	2268.5	2.3	-0.2	0.0	154.23	1.0
	17.040	2245.	2264.3	0.0	1.2	0.0	142.32	30.0
	17.040	3730.	2266.4	1.4	1.2	0.0	147.13	30.0
	17.040	4510.	2267.2	0.8	0.9	0.0	149.68	30.0
	17.040	6375.	2269.2	2.0	0.7	0.0	156.32	30.0
	17.040	2245.	2264.9	0.0	-0.0	0.0	142.27	1.0
(17.040	3730.	2266.4	1.4	0.0	0.0	147.05	1.0
	17.040	4510.	2267.1	0.8	-0.0	0.0	149.59	1.0
	17.040	6375.	2269.2	2.0	-0.0	0.0	156.20	1.0
	17.040	2245.	2265.2	0.0	0.3	0.0	56.21	50.0
	17.040	3730.	2266.5	1.3	0.2	0.0	59.94	50.0
	17.040	4510.	2267.2	0.7	0.1	0.0	61.82	50.0
	17.040	6375.	2269.3	1.8	-0.2	0.0	79.73	50.0
	17.250	2215.	2279.9	0.0	14.7	0.0	52.21	1190.0
	17.250	3675.	2282.1	2.2	15.6	0.0	66.38	1190.0
	17.250	4455.	2285.1	0.9	15.9	0.0	68.99	1190.0
	17.250	6295.	2294.6	1.6	15.7	0.0	73.53	1190.0
	17.310	2205.	2285.2	0.0	5.8	0.0	32.67	380.0
	17.310	3670.	2288.3	2.5	6.1	0.0	40.27	380.0
	17.310	4440.	2289.4	1.2	6.4	0.0	44.16	380.0
*	17.310	6275.	2291.9	2.5	7.3	0.0	52.42	380.0
	17.370	2195.	2293.2	0.0	7.4	0.0	48.44	400.0
	17.370	3660.	2295.5	2.3	7.2	0.0	54.07	400.0
	17.370	4425.	2296.4	1.1	7.1	0.0	57.66	400.0
	17.370	6255.	2298.9	2.4	7.0	0.0	67.32	400.0
	17.370	2195.	2293.7	0.0	0.5	0.0	39.00	40.0
	17.370	3660.	2295.3	2.1	0.3	0.0	39.00	40.0
(17.370	4425.	2296.2	1.0	0.3	0.0	39.00	40.0
	17.370	6255.	2299.5	2.6	0.6	0.0	70.70	40.0

SPONO	C	CASEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
17.370	2195.	2294.1	0.0	0.4	0.0	39.00	50.
17.370	3660.	2296.6	2.4	0.7	0.0	39.00	50.
17.370	4425.	2297.9	1.4	1.1	0.0	39.00	50.
17.370	6255.	2301.8	3.9	2.4	0.0	89.84	50.
17.370	2195.	2294.3	0.0	0.2	0.0	51.16	10.
17.370	3660.	2296.9	2.6	0.3	0.0	59.04	10.
17.370	4425.	2298.4	1.5	0.4	0.0	65.02	10.
17.370	6255.	2301.0	3.5	0.0	0.0	90.21	10.
# 17.500	2155.	2299.9	0.0	4.5	0.0	38.82	430.
* 17.500	3610.	2300.9	2.2	4.0	0.0	48.03	430.
17.500	4365.	2301.9	1.0	3.6	0.0	54.99	430.
17.500	6170.	2304.0	2.0	2.1	0.0	69.20	430.
17.600	2155.	2305.1	0.0	6.4	0.0	42.56	530.
17.600	3610.	2307.0	1.9	6.1	0.0	53.45	530.
17.600	4365.	2307.8	0.8	5.9	0.0	58.86	530.
17.600	6170.	2309.3	1.5	5.4	0.0	69.60	530.
17.600	2155.	2305.6	0.0	0.5	0.0	33.00	40.
17.600	3610.	2307.3	1.7	0.3	0.0	33.00	40.
17.600	4365.	2308.0	0.7	0.2	0.0	33.00	40.
17.600	6170.	2312.1	4.1	2.7	0.0	235.04	40.
17.600	2155.	2305.6	0.0	0.0	0.0	33.00	30.
17.600	3610.	2303.7	-1.6	-3.4	0.0	33.00	30.
17.600	4365.	2311.2	7.3	3.2	0.0	108.09	30.
17.600	6170.	2312.5	1.4	0.6	0.0	255.16	30.
17.600	2155.	2305.8	0.0	0.3	0.0	45.33	10.
* 17.600	3610.	2311.0	5.2	7.1	0.0	100.93	10.
17.600	4365.	2311.7	0.3	0.1	0.0	109.86	10.
17.600	6170.	2312.7	1.5	0.1	0.0	258.77	10.
17.800	2110.	2312.3	0.0	6.4	0.0	48.91	1020.
17.800	3545.	2314.4	2.1	3.4	0.0	66.90	1020.
17.800	4280.	2315.4	1.0	4.1	0.0	80.93	1020.
17.800	6055.	2317.4	2.0	4.7	0.0	174.01	1020.
17.910	2110.	2316.9	0.0	4.6	0.0	42.98	580.
17.910	3545.	2319.0	2.1	4.6	0.0	49.91	580.
17.910	4280.	2319.9	0.9	4.4	0.0	54.36	580.
17.910	6055.	2322.0	2.1	4.6	0.0	92.48	580.
18.000	2025.	2322.0	0.0	5.1	0.0	57.75	440.
18.000	3525.	2324.1	2.1	5.1	0.0	70.93	440.
18.000	4260.	2325.1	1.0	5.2	0.0	76.98	440.
18.000	5020.	2327.2	2.1	5.2	0.0	197.45	440.
18.250	2055.	2330.1	0.0	8.0	0.0	47.69	1160.
18.250	3475.	2332.1	2.0	8.0	0.0	88.55	1160.
18.250	4190.	2332.7	0.8	7.7	0.0	113.51	1160.
18.250	5030.	2334.1	1.2	6.8	0.0	143.91	1160.

REFNO	Q	QWFL	DIFWSP	DIFWSX	DIFWVS	TOPWID	XCCF
18,250	2055.	2330.5	0.0	0.4	0.0	49.24	40.0
18,250	3475.	2332.7	2.2	0.6	0.0	108.69	40.0
18,250	4190.	2333.7	1.0	0.8	0.0	133.94	40.0
18,250	5930.	2335.5	1.8	1.4	0.0	215.74	40.0
18,250	2055.	2331.2	0.0	0.7	0.0	61.90	30.0
18,250	3475.	2333.9	2.7	1.3	0.0	141.28	30.0
18,250	4190.	2334.7	0.8	1.0	0.0	166.85	30.0
18,250	5930.	2336.4	1.7	0.9	0.0	233.07	30.0
18,250	2055.	2331.3	0.0	0.1	0.0	63.30	10.0
18,250	3475.	2334.0	2.7	0.0	0.0	142.39	10.0
18,250	4190.	2334.8	0.9	0.0	0.0	168.08	10.0
18,250	5930.	2336.5	1.7	0.0	0.0	233.76	10.0
18,480	2055.	2337.8	0.0	6.6	0.0	79.04	1180.0
18,480	3475.	2339.3	1.5	5.3	0.0	103.64	1180.0
18,480	4190.	2340.0	0.7	5.3	0.0	110.59	1180.0
18,480	5945.	2341.3	1.2	4.8	0.0	122.60	1180.0
18,690	1995.	2344.5	0.0	6.7	0.0	118.20	960.0
18,690	3290.	2346.2	1.6	6.8	0.0	145.82	960.0
18,690	4090.	2346.8	0.6	6.7	0.0	155.66	960.0
18,690	5790.	2348.2	1.5	6.9	0.0	179.40	960.0
18,690	1995.	2344.5	0.0	-0.1	0.0	33.00	40.0
18,690	3290.	2346.6	2.1	0.4	0.0	152.55	40.0
18,690	4090.	2347.2	0.5	0.4	0.0	163.01	40.0
18,690	5790.	2348.6	1.4	0.4	0.0	186.28	40.0
18,690	1995.	2344.5	0.0	0.0	0.0	40.00	30.0
18,690	3290.	2349.8	5.4	2.3	0.0	203.55	30.0
18,690	4090.	2350.8	0.8	3.5	0.0	230.79	30.0
18,690	5790.	2351.9	1.1	3.2	0.0	273.26	30.0
18,690	1995.	2345.7	0.0	1.3	0.0	158.62	10.0
18,690	3290.	2349.9	4.2	0.0	0.0	203.68	10.0
18,690	4090.	2350.8	0.8	0.0	0.0	231.35	10.0
18,690	5790.	2351.9	1.1	0.0	0.0	273.42	10.0
18,820	1990.	2343.5	0.0	2.7	0.0	116.12	680.0
18,820	3290.	2350.6	2.1	0.6	0.0	125.92	680.0
18,820	4090.	2351.4	0.8	0.6	0.0	129.08	680.0
18,820	5790.	2352.7	1.3	0.8	0.0	131.36	680.0
18,950	1960.	2353.2	0.0	4.8	0.0	171.22	680.0
18,950	3265.	2354.4	1.2	3.9	0.0	180.90	680.0
18,950	4065.	2355.0	0.6	3.6	0.0	185.74	680.0
18,950	5755.	2356.4	1.4	3.8	0.0	208.46	680.0
18,950	1960.	2353.2	0.0	-0.0	0.0	171.05	40.0
18,950	3265.	2354.3	1.1	-0.2	0.0	179.65	40.0
18,950	4065.	2354.8	0.5	-0.2	0.0	193.91	40.0
18,950	5755.	2356.1	1.3	-0.4	0.0	207.77	40.0

SECNO	Q	CNSFL	DIFWOP	DIFWSX	DIFWVS	TOPWID	XLTF
18.950	1980.	2353.7	0.0	0.0	0.0	47.85	30.0
18.950	3365.	2354.2	1.0	-0.1	0.0	56.24	30.0
18.950	4065.	2355.3	1.1	0.5	0.0	78.39	30.0
18.950	5765.	2357.8	2.5	1.8	0.0	195.20	30.0
19.950	1980.	2353.4	0.0	0.2	0.0	49.65	10.0
18.950	3365.	2355.5	2.1	1.3	0.0	79.70	10.0
18.950	4065.	2357.3	1.8	2.0	0.0	191.80	10.0
18.950	5765.	2359.8	2.5	2.0	0.0	208.74	10.0
19.030	1980.	2356.1	0.0	2.7	0.0	38.99	360.0
19.030	3355.	2358.2	2.1	2.7	0.0	47.72	360.0
19.030	4055.	2359.9	0.7	1.6	0.0	51.50	360.0
19.030	5755.	2360.3	1.4	0.5	0.0	72.77	360.0
19.270	1965.	2363.9	0.0	7.8	0.0	182.45	1170.0
19.270	3335.	2365.7	1.8	7.5	0.0	199.99	1170.0
19.270	4035.	2366.5	0.8	7.6	0.0	203.35	1170.0
19.270	5735.	2368.3	1.8	8.1	0.0	214.98	1170.0
19.270	1945.	2364.1	0.0	0.1	0.0	42.00	40.0
19.270	3335.	2365.3	1.3	-0.4	0.0	42.00	40.0
19.270	4035.	2366.7	1.4	0.2	0.0	204.59	40.0
19.270	5735.	2368.5	1.8	0.1	0.0	215.78	40.0
19.270	1965.	2364.1	0.0	0.0	0.0	42.00	30.0
19.270	3325.	2367.0	3.0	1.7	0.0	42.00	30.0
19.270	4035.	2368.7	1.7	2.0	0.0	224.95	30.0
19.270	5735.	2369.7	1.0	1.2	0.0	261.76	30.0
19.270	1945.	2364.1	0.0	0.1	0.0	47.35	10.0
19.270	3335.	2367.2	3.0	0.1	0.0	81.83	10.0
19.270	4035.	2368.7	1.6	0.0	0.0	226.66	10.0
19.270	5735.	2369.3	1.0	0.1	0.0	262.74	10.0
19.350	1960.	2366.4	0.0	2.0	0.0	45.84	400.0
19.350	3325.	2368.7	2.5	1.5	0.0	53.27	400.0
19.350	4025.	2369.9	1.3	1.2	0.0	57.97	400.0
19.350	5725.	2371.3	1.3	1.5	0.0	64.87	400.0
19.350	1960.	2366.4	0.0	0.3	0.0	46.45	40.0
19.350	3325.	2368.9	2.5	0.3	0.0	54.24	40.0
19.350	4025.	2370.2	1.3	0.2	0.0	58.81	40.0
19.350	5725.	2371.6	1.4	0.4	0.0	68.84	40.0
19.350	1960.	2366.9	0.0	-0.5	0.0	35.14	1.0
19.350	3325.	2369.0	2.1	-0.9	0.0	38.00	1.0
19.350	4025.	2369.3	1.3	-0.9	0.0	38.00	1.0
19.350	5725.	2370.6	1.3	-1.0	0.0	38.00	1.0
19.350	1960.	2367.4	0.0	1.5	0.0	37.65	30.0
19.350	3325.	2369.6	2.2	1.5	0.0	38.00	30.0
19.350	4025.	2370.6	1.0	1.3	0.0	38.00	30.0
19.350	5725.	2372.9	2.3	2.3	0.0	202.27	30.0

SECNO	Q	CWSFL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCP
19.350	1960.	2368.3	0.0	0.9	0.0	51.89	1.0
19.350	3325.	2370.9	2.7	1.3	0.0	61.58	1.0
19.350	4025.	2372.2	1.2	1.5	0.0	74.74	1.0
19.350	5725.	2375.4	3.2	2.4	0.0	310.47	1.0
19.400	1955.	2369.1	0.0	0.8	0.0	45.03	310.0
19.400	3320.	2371.7	2.6	0.8	0.0	52.07	310.0
19.400	4015.	2372.9	1.2	0.7	0.0	56.32	310.0
19.400	5715.	2375.6	2.7	0.2	0.0	74.79	310.0
19.510	1955.	2374.5	0.0	5.4	0.0	37.70	580.0
19.510	3320.	2376.7	2.2	4.9	0.0	44.25	580.0
19.510	4015.	2377.5	0.9	4.7	0.0	50.24	580.0
19.510	5715.	2379.6	1.9	4.0	0.0	76.31	580.0
19.660	1950.	2383.5	0.0	0.0	0.0	38.27	840.0
19.660	3300.	2385.9	2.4	9.2	0.0	90.35	840.0
19.660	4000.	2386.8	0.9	9.2	0.0	117.09	840.0
19.660	5705.	2388.7	1.9	9.1	0.0	156.08	840.0
19.760	1200.	2388.6	0.0	5.1	0.0	54.70	440.0
19.760	2000.	2390.7	2.1	4.9	0.0	66.98	440.0
19.760	2500.	2391.5	0.8	4.7	0.0	81.02	440.0
19.760	3600.	2392.8	1.3	4.2	0.0	116.89	440.0
19.770	1200.	2393.7	0.0	0.1	0.0	46.00	40.0
19.770	2000.	2390.7	2.1	0.0	0.0	46.00	40.0
19.770	2500.	2391.5	0.8	0.1	0.0	82.89	40.0
19.770	3600.	2392.8	1.3	0.1	0.0	119.38	40.0
19.770	1200.	2393.0	0.0	1.4	0.0	46.00	50.0
19.770	2000.	2392.3	2.2	1.5	0.0	46.00	50.0
19.770	2500.	2394.5	2.2	2.9	0.0	46.00	50.0
19.770	3600.	2398.0	3.5	5.1	0.0	288.53	50.0
19.770	1200.	2390.2	0.0	0.2	0.0	63.56	10.0
19.770	2000.	2392.6	2.4	0.3	0.0	109.86	10.0
19.770	2500.	2394.9	2.3	0.4	0.0	169.39	10.0
19.770	3600.	2398.0	3.1	0.0	0.0	288.75	10.0
19.850	1200.	2394.2	0.0	4.0	0.0	87.29	470.0
19.850	2000.	2395.3	1.0	2.7	0.0	122.17	470.0
19.850	2500.	2396.0	0.7	1.1	0.0	127.70	470.0
19.850	3600.	2398.5	2.5	0.4	0.0	156.54	470.0
19.910	1200.	2399.1	0.0	4.9	0.0	38.74	275.0
19.910	2000.	2400.2	1.1	5.0	0.0	45.28	275.0
19.910	2500.	2400.7	0.5	4.8	0.0	48.34	275.0
19.910	3600.	2402.4	1.6	3.9	0.0	79.22	275.0
19.910	1200.	2400.0	0.0	0.9	0.0	43.74	40.0
19.910	2000.	2401.3	1.3	1.1	0.0	51.77	40.0
19.910	2500.	2402.1	0.8	1.4	0.0	77.37	40.0
19.910	3600.	2403.4	1.3	1.0	0.0	87.17	40.0

SECNO	Q	WSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
19.910	1200.	2401.1	0.0	1.2	0.0	50.72	40.0
19.910	2000.	2403.0	1.8	1.7	0.0	93.77	40.0
19.910	2500.	2404.9	2.0	2.8	0.0	108.68	40.0
19.910	3600.	2406.9	1.9	3.5	0.0	227.95	40.0
19.910	1200.	2401.3	0.0	0.1	0.0	51.60	10.0
19.910	2000.	2403.1	1.8	0.1	0.0	84.65	10.0
19.910	2500.	2405.0	1.9	0.0	0.0	111.62	10.0
19.910	3600.	2406.9	1.9	0.0	0.0	228.28	10.0

SUMMARY OF ERRORS

CAUTION	SECNO=	16.700	PROFILE=	1	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	16.700	PROFILE=	2	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	16.700	PROFILE=	3	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	16.700	PROFILE=	3	PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION	SECNO=	16.700	PROFILE=	3	20 TRIALS ATTEMPTED TO BALANCE WSFL
CAUTION	SECNO=	16.700	PROFILE=	4	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	16.700	PROFILE=	4	PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION	SECNO=	16.700	PROFILE=	4	20 TRIALS ATTEMPTED TO BALANCE WSFL
CAUTION	SECNO=	16.950	PROFILE=	1	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	16.950	PROFILE=	2	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	16.950	PROFILE=	3	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	16.950	PROFILE=	4	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	17.040	PROFILE=	1	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	17.040	PROFILE=	1	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	17.040	PROFILE=	1	PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION	SECNO=	17.040	PROFILE=	1	20 TRIALS ATTEMPTED TO BALANCE WSFL
CAUTION	SECNO=	17.310	PROFILE=	2	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	17.310	PROFILE=	3	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	17.310	PROFILE=	4	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	17.500	PROFILE=	1	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	17.500	PROFILE=	1	PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION	SECNO=	17.500	PROFILE=	1	20 TRIALS ATTEMPTED TO BALANCE WSFL
CAUTION	SECNO=	17.500	PROFILE=	2	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	17.500	PROFILE=	2	PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION	SECNO=	17.500	PROFILE=	2	20 TRIALS ATTEMPTED TO BALANCE WSFL
CAUTION	SECNO=	17.500	PROFILE=	3	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	17.500	PROFILE=	3	PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION	SECNO=	17.500	PROFILE=	3	20 TRIALS ATTEMPTED TO BALANCE WSFL

SECNO	Q	WSSEL	DIFWSP	DIFWSX	DIFKWS	TOPWID	XLCH
19.910	1200.	2401.1	0.0	1.2	0.0	50.72	40.0
19.910	2000.	2403.0	1.8	1.7	0.0	83.77	40.0
19.910	2500.	2404.0	2.0	2.8	0.0	108.68	40.0
19.910	3600.	2406.9	1.9	3.5	0.0	227.95	40.0
19.910	1200.	2401.3	0.0	0.1	0.0	51.60	10.0
19.910	2000.	2403.1	1.8	0.1	0.0	84.65	10.0
19.910	2500.	2405.0	1.9	0.0	0.0	111.62	10.0
19.910	3600.	2406.9	1.9	0.0	0.0	228.28	10.0

SUMMARY OF RESULTS

CAUTION	SECNO=	16.700	PROFILE=	1	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	16.700	PROFILE=	2	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	16.700	PROFILE=	3	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	16.700	PROFILE=	3	PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION	SECNO=	16.700	PROFILE=	3	20 TRIALS ATTEMPTED TO BALANCE WSEL
CAUTION	SECNO=	16.700	PROFILE=	4	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	16.700	PROFILE=	4	PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION	SECNO=	16.700	PROFILE=	4	20 TRIALS ATTEMPTED TO BALANCE WSEL
CAUTION	SECNO=	16.950	PROFILE=	1	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	16.950	PROFILE=	2	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	16.950	PROFILE=	3	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	16.950	PROFILE=	4	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	17.040	PROFILE=	1	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	17.040	PROFILE=	1	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	17.040	PROFILE=	1	PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION	SECNO=	17.040	PROFILE=	1	20 TRIALS ATTEMPTED TO BALANCE WSEL
CAUTION	SECNO=	17.310	PROFILE=	2	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	17.310	PROFILE=	3	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	17.310	PROFILE=	4	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	17.500	PROFILE=	1	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	17.500	PROFILE=	1	PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION	SECNO=	17.500	PROFILE=	1	20 TRIALS ATTEMPTED TO BALANCE WSEL
CAUTION	SECNO=	17.500	PROFILE=	2	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	17.500	PROFILE=	2	PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION	SECNO=	17.500	PROFILE=	2	20 TRIALS ATTEMPTED TO BALANCE WSEL
CAUTION	SECNO=	17.500	PROFILE=	3	CRITICAL DEPTH ASSUMED
CAUTION	SECNO=	17.500	PROFILE=	3	PROBABLE MINIMUM SPECIFIC ENERGY
CAUTION	SECNO=	17.500	PROFILE=	3	20 TRIALS ATTEMPTED TO BALANCE WSEL

HOMINY CREEK

HAYWOOD CO, NC

500 YEAR FLOOD 100 YEAR FLOOD

50 YEAR FLOOD

10 YEAR FLOOD

ELEV ELEV ELEV ELEV

19,600	6500	2243.6	4600	2242.5	3800	2241.9	2300	2240.6
16,600	4500	2245.5	4600	2244.0	3800	2243.3	2300	2241.6
15,700	4500	2245.6	4600	2247.1	3800	2246.4	2300	2244.4
15,270	4425	2255.4	4555	2258.1	3765	2257.5	2275	2256.2
16,870	4435	2240.1	4555	2258.7	3765	2258.1	2275	2256.7
16,050	4410	2263.3	4535	2261.4	3745	2260.5	2260	2258.7
17,020	4375	2265.6	4510	2265.3	3730	2265.3	2245	2263.1
17,040	4375	2268.2	4510	2266.5	3730	2265.5	2245	2263.3
17,030	4375	2265.0	4510	2267.2	3730	2266.5	2245	2265.2
17,050	4355	2274.5	4455	2283.1	3685	2282.1	2215	2279.5
17,310	4375	2281.2	4440	2289.4	3670	2288.1	2205	2285.8
17,170	4355	2281.5	4425	2296.6	3660	2295.5	2195	2293.2
17,170	4355	2291.5	4425	2293.4	3660	2296.9	2195	2294.3
17,500	4170	2304.0	4355	2301.9	3610	2300.9	2155	2298.8
17,400	4170	2312.7	4355	2311.3	3610	2311.0	2155	2305.1
17,900	4055	2317.4	4280	2315.4	3545	2314.4	2110	2312.3
17,910	4055	2323.0	4280	2319.9	3545	2319.0	2110	2316.9
19,000	4020	2327.2	4260	2325.1	3525	2324.1	2095	2322.0
18,250	3930	2334.1	4190	2332.9	3475	2332.1	2055	2330.1
18,250	3930	2336.5	4190	2334.8	3475	2334.0	2055	2331.3
18,400	3845	2341.3	4170	2340.0	3425	2339.3	2055	2337.8
18,400	3750	2345.2	4090	2346.8	3390	2346.2	1995	2344.5
18,400	3750	2351.9	4090	2350.8	3390	2349.9	1995	2345.7
18,900	3700	2352.7	4080	2351.4	3380	2350.6	1990	2348.5
18,950	3765	2356.4	4065	2355.0	3365	2354.4	1990	2353.2
18,950	3765	2355.8	4065	2357.3	3365	2355.5	1980	2353.4
19,030	3765	2360.3	4055	2358.9	3355	2358.2	1980	2356.1

19, 270	5735.	2368.3	4035.	2366.5	3335.	2365.7	1965.	2363.9
19, 270	5735.	2369.9	4035.	2369.7	3335.	2367.2	1965.	2364.1
19, 350	5725.	2371.3	4025.	2369.9	3325.	2368.7	1960.	2366.1
19, 350	5725.	2375.4	4025.	2372.2	3325.	2370.9	1960.	2368.3
19, 400	5715.	2375.6	4015.	2372.9	3320.	2371.7	1955.	2369.1
19, 510	5715.	2379.6	4015.	2377.6	3320.	2376.7	1955.	2374.5
19, 660	5705.	2388.7	4000.	2386.8	3300.	2385.9	1950.	2383.5
19, 760	3600.	2392.8	2500.	2391.5	2000.	2390.7	1200.	2388.6
19, 770	3600.	2392.9	2500.	2391.6	2000.	2390.7	1200.	2388.7
19, 770	3600.	2398.0	2500.	2394.9	2000.	2392.6	1200.	2390.2
19, 850	3600.	2398.5	2500.	2396.0	2000.	2395.3	1200.	2394.2
19, 910	3600.	2402.4	2500.	2400.7	2000.	2400.2	1200.	2399.1
19, 910	3600.	2406.9	2500.	2405.0	2000.	2403.1	1200.	2401.3

HEC2 RELEASE DATED NOV 76 UPDATED JULY 1979

ERROR CORR - 01, 02, 03

MODIFICATION - 50, 51, 52, 53, 54

T1	HAYWOOD CJ, NC	HOMINYF	2-12-80
T2	100 YEAR FLOOD		
T3	HOMINY CREEK	100 YEAR FLOODWAY	

J1	ICHECK	INQ	NIVV	IDIR	STRT	METRIC	HVINS	Q	WSEL	FQ
	0.	4.	0.	0.	0.00760	0.	0.0	0.	0.0	0.

J2	NPROF	IPLT	PRFVS	XSECV	XSECH	FN	ALLOC	IBW	CHNIM	ITRACI
	0.	0.	-1.	0.	0.	0.0	0.0	0.	0.	

J3	VARIABLE CODES FOR SUMMARY PRINTOUT									
	110.00	0.0	200.00	0.0	0.0	0.0	0.0	0.0	0.0	0.

VC	0.060	0.120	0.040	0.1	0.5					
QT	5.	2300.	3800.	4600.	6500.	4600.	0.	0.	0.	
ET	0.	0.0	0.0	0.0	0.0	7.11	290.00	370.00	0.0	0.

X1	16.60	35.	320.	360.	0.	0.	0.	0.0	0.0	
GR	2259.5	0.	2252.6	54.	2251.8	75.	2250.1	35.	2248.4	1
GR	2246.1	145.	2245.7	158.	2243.1	160.	2243.1	165.	2245.1	1
GR	2243.3	184.	2241.6	220.	2240.9	247.	2241.0	262.	2241.2	20
GR	2240.3	275.	2238.3	290.	2238.0	303.	2238.0	320.	2235.1	30
GR	2234.9	329.	2234.4	342.	2233.6	351.	2234.7	355.	2235.1	30
GR	2240.3	360.	2241.0	370.	2241.9	385.	2242.3	396.	2242.1	40
GR	2242.9	421.	2242.9	434.	2244.1	446.	2246.1	460.	2251.5	40
GR	2263.4	513.	0.0	0.	0.0	0.	0.0	0.	0.0	
ET	0.	0.0	0.0	0.0	0.0	7.11	290.00	370.00	0.0	0.

X1	16.60	0.	0.	0.	40.	40.	40.	0.0	0.0	
ET	0.	0.0	0.0	0.0	0.0	7.11	290.00	370.00	0.0	0.

X1	16.60	45.	315.	360.	1.	1.	1.	0.0	0.0	
BT	10.0	20.0	2257.1	0.0	236.0	2254.4	0.0	236.0	2254.4	2250
BT	315.0	2253.4	2249.6	315.0	2253.4	2247.5	350.0	2252.9	2246.9	360
BT	2252.9	2248.5	409.0	2252.2	2247.9	408.0	2252.2	0.0	482.0	2250
BT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
GR	2259.5	0.	2257.1	20.	2254.4	236.	2248.5	236.	2242.2	20
GR	2250.5	253.	2250.5	254.	2242.1	254.	2239.0	269.	2250.3	20
GR	2250.3	270.	2239.0	270.	2238.5	286.	2233.6	289.	2249.9	20
GR	2249.9	290.	2238.6	290.	2238.9	302.	2249.8	302.	2249.8	30
GR	2238.9	303.	2237.7	315.	2247.5	315.	2247.4	321.	2236.7	30
GR	2235.0	329.	2234.4	342.	2233.6	351.	2234.7	354.	2246.9	30
GR	2246.9	360.	2236.0	360.	2237.9	377.	2248.3	377.	2248.3	30
GR	2237.9	378.	2236.1	392.	2238.2	393.	2248.2	393.	2248.2	30
GR	2238.3	394.	2242.9	408.	2252.2	408.	2251.3	482.	2251.5	40
GR	2263.4	513.	0.0	0.	0.0	0.	0.0	0.	0.0	

ET	0.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
X1	16.60	0.	0.	0.	30.	30.	30.	0.0	0.0	
X2	0.	0.0	0.	0.0	0.0	0.0	1.	0.0	0.0	
ET	0.	0.0	0.0	0.0	0.0	7.11	290.00	370.00	0.0	0.

X1	16.60	35.	320.	360.	1.	1.	1.	0.0	0.0	
GR	2259.5	0.	2252.6	54.	2251.8	75.	2250.1	85.	2248.4	10
GR	2246.1	145.	2245.7	158.	2243.1	160.	2243.1	165.	2245.1	15
GR	2243.3	184.	2241.6	220.	2240.9	247.	2241.0	262.	2241.2	20
GR	2240.3	275.	2238.3	290.	2238.0	303.	2238.0	320.	2235.1	30
GR	2234.9	329.	2234.4	342.	2233.6	351.	2234.7	355.	2235.1	35
GR	2240.3	360.	2241.0	370.	2241.9	385.	2242.3	396.	2242.1	40
GR	2242.9	421.	2242.9	434.	2244.1	446.	2246.1	460.	2251.5	45
GR	2263.4	513.	0.0	0.	0.0	0.	0.0	0.	0.0	
ET	0.	0.0	0.0	0.0	0.0	7.11	290.00	370.00	0.0	0.

X1	16.60	0.	0.	0.	10.	10.	10.	0.0	0.0	
NC	0.100	0.120	0.145	0.1	0.5					
QT	5.	2300.	3300.	4600.	6500.	4600.	0.	0.	0.	
ET	0.	0.0	0.0	0.0	0.0	7.11	130.00	190.00	0.0	0.

X1	16.70	18.	148.	185.	470.	470.	470.	0.0	0.0	
GR	2267.6	0.	2260.2	6.	2257.5	16.	2249.8	29.	2248.4	10
GR	2247.3	53.	2245.4	84.	2244.7	111.	2244.6	132.	2242.6	15
GR	2242.7	148.	2239.7	153.	2239.4	175.	2238.8	184.	2239.7	15
GR	2245.0	197.	2252.5	211.	2260.9	249.	0.0	0.	0.0	
NC	0.100	0.100	0.145	0.1	0.5					
QT	5.	2275.	3765.	4555.	6435.	4555.	0.	0.	0.	
ET	0.	0.0	0.0	0.0	0.0	7.11	45.00	115.00	0.0	0.

X1	16.87	27.	53.	101.	920.	920.	920.	0.0	0.0	
GR	2272.2	0.	2257.7	13.	2252.5	31.	2255.4	36.	2254.4	10
GR	2252.1	53.	2257.7	61.	2249.7	61.	2249.7	65.	2257.7	10
GR	2251.7	69.	2251.9	73.	2251.9	80.	2251.0	88.	2250.7	10
GR	2249.7	89.	2249.7	95.	2250.7	96.	2252.4	101.	2253.5	10
GR	2258.8	124.	2262.7	128.	2263.0	133.	2264.6	149.	2264.9	10
GR	2266.6	153.	2277.6	194.	0.0	0.	0.0	0.	0.0	
ET	0.	0.0	0.0	0.0	0.0	7.11	25.00	95.00	0.0	0.

X1	16.87	15.	30.	87.	40.	40.	40.	0.0	0.0	
GR	2274.6	0.	2262.7	15.	2254.2	23.	2252.9	30.	2250.9	10
GR	2249.8	40.	2249.5	44.	2249.5	59.	2249.7	62.	2251.5	10
GR	2260.0	87.	2262.9	119.	2272.0	123.	2272.7	127.	2277.5	10
SB	0.01	1.50	3.00	0.	50.00	0.01	725.00	0.24	2249.6	2240
ET	0.	0.0	0.0	0.0	0.0	7.11	25.00	95.00	0.0	0.

X1	16.87	0.	0.	0.	40.	40.	40.	0.0	0.0	
X2	0.	0.0	1.	2263.2	2272.6	0.0	0.	0.0	0.0	
BT	5.0	0.0	2274.6	0.0	3.0	2272.6	0.0	105.0	2274.0	
BT	132.0	2274.7	0.0	140.0	2277.5	0.0	0.0	0.0	0.0	
ET	0.	0.0	0.0	0.0	0.0	7.11	25.00	95.00	0.0	0.

X1	16.87	0.	0.	0.	10.	10.	10.	0.0	0.0	
QT	5.	2250.	3745.	4535.	6410.	4535.	0.	0.	0.	
ET	0.	0.0	0.0	0.0	0.0	7.11	25.00	70.00	0.0	0.

AL	10.90	10.	26.	31.	280.	280.	280.	0.0	0.0	
GR	2276.5	0.	2267.4	12.	2261.7	20.	2256.6	26.	2253.6	2
GR	2253.5	40.	2252.8	45.	2253.2	50.	2253.6	58.	2256.3	6
GR	2263.0	77.	2263.4	93.	2264.0	100.	2270.6	116.	2275.7	12
NC	0.100	0.120	0.050	0.1	0.5					
QT	5.	2215.	3730.	4510.	6375.	4510.	0.	0.	0.	
ET	0.	0.0	0.0	0.0	0.0	7.11	135.00	255.00	0.0	0.

X1	17.03	23.	172.	205.	280.	280.	280.	0.0	0.0	
GR	2274.7	37.	2266.6	88.	2266.9	108.	2265.0	111.	2262.5	12
GR	2262.0	135.	2253.4	145.	2258.9	150.	2258.6	172.	2257.8	17
GR	2256.1	182.	2256.1	195.	2258.0	200.	2259.0	206.	2259.4	21
GR	2260.4	229.	2259.5	240.	2259.5	249.	2262.0	254.	2265.3	27
GR	2268.8	282.	2268.9	297.	2231.5	322.	0.0	0.	0.0	
ET	0.	0.0	0.0	0.0	0.0	7.11	135.00	255.00	0.0	0.

X1	17.04	25.	172.	204.	50.	50.	50.	0.0	0.0	
GR	2283.4	0.	2278.9	86.	2273.9	86.	2260.8	108.	2263.2	11
GR	2263.4	123.	2261.8	140.	2262.0	152.	2261.4	162.	2261.7	17
GR	2257.4	181.	2256.1	187.	2256.4	191.	2258.0	193.	2261.7	20
GR	2261.4	215.	2260.9	224.	2260.5	235.	2261.2	247.	2260.9	25
GR	2260.9	267.	2261.0	278.	2265.0	289.	2272.2	300.	2276.6	30
GR	2279.4	400.	0.0	0.	0.0	0.	0.0	0.	0.0	
ET	0.	0.0	0.0	0.0	0.0	7.11	135.00	255.00	0.0	0.

X1	17.04	55.	172.	204.	1.	1.	1.	0.0	0.0	
BT	6.0	0.0	2283.4	0.0	86.0	2282.2	0.0	86.0	2282.2	2278
BT	300.0	2279.9	2276.6	300.0	2279.9	0.0	400.0	2279.4	0.0	0
GR	2283.4	0.	2282.2	86.	2273.9	86.	2262.9	105.	2278.7	10
GR	2278.6	110.	2261.2	110.	2263.2	118.	2263.3	125.	2278.5	12
GR	2278.4	130.	2253.2	130.	2261.8	140.	2261.9	146.	2278.3	14
GR	2278.2	151.	2262.0	151.	2261.4	161.	2261.5	167.	2278.1	16
GR	2278.0	172.	2261.7	172.	2257.4	181.	2256.1	187.	2256.4	19
GR	2258.0	193.	2253.6	195.	2277.7	195.	2277.7	200.	2260.3	20
GR	2261.7	204.	2261.4	215.	2277.5	215.	2277.4	220.	2261.1	22
GR	2260.9	224.	2260.5	235.	2277.3	235.	2277.2	240.	2260.8	24
GR	2261.2	247.	2260.9	253.	2277.1	258.	2277.0	263.	2260.9	26
GR	2260.9	267.	2261.0	278.	2276.8	278.	2276.8	283.	2263.0	28
GR	2265.0	289.	2272.2	300.	2276.6	300.	2279.9	300.	2279.4	40
ET	0.	0.0	0.0	0.0	0.0	7.11	135.00	255.00	0.0	0.

X1	17.04	0.	0.	0.	30.	30.	30.	0.0	0.0	
X2	0.	0.0	0.	0.0	0.0	0.0	1.	0.0	0.0	
NC	0.120	0.120	0.050	0.0	0.0					
ET	0.	0.0	0.0	0.0	0.0	7.11	135.00	255.00	0.0	0.

X1	17.04	0.	0.	0.	1.	1.	1.	0.0	0.0	
ET	0.	0.0	0.0	0.0	0.0	7.11	10.00	120.00	0.0	0.

X1	17.04	13.	35.	93.	50.	50.	50.	0.0	0.0	
GR	2282.0	0.	2275.3	11.	2268.8	22.	2267.9	36.	2260.4	4
GR	2260.0	74.	2258.7	80.	2260.0	86.	2260.4	88.	2263.7	9
GR	2273.6	109.	2291.3	130.	2293.0	135.	0.0	0.	0.0	
NC	0.120	0.120	0.050	0.0	0.0					
QT	5.	2215.	3585.	4455.	6295.	4455.	0.	0.	0.	
ET	0.	0.0	0.0	0.0	0.0	7.11	85.00	125.00	0.0	0.

X1	17.25	13.	87.	123.	1190.	1190.	1190.	0.0	0.0	
GR	2297.4	0.	2291.5	0.	2290.0	52.	2290.0	70.	2290.0	74

GR	2218.5	87.	2273.5	43.	2212.1	105.	2273.5	117.	2278.7	1.
GR	2279.7	136.	2281.6	148.	2295.0	170.	2295.0	2.	2283.0	2.
OT	5.	2205.	3670.	4440.	6275.	4440.	0.	0.	0.	0.
ET	0.	0.0	0.0	0.0	0.0	7.11	195.00	230.00	0.0	0.

X1	17.31	12.	201.	226.	380.	380.	380.	0.0	0.0	0.
GR	2303.0	164.	2297.0	182.	2295.9	187.	2294.2	190.	2283.0	2.
GR	2279.6	203.	2278.3	214.	2279.6	222.	2282.7	226.	2287.0	2.
GR	2297.9	259.	2303.8	270.	0.0	0.	0.0	0.	0.0	0.
OT	5.	2195.	3660.	4425.	6255.	4425.	0.	0.	0.	0.
ET	0.	0.0	0.0	0.0	0.0	7.11	205.00	255.00	0.0	0.

X1	17.37	20.	212.	251.	400.	400.	400.	0.0	0.0	0.
GR	2307.0	62.	2305.5	65.	2302.4	79.	2302.8	90.	2303.4	14.
GR	2303.1	171.	2302.4	181.	2300.0	190.	2289.8	212.	2288.6	22.
GR	2285.8	233.	2285.1	240.	2285.3	245.	2285.6	250.	2285.8	25.
GR	2296.0	254.	2299.1	260.	2302.5	276.	2310.9	289.	2318.4	26.
ET	0.	0.0	0.0	0.0	0.0	7.11	205.00	255.00	0.0	0.

X1	17.37	0.	0.	0.	40.	40.	40.	0.0	0.0	0.
X3	10.	0.0	0.0	0.	0.0	0.	0.0	2299.0	2299.0	0.
SB	1.25	1.50	3.00	0.	22.00	2.00	413.00	0.83	2285.2	2285.
NC	0.100	0.120	0.045	0.0	0.0					
ET	0.	0.0	0.0	0.0	0.0	7.11	205.00	255.00	0.0	0.

X1	17.37	0.	0.	0.	50.	50.	50.	0.0	0.0	0.
X2	0.	0.0	1.	2298.5	2301.1	0.0	0.	0.0	0.0	0.
X3	10.	0.0	0.0	0.	0.0	0.	0.0	2301.4	2301.4	0.
BT	7.0	62.0	2307.0	0.0	65.0	2306.5	0.0	76.0	2303.3	0.
BT	180.0	2302.5	0.0	248.0	2301.6	0.0	330.0	2301.1	0.0	352.
BT	2307.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
ET	0.	0.0	0.0	0.0	0.0	7.11	205.00	255.00	0.0	0.

X1	17.37	0.	0.	0.	10.	10.	10.	0.0	0.0	0.
VC	0.080	0.080	0.040	0.0	0.0					
OT	5.	2155.	3510.	4365.	6170.	4365.	0.	0.	0.	0.
ET	0.	0.0	0.0	0.0	0.0	7.11	175.00	215.00	0.0	0.

X1	17.50	20.	180.	213.	430.	430.	430.	0.0	-5.30	0.
GR	2323.6	0.	2311.8	27.	2314.5	35.	2314.5	41.	2312.7	4.
GR	2310.4	54.	2310.2	140.	2309.7	156.	2305.8	172.	2302.6	18.
GR	2298.2	191.	2297.4	201.	2298.5	210.	2302.0	213.	2305.8	21.
GR	2310.3	230.	2311.5	255.	2311.5	267.	2313.4	317.	2323.1	32.
ET	0.	0.0	0.0	0.0	0.0	7.11	175.00	215.00	0.0	0.

X1	17.50	0.	0.	0.	530.	530.	530.	0.0	5.30	0.
ET	0.	0.0	0.0	0.0	0.0	7.11	175.00	215.00	0.0	0.

X1	17.60	0.	0.	0.	40.	40.	40.	0.0	0.0	0.
X3	10.	0.0	0.0	0.	0.0	0.	0.0	2308.2	2308.2	0.
SB	0.01	1.50	3.00	0.	24.80	0.01	283.00	0.0	2297.4	2297.
VC	0.100	0.120	0.045	0.0	0.0					
ET	0.	0.0	0.0	0.0	0.0	7.11	175.00	215.00	0.0	0.

X1	17.60	20.	180.	213.	30.	30.	30.	0.0	0.0	0.
X2	0.	0.0	1.	2308.8	2311.1	0.0	0.	0.0	0.0	0.
X3	10.	0.0	0.0	0.	0.0	0.	0.0	2311.0	2311.0	0.

BT	10.0	0.0	2323.6	0.0	21.0	2311.8	0.0	35.0	2314.5	0.0
BT	41.0	2314.5	0.0	47.0	2312.6	0.0	216.0	2311.1	0.0	25.0
BT	2311.8	0.0	278.0	2311.8	0.0	317.0	2313.4	0.0	328.0	232.0
BT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
GR	2323.6	0.0	2311.8	27.0	2314.5	35.0	2314.5	41.0	2311.7	0.0
GR	2311.7	54.0	2311.7	137.0	2309.7	156.0	2305.8	172.0	2302.6	1.0
GR	2298.2	191.0	2297.4	201.0	2298.5	210.0	2302.0	213.0	2305.8	2.0
GR	2310.3	230.0	2311.5	255.0	2311.5	267.0	2313.4	317.0	2323.1	3.0
ET	0.0	0.0	0.0	0.0	0.0	7.11	175.00	215.00	0.0	0.0

X1	17.60	0.0	0.0	0.0	10.0	10.0	10.0	0.0	0.0	0.0
X5	1.0	0.0	2311.00	0.0	0.0	0.0	0.0	0.0	0.0	0.0
QT	5.0	2110.0	3545.0	4280.0	6055.0	4280.0	0.0	0.0	0.0	0.0
ET	0.0	0.0	0.0	0.0	0.0	7.11	175.00	215.00	0.0	0.0

X1	17.80	15.0	176.0	210.0	1020.0	1020.0	1020.0	0.0	-6.40	0.0
GR	2336.4	0.0	2333.1	13.0	2335.4	19.0	2335.4	24.0	2332.7	0.0
GR	2323.0	47.0	2323.0	131.0	2319.7	146.0	2321.9	159.0	2314.2	1.0
GR	2311.4	182.0	2310.7	193.0	2311.4	203.0	2315.0	210.0	2317.6	2.0
GR	2336.6	231.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ET	0.0	0.0	0.0	0.0	0.0	7.11	175.00	215.00	0.0	0.0

X1	17.91	0.0	0.0	0.0	580.0	580.0	580.0	0.0	6.40	0.0
NC	0.080	0.030	0.040	0.0	0.0	0.0	0.0	0.0	0.0	0.0
QT	5.0	2095.0	3525.0	4250.0	6020.0	4260.0	0.0	0.0	0.0	0.0
ET	0.0	0.0	0.0	0.0	0.0	7.11	185.00	225.00	0.0	0.0

X1	18.00	14.0	187.0	224.0	440.0	440.0	440.0	0.0	0.0	0.0
GR	2340.4	0.0	2333.4	17.0	2326.1	39.0	2325.4	54.0	2325.4	1.0
GR	2322.5	165.0	2319.0	187.0	2315.3	196.0	2314.3	206.0	2315.3	2.0
GR	2320.0	224.0	2331.2	238.0	2332.7	275.0	2340.2	286.0	0.0	0.0
NC	0.080	0.030	0.050	0.0	0.0	0.0	0.0	0.0	0.0	0.0
QT	5.0	2055.0	3475.0	4190.0	5930.0	4190.0	0.0	0.0	0.0	0.0
ET	0.0	0.0	0.0	0.0	0.0	7.11	255.00	310.00	0.0	0.0

X1	18.25	21.0	257.0	297.0	1160.0	1160.0	1160.0	0.0	0.0	0.0
GR	2348.5	0.0	2337.9	11.0	2338.0	23.0	2337.4	27.0	2337.3	1.0
GR	2337.0	192.0	2334.8	199.0	2334.8	230.0	2331.6	250.0	2328.0	2.0
GR	2323.1	265.0	2321.6	282.0	2323.1	287.0	2328.0	297.0	2330.8	3.0
GR	2332.9	357.0	2335.2	400.0	2337.2	423.0	2334.5	430.0	2334.5	4.0
GR	2348.2	450.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
NC	0.070	0.070	0.050	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ET	0.0	0.0	0.0	0.0	0.0	7.11	255.00	310.00	0.0	0.0

X1	18.25	0.0	0.0	0.0	40.0	40.0	40.0	0.0	0.0	0.0
SB	1.25	1.50	3.00	0.0	26.00	6.00	378.00	0.90	2321.6	2321.0
NC	0.070	0.070	0.050	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ET	0.0	0.0	0.0	0.0	0.0	7.11	255.00	310.00	0.0	0.0

X1	18.25	0.0	0.0	0.0	30.0	30.0	30.0	0.0	0.0	0.0
X2	0.0	0.0	1.0	2333.8	2332.9	0.0	0.0	0.0	0.0	0.0
BT	16.0	0.0	2343.5	0.0	11.0	2337.9	0.0	23.0	2338.0	0.0
BT	27.0	2337.4	0.0	137.0	2337.3	0.0	235.0	2336.8	0.0	25.0
BT	2335.2	0.0	287.0	2335.0	0.0	312.0	2333.8	0.0	325.0	2333.0
BT	0.0	356.0	2332.9	0.0	400.0	2335.2	0.0	423.0	2337.2	0.0
BT	430.0	2334.5	0.0	436.0	2334.5	0.0	450.0	2348.2	0.0	0.0
ET	0.0	0.0	0.0	0.0	0.0	7.11	255.00	310.00	0.0	0.0

AI	18.25	0.	0.	0.	10.	10.	10.	0.0	0.0
NC	0.070	0.070	0.040	0.0	0.0				
QT	5.	2055.	3425.	4130.	5845.	4130.	0.	0.	0.
ET	0.	0.0	0.0	0.0	0.0	7.11	225.00	275.00	0.0

X1	18.48	14.	228.	275.	1180.	1180.	1180.	0.0	0.0
GR	2355.8	0.	2357.5	10.	2350.5	100.	2345.4	147.	2338.1
GR	2337.4	228.	2333.3	234.	2332.8	253.	2331.6	258.	2333.2
GR	2335.1	275.	2337.5	287.	2344.9	308.	2355.7	348.	0.0
NC	0.080	0.080	0.040	0.0	0.0				
QT	5.	1995.	3390.	4090.	5790.	4090.	0.	0.	0.
ET	0.	0.0	0.0	0.0	0.0	7.11	140.00	250.00	0.0

X1	18.69	15.	209.	242.	960.	960.	960.	0.0	0.0
GR	2362.9	50.	2349.3	76.	2349.3	154.	2345.4	174.	2343.3
GR	2340.0	202.	2338.0	209.	2337.5	211.	2336.5	220.	2337.5
GR	2343.4	242.	2344.2	294.	2352.8	390.	2357.9	427.	2362.1
ET	0.	0.0	0.0	0.0	0.0	7.11	140.00	250.00	0.0

X1	18.69	0.	0.	0.	40.	40.	40.	0.0	0.0
X3	10.	0.0	0.0	0.	0.0	0.	0.0	2346.0	2346.0
SB	0.01	1.50	3.00	0.	15.00	0.01	270.00	1.05	2336.5
ET	0.	0.0	0.0	0.0	0.0	7.11	140.00	250.00	0.0

X1	18.69	21.	202.	242.	30.	30.	30.	0.0	0.0
X2	0.	0.0	1.	2346.9	2349.3	0.0	0.	0.0	0.0
X3	10.	0.0	0.0	0.	0.0	0.	0.0	2349.3	2349.3
BT	13.0	0.0	2360.0	0.0	20.0	2352.7	0.0	27.0	2351.3
BT	54.0	2351.0	0.0	74.0	2350.3	0.0	134.0	2350.3	0.0
BT	2349.5	0.0	233.0	2349.3	0.0	289.0	2350.0	0.0	305.0
BT	0.0	340.0	2357.9	0.0	380.0	2360.6	0.0	402.0	2363.3
GR	2360.0	0.	2352.7	20.	2351.3	27.	2351.0	54.	2350.0
GR	2342.8	112.	2342.8	164.	2345.7	177.	2340.0	202.	2338.0
GR	2336.5	211.	2337.6	216.	2337.6	221.	2341.8	242.	2346.5
GR	2349.5	274.	2349.5	287.	2353.6	305.	2357.9	340.	2360.6
GR	2363.3	402.	0.0	0.	0.0	0.	0.0	0.	0.0
ET	0.	0.0	0.0	0.0	0.0	7.11	140.00	250.00	0.0

X1	18.69	0.	0.	0.	10.	10.	10.	0.0	0.0
NC	0.080	0.120	0.040	0.0	0.0				
QT	5.	1990.	3380.	4080.	5780.	4080.	0.	0.	0.
ET	0.	0.0	0.0	0.0	0.0	7.11	230.00	315.00	0.0

X1	18.82	15.	271.	314.	680.	680.	680.	0.0	0.0
GR	2360.0	0.	2353.7	22.	2353.7	78.	2353.5	120.	2353.5
GR	2340.6	190.	2347.0	253.	2349.0	271.	2343.0	286.	2342.2
GR	2343.0	305.	2349.8	314.	2359.2	338.	2359.2	348.	2367.8
NC	0.180	0.100	0.040	0.0	0.0				
QT	5.	1930.	3365.	4065.	5765.	4065.	0.	0.	0.
ET	0.	0.0	0.0	0.0	0.0	7.11	180.00	320.00	0.0

X1	18.95	17.	259.	374.	680.	680.	680.	0.0	0.0
GR	2356.0	125.	2355.0	130.	2353.0	140.	2349.9	150.	2350.6
GR	2351.7	269.	2346.7	280.	2346.4	280.	2345.3	289.	2346.7
GR	2351.7	304.	2355.1	318.	2355.1	331.	2365.5	350.	2367.2
GR	2367.2	366.	2371.2	370.	0.0	0.	0.0	0.	0.0
NC	0.180	0.100	0.040	0.0	0.0				
ET	0.	0.0	0.0	0.0	0.0	7.11	180.00	320.00	0.0

X1	18.95	0.	0.	0.	40.	40.	40.	0.0	0.0	
SB	0.71	1.50	3.00	0.	30.10	0.01	310.00	0.0	2346.1	234
ET	0.	0.0	0.0	0.0	0.0	7.11	180.00	320.00	0.0	0.0

X1	18.95	17.	259.	304.	30.	30.	30.	0.0	0.0	
X2	0.	0.0	1.	2356.4	2355.9	0.0	0.	0.0	0.0	
BT	14.0	105.0	2365.0	0.0	150.0	2356.0	0.0	160.0	2356.0	
BT	180.0	2356.0	0.0	190.0	2356.0	0.0	200.0	2356.0	0.0	22
BT	2355.9	0.0	270.0	2358.1	0.0	306.0	2357.8	0.0	337.0	235
BT	0.0	350.0	2365.5	0.0	358.0	2367.2	0.0	366.0	2367.2	
BT	370.0	2371.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
GR	2365.0	105.	2360.0	130.	2358.0	140.	2356.0	150.	2356.0	2
GR	2351.7	259.	2345.7	280.	2346.4	280.	2345.3	289.	2346.7	2
GR	2351.7	304.	2355.1	313.	2355.1	331.	2365.5	350.	2367.2	3
GR	2367.2	365.	2371.2	370.	0.0	0.	0.0	0.	0.0	
NC	0.080	0.100	0.140	0.0	0.0					
ET	0.	0.0	0.0	0.0	0.0	7.11	180.00	320.00	0.0	0.

X1	18.95	0.	0.	0.	10.	10.	10.	0.0	0.0	
QT	5.	1930.	3355.	4055.	5755.	4055.	0.	0.	0.	
ET	0.	0.0	0.0	0.0	0.0	7.11	320.00	365.00	0.0	0.

X1	19.03	15.	321.	364.	360.	360.	360.	0.0	0.0	
GR	2374.7	0.	2363.6	22.	2361.2	36.	2361.2	102.	2360.1	1
GR	2362.3	227.	2361.9	267.	2361.9	277.	2361.5	308.	2358.3	3
GR	2349.8	337.	2349.7	349.	2349.9	360.	2356.1	364.	2358.3	3
GR	2374.5	393.	0.0	0.	0.0	0.	0.0	0.	0.0	
NC	0.070	0.070	0.140	0.0	0.0					
BT	5.	1965.	3335.	4035.	5735.	4035.	0.	0.	0.	
ET	0.	0.0	0.0	0.0	0.0	7.11	150.00	275.00	0.0	0.

X1	19.27	23.	184.	226.	1170.	1170.	1170.	0.0	0.0	
GR	2385.7	0.	2385.5	9.	2379.4	21.	2374.5	42.	2368.5	4
GR	2368.5	128.	2369.2	163.	2366.5	178.	2362.0	184.	2358.5	1
GR	2357.0	205.	2358.5	222.	2362.0	226.	2366.3	231.	2364.3	2
GR	2363.4	255.	2363.0	309.	2363.7	379.	2371.1	385.	2371.1	4
GR	2377.9	408.	2378.3	441.	2391.3	459.	0.0	0.	0.0	
ET	0.	0.0	0.0	0.0	0.0	7.11	150.00	275.00	0.0	0.

X1	19.27	0.	0.	0.	40.	40.	40.	0.0	0.0	
X3	10.	0.0	0.0	0.	0.0	0.	0.0	2366.5	2366.5	
SB	0.71	1.50	3.00	0.	32.40	0.01	305.00	0.0	2357.6	2357
NC	0.100	0.100	0.140	0.0	0.0					
ET	0.	0.0	0.0	0.0	0.0	7.11	150.00	275.00	0.0	0.

X1	19.27	17.	184.	226.	30.	30.	30.	0.0	0.0	
X2	0.	0.0	1.	2367.0	2368.5	0.0	0.	0.0	0.0	
X3	10.	0.0	0.0	0.	0.0	0.	0.0	2368.5	2368.5	
BT	18.0	0.0	2385.7	0.0	9.0	2385.5	0.0	21.0	2379.4	0
BT	42.0	2374.5	0.0	48.0	2368.5	0.0	128.0	2368.5	0.0	184
BT	2369.6	0.0	184.0	2370.4	0.0	228.0	2370.3	0.0	229.0	236
BT	0.0	262.0	2368.9	0.0	280.0	2369.3	0.0	340.0	2373.2	0
BT	361.0	2375.4	0.0	373.0	2377.9	0.0	408.0	2377.9	0.0	441
BT	2378.3	0.0	459.0	2391.3	0.0	0.0	0.0	0.0	0.0	0
GR	2385.7	0.	2385.5	9.	2379.4	21.	2374.5	42.	2368.5	4
GR	2368.5	123.	2369.2	163.	2366.5	178.	2362.0	184.	2358.5	1
GR	2357.0	205.	2358.5	222.	2362.0	226.	2366.3	231.	2368.7	30
GR	2373.2	340.	2375.4	361.	0.0	0.	0.0	0.	0.0	
ET	0.	0.0	0.0	0.0	0.0	7.11	150.00	275.00	0.0	0.

XI	19.27	0.	0.	0.	10.	10.	10.	0.0	0.0
VC	0.100	0.120	0.040	0.0	0.0				
QT	5.	1950.	3325.	4025.	5725.	4025.	0.	0.	0.
ET	0.	0.0	0.0	0.0	0.0	7.11	275.00	325.00	0.0

XI	19.35	13.	275.	325.	400.	400.	400.	0.0	0.0
GR	2386.4	0.	2374.8	42.	2372.8	51.	2372.8	102.	2372.8
GR	2372.8	162.	2372.8	193.	2372.8	210.	2373.3	226.	2373.1
GR	2371.0	275.	2360.5	280.	2358.8	301.	2359.5	305.	2360.9
GR	2367.3	325.	2369.8	333.	2381.9	371.	0.0	0.	0.0
ET	0.	0.0	0.0	0.0	0.0	7.11	275.00	325.00	0.0

XI	19.35	0.	0.	0.	40.	40.	40.	0.0	0.0
ET	0.	0.0	0.0	0.0	0.0	7.11	275.00	325.00	0.0

XI	19.35	25.	275.	325.	1.	1.	1.	0.0	0.0
BT	9.0	252.0	2373.2	0.0	262.0	2373.9	0.0	275.0	2374.8
BT	287.0	2375.6	0.0	287.0	2375.6	2372.9	325.0	2376.2	2374.4
BT	2376.2	0.0	329.0	2375.3	0.0	360.0	2378.5	0.0	0.0
GR	2386.4	0.	2374.8	42.	2372.8	51.	2372.8	102.	2372.8
GR	2372.8	162.	2372.8	193.	2372.8	210.	2373.3	226.	2373.2
GR	2373.9	262.	2374.8	275.	2375.6	287.	2363.6	287.	2363.6
GR	2360.9	290.	2360.2	295.	2359.9	301.	2360.3	304.	2360.3
GR	2361.0	314.	2367.6	325.	2376.2	325.	2376.3	329.	2378.5
ET	0.	0.0	0.0	0.0	0.0	7.11	275.00	325.00	0.0

XI	19.35	0.	0.	0.	30.	30.	30.	0.0	0.0
X2	0.	0.0	0.	0.0	0.0	0.0	1.	0.0	0.0
VC	0.070	0.100	0.040	0.0	0.0				
ET	0.	0.0	0.0	0.0	0.0	7.11	275.00	325.00	0.0

XI	19.35	13.	275.	325.	1.	1.	1.	0.0	0.0
GR	2386.4	0.	2374.8	42.	2372.8	51.	2372.8	102.	2372.8
GR	2372.8	162.	2372.8	193.	2372.8	210.	2373.3	226.	2373.1
GR	2371.0	275.	2360.5	280.	2358.8	301.	2359.5	305.	2360.9
GR	2367.3	325.	2369.8	333.	2381.9	371.	0.0	0.	0.0
NC	0.080	0.120	0.050	0.0	0.0				
QT	5.	1950.	3320.	4015.	5715.	4015.	0.	0.	0.
ET	0.	0.0	0.0	0.0	0.0	7.11	275.00	325.00	0.0

XI	19.40	0.	0.	0.	310.	310.	310.	0.0	3.40
ET	0.	0.0	0.0	0.0	0.0	7.11	229.00	269.00	0.0

XI	19.51	13.	229.	268.	580.	580.	580.	0.0	0.0
GR	2400.3	0.	2383.0	29.	2381.0	40.	2380.8	76.	2380.1
GR	2380.1	140.	2380.9	165.	2380.6	196.	2378.0	216.	2377.5
GR	2367.4	237.	2366.0	245.	2365.7	248.	2366.0	250.	2367.4
GR	2374.0	253.	2381.4	282.	2390.6	308.	0.0	0.	0.0
QT	5.	1950.	3300.	4000.	5700.	4000.	0.	0.	0.
ET	0.	0.0	0.0	0.0	0.0	7.11	306.00	336.00	0.0

XI	19.66	21.	308.	336.	840.	840.	840.	0.0	0.0
GR	2397.5	0.	2393.3	19.	2391.3	45.	2391.9	93.	2391.9
GR	2391.4	130.	2390.5	161.	2390.3	193.	2388.0	209.	2386.5
GR	2384.9	279.	2382.8	308.	2376.4	311.	2375.5	316.	2374.9
GR	2375.5	320.	2374.5	320.	2372.4	324.	2370.0	320.	2370.0

GR	2411.2	405.	3.0	5.	0.0	0.	0.0	0.	0.0
NC	0.080	0.030	0.050	0.1	0.7				
BT	5.	1200.	2000.	2500.	3600.	2500.	0.	0.	0.
ET	3.	0.0	0.0	0.0	0.0	7.11	135.00	205.00	0.0

X1	19.76	18.	146.	192.	440.	440.	440.	0.0	0.0
GR	2401.0	0.	2394.9	50.	2396.2	92.	2394.8	116.	2393.2
GR	2390.0	140.	2385.1	146.	2382.8	151.	2381.8	162.	2382.9
GR	2383.4	173.	2384.8	182.	2387.3	192.	2391.1	206.	2394.1
GR	2397.7	305.	2399.3	344.	2404.5	373.	0.0	0.	0.0
ET	0.	0.0	0.0	0.0	0.0	7.11	135.00	205.00	0.0

X1	19.77	15.	146.	192.	40.	40.	40.	0.0	0.0
X3	10.	0.0	0.0	0.	0.0	0.	0.0	2391.0	2391.0
GR	2401.0	0.	2394.9	50.	2396.2	92.	2394.8	116.	2393.2
GR	2390.0	140.	2386.1	146.	2385.5	151.	2385.7	179.	2387.3
GR	2391.1	203.	2394.1	278.	2397.7	306.	2399.3	344.	2404.5
SB	1.25	1.50	3.00	0.	32.30	2.00	210.00	0.0	2385.4
ET	0.	0.0	0.0	0.0	0.0	7.11	135.00	205.00	0.0

X1	19.77	0.	0.	0.	50.	50.	50.	0.0	0.0
X2	0.	0.0	1.	2391.9	2396.3	0.0	0.	0.0	0.0
X3	10.	0.0	0.0	0.	0.0	0.	0.0	2396.3	2396.3
BT	6.0	0.0	2401.0	0.0	40.0	2396.3	0.0	150.0	2397.4
BT	245.0	2399.0	0.0	350.0	2400.5	0.0	373.0	2404.5	0.0
VC	0.080	0.080	0.050	0.1	0.5				
ET	0.	0.0	0.0	0.0	0.0	7.11	135.00	205.00	0.0

X1	19.77	0.	0.	0.	10.	10.	10.	0.0	0.0
BT	5.	1200.	2000.	2500.	3600.	2500.	0.	0.	0.
ET	0.	0.0	0.0	0.0	0.0	7.11	190.00	245.00	0.0

X1	19.85	24.	192.	244.	470.	470.	470.	0.0	0.0
GR	2422.9	0.	2414.8	29.	2407.6	73.	2402.3	102.	2397.4
GR	2396.3	134.	2393.8	146.	2393.8	169.	2394.5	192.	2390.8
GR	2390.5	204.	2390.0	214.	2390.5	221.	2390.9	228.	2392.7
GR	2395.2	244.	2395.2	261.	2401.0	279.	2402.4	295.	2402.3
GR	2404.3	348.	2404.6	382.	2405.8	428.	2414.9	470.	0.0
NC	0.120	0.030	0.050	0.0	0.0				
BT	5.	1200.	2000.	2500.	3600.	2500.	0.	0.	0.
ET	0.	0.0	0.0	0.0	0.0	7.11	95.00	135.00	0.0

X1	19.91	21.	95.	134.	275.	275.	275.	0.0	0.0
GR	2415.8	0.	2411.7	32.	2407.8	55.	2402.1	73.	2401.3
GR	2394.5	105.	2394.0	110.	2393.1	116.	2394.4	123.	2394.6
GR	2398.3	134.	2402.1	150.	2406.0	168.	2405.8	207.	2404.8
GR	2405.4	261.	2406.8	285.	2408.5	304.	2408.4	317.	2410.3
GR	2415.8	349.	0.0	0.	0.0	0.	0.0	0.	0.0
ET	0.	0.0	0.0	0.0	0.0	7.11	95.00	135.00	0.0

X1	19.91	21.	95.	134.	40.	40.	40.	0.0	0.0
GR	2415.8	0.	2411.7	32.	2407.8	55.	2402.1	73.	2401.3
GR	2395.4	105.	2395.0	110.	2397.0	116.	2396.5	120.	2396.0
GR	2398.3	134.	2402.1	150.	2406.0	168.	2405.8	207.	2404.8
GR	2405.4	261.	2405.8	285.	2408.5	304.	2408.4	317.	2410.3
GR	2415.8	349.	0.0	0.	0.0	0.	0.0	0.	0.0
SB	1.25	1.50	3.00	0.	11.90	2.00	213.00	0.0	2385.4
NC	0.080	0.080	0.050	0.0	0.0				
ET	0.	0.0	0.0	0.0	0.0	7.11	95.00	135.00	0.0

THIS RUN EXECUTED 12/02/81 19:09:03

 HEC2 RELEASE DATED NOV 75 UPDATED JJLY 1979
 ERROR CORR - 01,02,03
 MODIFICATION - 50,51,52,53,54

NOTE- ASTERISK (*) AT LEFT OF CROSS-SECTION NUMBER
 INDICATES MESSAGE IN SUMMARY OF ERRORS LIST/

HOMINY CREEK

SUMMARY PRINTOUT TABLE 110

SECNO	CASEL	DIFRWS	E3	TOPWID	PERENC	STENCL	STENCR	STCHL	STCHR	Q.J3	QC4	Q333
16.600	2242.51	0.0	2244.06	214.	0.	0.	0.	320.	350.	1229.	3319.	53.
16.600	2243.00	0.49	2244.89	80.	80.	290.	370.	320.	360.	854.	3777.	40.
16.600	2243.39	0.0	2244.35	252.	0.	0.	0.	320.	360.	1458.	3723.	119.
16.600	2243.63	0.24	2245.19	80.	80.	290.	370.	320.	360.	895.	3655.	49.
16.600	2243.38	0.0	2244.37	140.	0.	0.	0.	315.	360.	1153.	2773.	559.
16.600	2243.31	-0.37	2245.52	67.	80.	290.	370.	315.	360.	695.	3691.	214.
16.600	2243.78	0.0	2244.63	141.	0.	0.	0.	315.	360.	1276.	2715.	579.
16.600	2244.28	0.51	2245.98	67.	80.	290.	370.	315.	360.	761.	3621.	217.
16.600	2243.94	0.0	2244.65	273.	0.	0.	0.	320.	360.	1586.	2847.	155.
16.600	2244.95	1.71	2246.05	80.	80.	290.	370.	320.	360.	960.	3575.	65.
16.600	2243.99	0.0	2244.68	274.	0.	0.	0.	320.	360.	1597.	2832.	171.
16.600	2245.00	1.91	2246.08	80.	80.	290.	370.	320.	360.	962.	3572.	66.
*	16.700	2247.14	0.0	2249.55	134.	0.	0.	148.	186.	553.	3853.	194.
*	16.700	2246.92	-0.21	2250.23	60.	60.	130.	190.	148.	323.	4294.	73.
16.870	2258.11	0.0	2260.06	88.	0.	0.	0.	53.	101.	258.	3991.	376.
16.870	2258.84	0.73	2260.56	70.	70.	45.	115.	53.	101.	166.	4089.	300.
16.870	2258.52	0.0	2260.46	65.	0.	0.	0.	30.	87.	158.	4397.	0.
16.870	2259.15	0.63	2260.88	60.	70.	25.	95.	30.	87.	73.	4482.	0.
16.870	2258.52	0.0	2260.46	65.	0.	0.	0.	30.	87.	158.	4397.	0.
16.870	2259.15	0.63	2260.87	60.	70.	25.	95.	30.	87.	73.	4482.	0.
16.870	2258.74	0.0	2260.56	66.	0.	0.	0.	30.	87.	163.	4392.	0.
16.870	2259.29	0.55	2260.95	61.	70.	25.	95.	30.	87.	73.	4482.	0.
*	16.950	2251.37	0.0	2264.76	55.	0.	0.	26.	67.	46.	4432.	57.
*	16.950	2251.31	-0.06	2264.90	45.	45.	25.	70.	26.	7.	4494.	33.
17.030	2256.32	0.0	2266.92	166.	0.	0.	0.	172.	206.	1083.	2518.	979.
17.030	2256.49	0.17	2267.19	120.	120.	135.	255.	172.	206.	927.	2678.	906.

CONTRACT NO. 6800000-2, WORK ORDER NO. 4474

SECNO	CASEL	DIFKHS	EG	TOPHD	PERENC	STENCL	STEVCR	STCHL	SICR	Q-JR	QCH	ORDR
18.250	2332.85	0.0	2334.64	114.	0.	0.	0.	257.	297.	75.	3962.	153.
18.250	2333.58	0.73	2335.21	55.	55.	255.	310.	257.	297.	70.	4745.	124.
18.250	2333.66	0.0	2334.95	134.	0.	0.	0.	257.	297.	117.	3759.	314.
18.250	2334.01	0.35	2335.46	55.	55.	255.	310.	257.	297.	23.	4717.	198.
18.250	2334.70	0.0	2335.57	167.	0.	0.	0.	257.	297.	163.	3511.	516.
18.250	2335.45	0.75	2336.53	55.	55.	255.	310.	257.	297.	24.	3951.	236.
18.250	2334.75	0.0	2335.61	168.	0.	0.	0.	257.	297.	164.	3571.	525.
18.250	2335.49	0.74	2336.57	55.	55.	255.	310.	257.	297.	24.	3959.	237.
18.480	2340.04	0.0	2341.90	111.	0.	0.	0.	228.	275.	261.	3644.	225.
18.480	2340.87	0.83	2342.95	50.	50.	225.	275.	228.	275.	27.	4173.	7.
18.690	2346.77	0.0	2348.11	156.	0.	0.	0.	209.	242.	544.	2961.	485.
18.690	2347.43	0.66	2349.94	86.	110.	140.	250.	209.	242.	758.	3253.	79.
18.690	2347.21	0.0	2348.32	163.	0.	0.	0.	209.	242.	563.	2868.	559.
18.690	2347.77	0.55	2349.13	88.	110.	140.	250.	209.	242.	794.	3213.	93.
18.690	2350.75	0.0	2350.99	231.	0.	0.	0.	202.	242.	1488.	2326.	276.
18.690	2351.02	0.27	2351.45	110.	110.	140.	250.	202.	242.	1055.	2921.	174.
18.950	2350.76	0.0	2350.99	231.	0.	0.	0.	202.	242.	1489.	2324.	276.
18.950	2351.04	0.28	2351.45	110.	110.	140.	250.	202.	242.	1055.	2927.	174.
18.820	2351.40	0.0	2352.44	128.	0.	0.	0.	271.	314.	1266.	2812.	3.
18.820	2351.91	0.52	2353.43	85.	85.	230.	315.	271.	314.	700.	3379.	1.
18.950	2355.02	0.0	2355.68	188.	0.	0.	0.	269.	304.	1831.	2275.	29.
18.950	2355.91	0.89	2356.67	140.	140.	180.	320.	269.	304.	1495.	2513.	57.
18.950	2354.78	0.0	2356.35	186.	0.	0.	0.	259.	304.	1057.	2973.	34.
18.950	2355.73	0.94	2357.22	140.	140.	180.	320.	269.	304.	823.	3175.	55.
18.950	2355.32	0.0	2358.51	78.	0.	0.	0.	269.	304.	37.	3963.	65.
18.950	2355.27	-0.05	2358.51	67.	140.	180.	320.	269.	304.	36.	3967.	62.
18.950	2357.34	0.0	2358.75	192.	0.	0.	0.	269.	304.	375.	3511.	179.
18.950	2356.97	-0.37	2358.73	140.	140.	180.	320.	269.	304.	252.	3688.	125.
19.030	2358.93	0.0	2361.33	51.	0.	0.	0.	321.	364.	1.	4739.	17.
19.030	2359.02	0.09	2361.39	45.	45.	320.	365.	321.	364.	1.	4051.	3.
19.270	2366.51	0.0	2367.25	203.	0.	0.	0.	184.	226.	24.	2825.	1187.
19.270	2366.96	0.45	2368.27	106.	125.	150.	275.	184.	226.	38.	3560.	437.
19.270	2356.71	0.0	2367.38	203.	0.	0.	0.	184.	226.	26.	2777.	1239.
19.270	2357.25	0.54	2368.43	101.	125.	150.	275.	184.	226.	42.	3523.	470.
19.270	2368.71	0.0	2369.85	225.	0.	0.	0.	184.	226.	63.	3857.	112.
19.270	2359.77	1.06	2370.64	125.	125.	150.	275.	184.	226.	89.	3758.	189.
19.270	2358.74	0.0	2359.88	227.	0.	0.	0.	184.	226.	65.	3855.	114.
19.270	2359.79	1.05	2370.66	125.	125.	150.	275.	184.	226.	90.	3755.	191.

SECNO	CASEL	DIFKWS	EG	TDPWID	PERENC	STENCL	STENCR	STCHL	STCHR	2.3B	2CH	Q33B
19.350	2359.95	0.7	2371.25	58.	7.	7.	7.	275.	325.	7.	4714.	11.
19.350	2370.64	0.69	2371.77	50.	50.	275.	325.	275.	325.	7.	4025.	0.
19.350	2370.18	0.0	2371.42	59.	7.	7.	0.	275.	325.	7.	4712.	13.
19.357	2370.82	0.64	2371.91	50.	50.	275.	325.	275.	325.	7.	4025.	0.
19.350	2359.28	0.0	2372.34	38.	7.	7.	0.	275.	325.	7.	4725.	7.
19.350	2370.14	0.86	2372.60	38.	50.	275.	325.	275.	325.	0.	4025.	0.
19.350	2370.61	0.0	2372.82	38.	7.	7.	7.	275.	325.	0.	4725.	0.
19.350	2370.87	0.26	2372.96	38.	50.	275.	325.	275.	325.	0.	4025.	0.
19.350	2372.16	0.0	2372.97	75.	7.	0.	0.	275.	325.	4.	3972.	49.
19.350	2372.26	0.10	2373.09	50.	50.	275.	325.	275.	325.	0.	4025.	0.
19.400	2372.90	0.7	2374.35	56.	7.	0.	0.	275.	325.	7.	4775.	9.
19.400	2373.13	0.23	2374.51	49.	50.	275.	325.	275.	325.	0.	4715.	0.
19.510	2377.63	7.7	2379.65	50.	7.	0.	0.	229.	268.	0.	3927.	25.
19.510	2377.72	0.09	2379.74	40.	40.	229.	269.	229.	268.	0.	4011.	4.
19.660	2386.87	0.0	2389.05	117.	7.	0.	0.	308.	336.	459.	3476.	45.
19.660	2387.39	0.59	2390.30	30.	30.	306.	336.	308.	336.	26.	3974.	0.
19.760	2391.53	0.0	2392.19	81.	7.	7.	0.	146.	192.	50.	2399.	62.
19.760	2392.55	1.03	2393.05	70.	70.	135.	205.	146.	192.	67.	2351.	82.
19.770	2391.59	0.0	2392.72	83.	7.	7.	0.	146.	192.	82.	2315.	103.
19.770	2392.60	1.00	2393.37	70.	70.	135.	205.	146.	192.	101.	2275.	124.
* 19.770	2394.50	0.0	2395.12	46.	7.	7.	0.	146.	192.	0.	2577.	7.
19.770	2395.64	1.14	2396.12	46.	70.	135.	205.	146.	192.	0.	2577.	0.
19.770	2394.88	0.0	2395.17	169.	7.	7.	0.	146.	192.	147.	1984.	369.
19.770	2395.82	0.95	2396.15	70.	70.	135.	205.	146.	192.	137.	2271.	152.
19.850	2395.95	0.0	2397.14	128.	7.	7.	0.	192.	244.	350.	2125.	25.
19.850	2396.62	0.67	2398.02	55.	55.	190.	245.	192.	244.	9.	2489.	2.
* 19.910	2400.74	0.0	2403.14	48.	7.	7.	0.	95.	134.	0.	2452.	38.
* 19.910	2400.68	-0.06	2403.23	39.	40.	95.	135.	95.	134.	0.	2495.	5.
* 19.910	2402.15	0.0	2404.18	77.	7.	7.	0.	95.	134.	10.	2369.	121.
* 19.910	2401.95	-0.19	2404.49	40.	40.	95.	135.	95.	134.	0.	2491.	9.
19.910	2404.92	0.0	2405.51	109.	7.	7.	0.	95.	134.	186.	2064.	251.
* 19.910	2404.15	-0.77	2405.38	40.	40.	95.	135.	95.	134.	0.	2492.	8.
19.910	2404.97	0.0	2405.54	112.	7.	0.	0.	95.	134.	186.	2061.	253.
19.910	2404.27	-0.70	2405.45	40.	40.	95.	135.	95.	134.	0.	2492.	8.

SUMMARY OF ERRORS

CAUTION SECNO= 15.700 PROFILE= 1 CRITICAL DEPTH ASSUMED
 CAUTION SECNO= 16.700 PROFILE= 1
 PROBABLE MINIMUM SPECIFIC ENERGY
 CAUTION SECNO= 16.700 PROFILE= 1

FLOODWAY DATA, HUMBLY CREEK

PROFILE NO. 2

STATION	WIDTH (FT)	FLOODWAY SECTION AREA	MEAN VELOCITY	WATER SURFACE ELEVATION		
				WITH FLOODWAY	WITHOUT FLOODWAY	DIFFERENCE
16.500	47.	491.	9.5	2243.7	2242.5	0.5
16.500	47.	532.	8.5	2243.6	2243.4	0.2
16.600	46.	466.	9.9	2243.4	2243.4	0.0
16.600	41.	530.	8.7	2244.3	2243.8	0.5
16.600	40.	637.	7.2	2245.0	2243.9	1.1
16.500	37.	541.	7.2	2245.7	2244.0	1.0
16.700	67.	373.	12.3	2247.1	2247.1	0.0
16.800	75.	492.	9.3	2258.8	2258.1	0.7
16.800	70.	457.	13.1	2259.1	2258.5	0.6
16.800	70.	450.	13.1	2259.1	2258.5	0.6
16.800	70.	459.	9.9	2259.3	2258.7	0.6
16.850	45.	311.	14.6	2261.4	2261.4	0.0
17.000	120.	921.	6.0	2266.5	2266.3	0.2
17.000	120.	778.	5.4	2266.5	2266.5	0.0
17.000	120.	526.	8.6	2266.2	2266.2	0.0
17.000	120.	597.	6.5	2267.8	2267.2	0.6
17.000	120.	687.	5.4	2267.7	2267.1	0.6
17.000	110.	437.	10.3	2268.2	2267.2	1.0
17.000	40.	312.	14.3	2283.1	2283.1	0.0
17.000	35.	287.	15.5	2289.4	2289.4	0.0
17.000	50.	425.	10.3	2296.8	2296.6	0.2
17.000	50.	382.	11.5	2297.1	2296.3	0.8
17.000	50.	430.	10.3	2298.3	2297.9	0.4
17.000	50.	515.	8.6	2298.6	2298.4	0.2
17.000	40.	291.	15.3	2301.9	2301.0	0.9
17.000	40.	336.	13.0	2308.1	2307.8	0.3
17.000	40.	269.	11.8	2308.9	2308.0	0.9
17.000	40.	572.	8.7	2312.3	2311.2	1.1
17.000	40.	574.	8.7	2312.3	2311.3	1.0
17.000	40.	395.	10.7	2315.0	2315.4	0.4
17.000	40.	395.	14.1	2320.1	2319.9	0.2
18.000	40.	352.	12.1	2325.1	2325.1	0.0
18.000	55.	440.	9.5	2333.6	2332.9	0.7
18.000	55.	464.	9.7	2334.0	2333.7	0.3
18.000	55.	543.	7.7	2335.5	2334.7	0.8
18.000	55.	546.	7.7	2335.5	2334.8	0.7
18.000	50.	364.	11.4	2340.9	2340.0	0.9
18.000	110.	522.	7.3	2347.4	2346.8	0.6
18.000	110.	553.	7.4	2347.9	2347.2	0.6
18.000	110.	1040.	3.9	2351.0	2350.8	0.2
18.000	110.	1042.	3.9	2351.0	2350.8	0.2
18.000	35.	503.	8.1	2351.9	2351.4	0.5
18.000	140.	799.	5.1	2355.9	2355.0	0.9
18.000	140.	774.	5.3	2355.7	2354.8	0.9
18.000	140.	326.	12.5	2355.3	2355.3	0.0
18.000	140.	511.	8.0	2357.3	2357.3	0.0
18.000	45.	331.	12.2	2359.0	2358.9	0.1
19.000	125.	540.	7.5	2367.0	2366.5	0.5
19.000	125.	569.	7.1	2367.2	2366.7	0.5
19.000	125.	703.	5.7	2369.8	2368.7	1.1

FLOODWAY DATA, HORNBY CREEK

PROFILE NO. 2

STATION	WIDTH (FT)	FLOODWAY SECTION AREA	MEAN VELOCITY	WATER SURFACE ELEVATION		
				WITH FLOODWAY	WITHOUT FLOODWAY	DIFFERENCE
19.370	125.	776.	5.7	2369.7	2368.7	1.0
19.350	57.	471.	8.5	2370.6	2369.9	0.7
19.350	57.	487.	8.4	2370.8	2370.2	0.6
19.350	57.	327.	12.6	2370.1	2369.3	0.8
19.350	57.	347.	11.6	2370.9	2370.6	0.3
19.350	57.	552.	7.3	2372.3	2372.2	0.1
19.410	57.	426.	9.4	2373.1	2372.9	0.2
19.510	70.	355.	11.3	2377.7	2377.6	0.1
19.600	70.	299.	13.4	2387.4	2386.8	0.6
19.760	70.	486.	5.1	2392.6	2391.5	1.1
19.770	70.	391.	5.4	2392.6	2391.6	1.0
19.770	70.	447.	5.6	2395.6	2394.5	1.1
19.770	70.	517.	4.0	2395.8	2394.9	0.9
19.850	55.	367.	9.4	2396.6	2396.0	0.6
19.910	47.	197.	12.7	2400.7	2400.7	0.0
19.910	47.	193.	12.6	2402.1	2402.1	0.0
19.910	47.	285.	8.7	2404.9	2404.9	0.0
19.910	47.	291.	8.6	2405.7	2405.7	0.0