

SB	0.9	1.5	2.5	0	6.0	0.01	28.5			
X1	445	0	0	0	40	40	40			
X2			1	697.5	699.6					
BT	16	1000	715.5		1100	706.8		1200	701.4	
BT	1300	699.7		1323	699.6	697.0	1324	699.6	697.2	1325
BT	699.6	697.4	1326	699.6	697.5	1327	699.6	697.4	1328	699.6
BT	697.2	1329	699.6	697.0	1329.1	699.6		1350	700.0	
BT	1450	706.9		1550	714.0		1579	715.0		
NC	0.055	0.055	0.035	0.1	0.3					
X1	495	11	1308	1326	50	50	50		-1.2	
GR	715.2	1000	708.1	1100	701.4	1200	697.7	1300	697.8	1308
GR	695.0	1310	694.8	1315	695.1	1320	698.3	1326	698.5	1334
GR	715.2	1368								
X1	545	0	0	0	50	50	50		1.2	
QT	5	136	272	351	554	351				
X1	873	11	1302	1308	328	328	328			
GR	723.1	1000	715.3	1100	707.7	1200	703.6	1302	700.6	1304
GR	700.5	1305	700.5	1306	704.1	1308	704.5	1316	721.8	1400
GR	723.1	1408								
X1	923	0	0	0	50	50	50		1.1	
NC	0.025	0.025	0.025	0.1	0.3					
X1	973	20	1480.7	1485.3	50	50	50			
GR	723.5	1000	724.7	1100	723.9	1135	718.7	1200	711.4	1300
GR	710.3	1400	707.7	1411	707.7	1400	706.9	1480.7	705.8	1481
GR	704.8	1482	704.6	1483	704.8	1484	705.8	1485	706.9	1485.3
GR	708.2	1487	704.6	1494	721.3	1555	726.6	1500	728.5	1518
SB	0.9	1.5	2.5	0	4.6	0.01	16.5			
X1	1027	0	0	0	54	54	54			
X2			1	709.1	710.3					



BT	15	1000	728.5		1100	724.7		1200	718.7	
BT	1300	711.4		1400	710.3		1480.7	713.7	706.9	1481
BT	713.7	707.9	1482	713.7	708.9	1483	713.7	709.1	1484	713.7
BT	708.9	1485	713.7	707.9	1485.3	713.7	706.9	1500	715.0	
BT	1600	726.4		1618	728.5					
NC	0.055	0.054	0.035	0.1	0.3					
GR	1077	11	1302	1308	50	50	50		5.2	
GR	723.1	1000	715.3	1100	707.7	1200	703.6	1502	700.6	1304
GR	700.5	1305	700.5	1306	704.1	1308	704.5	1316	721.8	1400
GR	723.1	1408								
X1	1127	0	0	0	50	50	50		1.1	
QT	5	124	247	319	506	319				
X1	1370	13	1219	1232	263	263	263			
GR	732.7	1000	721.7	1100	718.2	1166	712.8	1202	712.3	1219
GR	709.3	1222	709.1	1225	709.4	1229	714.9	1232	715.3	1239
GR	723.2	1300	731.1	1400	732.7	1428				
X1	1448	0	0	0	50	50	50		0.1	
NC	0.025	0.025	0.025	0.1	0.3					
X1	1499	19	1869.7	1872.2	50	50	50			
GR	748.2	1363	748.4	1400	748.7	1509	732.9	1646	721.9	1746
GR	716.4	1812	713.0	1846	712.5	1865	711.0	1869.7	709.3	1869.7
GR	709.3	1872.2	711.0	1872.2	715.1	1878	715.5	1885	723.4	1946
GR	731.3	2046	732.9	2074	749.5	2337	749.5	2400		
SB	0.9	2.5	2.5	0	2.5	0.01	3.4			
X1	1867	19	1869.7	1872.2	377	377	377			
X2			1	717.0	748.2					
BT	10	1363	748.2		1400	748.4		1600	748.9	
BT	1800	749.0		1869.7	749.0	717.0	1872.2	749.0	717.0	1872.3
BT	749.0		2000	749.0		2200	749.4		2400	749.5

BT

GR	748.2	1363	748.7	1400	748.8	1560	738.9	1546	727.9	1746
GR	724.4	1812	719.0	1848	718.5	1865	717.0	1869.7	715.3	1869.7
GR	715.3	1872.2	717.0	1872.2	721.1	1878	721.5	1885	729.4	1946
GR	737.3	2046	736.9	2074	749.4	2238	749.5	2400		
NC	0.055	0.055	0.035	0.1	0.3					
X1	1917	13	1219	1232	50	50	50		6.3	
GR	732.7	1000	721.7	1100	718.2	1166	712.8	1202	712.3	1219
GR	709.3	1222	709.1	1225	709.4	1228	714.9	1232	715.3	1239
GR	725.2	1300	731.1	1400	732.7	1428				
X1	1967	0	0	0	50	50	50		0.1	

EJ

T1 SALISBURY-ROWAN CO. STREAM 2SAL
T2 FLOODPLAIN STUDY AT ROWAN & DAVIDSON COUNTIES M-6 JOB NO. 6918
T3 100 YEAR FLOOD WATER SURFACE PROFILE

J1	-10	4		0.018					697.6	
J2	15		-1							

EJ

ER

/*EOF