

SUMMARY PRINTOUT FOR MULTIPLE PROFILE

BREATH PRACTH									
SECTION NUMBER	CHANNEL LENGTH	MIN EL OF ROADWAY	MAX EL CF LCH CHORD	MIN EL GROUND	DISCHARGE (CFS)	CSEL	CRWS	EG TOPWID	10K'S TIME VDL
42	0.43	0.0	0.0	0.0	2103.80	260.00	2109.49	0.0	0.0
	0.43	0.0	0.0	0.0	2103.80	370.00	2110.30	0.0	0.0
	0.43	0.0	0.0	0.0	2103.80	445.00	2110.80	0.0	0.0
	0.43	0.0	0.0	0.0	2103.80	580.00	2111.60	0.0	0.0
	0.43	40.00	0.0	0.0	2104.20	260.00	2109.94	0.0	0.04
	0.43	40.00	0.0	0.0	2104.20	370.00	2110.76	0.0	0.05
	0.43	40.00	0.0	0.0	2104.20	445.00	2111.26	0.0	0.06
	0.43	40.00	0.0	0.0	2104.20	580.00	2112.05	0.0	0.08
	0.43	20.00	2112.60	2108.50	2104.20	260.00	2111.38	0.0	0.07
	0.43	20.00	2112.60	2108.50	2104.20	370.00	2112.90	0.0	0.11
	0.43	20.00	2112.60	2108.50	2104.20	445.00	2113.01	0.0	0.12
	0.43	20.00	2112.60	2108.50	2104.20	580.00	2113.07	0.0	0.14
	0.43	10.00	0.0	0.0	2105.00	260.00	2111.38	0.0	0.08
	0.43	10.00	0.0	0.0	2105.00	370.00	2112.86	0.0	0.14
	0.43	10.00	0.0	0.0	2105.00	445.00	2112.95	0.0	0.16
	0.43	10.00	0.0	0.0	2105.00	580.00	2112.95	0.0	0.18
	0.55	60.00	0.0	0.0	2115.50	260.00	2119.14	2120.26	0.02
	0.55	60.00	0.0	0.0	2115.50	340.00	2119.69	2120.86	0.02
	0.55	60.00	0.0	0.0	2115.50	409.00	2120.11	2121.29	1.18
	0.55	60.00	0.0	0.0	2115.50	530.00	2120.78	2120.71	1.31
	0.55	60.00	0.0	0.0	2115.50	530.00	2121.91	51.69	1.54
SECTION NUMBER	DISCHARGE CFS	CSEL	CSEL DIFF EACH Q	CSEL DIFF EACH SECTION	CSEL DIFF	CSEL-HSFLK	TOPWID	T.W. DIFF	LENGTH
C-430	260.00	2109.486	0.0	0.0	17.135	0.0	0.0		
C-430	370.00	2109.304	0.819	0.0	20.163	-3.933	0.0		
C-430	445.00	2109.799	0.494	0.0	21.999	-4.864	0.0		
C-430	580.00	2111.597	0.799	0.0	24.957	-7.822	0.0		
C-430	260.000	2109.938	0.0	0.0	14.119	0.0	40.000		
C-430	370.000	2110.760	0.823	0.456	15.337	-1.218	40.000		
C-430	445.000	2111.257	0.496	0.458	16.071	-1.952	40.000		
C-430	580.000	2112.055	0.798	0.458	17.254	-3.134	40.000		
0.430	260.000	2111.377	0.0	1.440	12.000	0.0	20.000		
0.430	370.000	2112.899	1.521	2.139	198.520	-186.520	20.000		
0.430	445.000	2113.012	0.113	1.755	198.693	-186.693	20.000		
0.430	580.000	2113.071	0.059	1.016	198.776	-186.776	20.000		
0.430	260.000	2113.379	0.0	0.001	19.704	0.0	10.000		
0.430	370.000	2112.967	1.484	-0.036	25.199	-5.495	10.000		
0.430	445.000	2112.950	0.088	-0.062	32.755	-13.051	10.000		
0.430	580.000	2112.952	0.003	-0.119	33.193	-13.494	10.000		
0.550	260.000	2113.145	0.0	7.766	22.612	0.0	604.000		
0.550	340.000	2119.695	0.550	6.833	31.089	-8.477	604.000		
0.550	469.000	2120.115	0.420	7.165	39.103	-16.491	604.000		
0.550	520.000	2120.775	0.661	7.823	51.685	-29.073	604.000		

DATA FOR LAST CROSS SECTION PROFILE TYPE ENC TARGET TCP WIDTH TNP WIDTH

	AREA-ACRES	AREA- DIFFERENCE
1	0.0	0.317
2	0.0	0.481
3	0.0	0.164
4	0.0	0.274
		0.592
		0.684
		0.367

SUMMARY PRINTOUT FOR MULTIPLE PROFILES

EFFATH PROFILE 10-12-7

SECTION NUMBER	CHANNEL LENGTH	MEN EL OF RWDAY	MAX EL OF LOW CHORD	MIN EL GROUND	DISCHARGE (CFS)	CSEL	TQ	PERCENT	TOPWID	STENCIL	STENCER	WSELK
0.43	0.0	0.0	0.0	2103.80	445.00	2110.80	7	42.43	0.0	22.00	0.0	0.0
0.43	0.0	0.0	0.0	2103.80	445.00	2111.80	7	58.92	48.00	35.48	562.00	610.00
0.43	40.00	0.0	0.0	2104.20	445.00	2111.26	77	39.71	0.0	16.07	0.0	0.0
0.43	40.00	0.0	0.0	2104.20	445.00	2112.03	77	49.82	48.00	17.23	562.00	610.03
0.43	20.00	2112.60	2108.50	2104.20	445.00	2113.45	7	93.76	0.0	199.32	0.0	0.0
0.43	20.00	2112.60	2108.50	2104.20	445.00	2113.54	77	86.67	48.00	37.47	562.00	610.03
0.43	10.00	0.0	0.0	2105.00	445.00	2112.85	77	65.91	0.0	91.85	0.0	0.0
0.43	10.00	0.0	0.0	2105.00	445.00	2113.51	77	68.80	48.00	36.24	562.00	610.03
0.55	009.00	0.0	0.0	2115.50	409.00	2120.44	7	27.50	0.0	38.86	0.0	0.0
0.55	009.00	0.0	0.0	2115.50	409.00	2120.00	7	25.89	30.00	27.10	93.00	113.00
0.430	445.000	2110.799	0	0	0	0.0	22.001	0.0	0.0	0.0	0.0	0.0
0.430	445.000	2111.799	1.000	0.0	0.0	0.0	35.482	-13.481	0.0	0.0	0.0	0.0
SECTION NUMBER	DISCHARGE CFS	CSEL	CSEL DIFF EACH	CSEL DIFF EACH SECTION	CSEL DIFF	CSEL - ISELK	TOPWID	T-W. DIFF	LENGTH			
0.430	445.000	2111.26	0.769	0.227	0.0	17.227	-1.156	40.000				
0.430	445.000	2111.257	0.0	0.458	0.0	16.072	0.0	40.000				
0.430	445.000	2113.541	0.106	2.178	0.0	199.316	0.0	20.000				
0.430	445.000	2113.435	0.0	1.514	0.0	37.471	161.845	20.000				
0.430	445.000	2113.357	0.0	-0.078	0.0	91.852	0.0	10.000				
0.430	445.000	2113.513	0.156	-0.027	0.0	36.244	55.609	10.000				
0.550	409.000	2120.102	0.0	6.745	0.0	38.856	0.0	604.000				
0.550	409.000	2120.002	-0.100	6.489	0.0	27.099	1.757	604.000				

DATA FOR LAST CROSS SECTION TARGET

TOP WIDTH TOP WIDTH AREA-ACRES AREA-DIFF

1	3.0	0.0	1.007	0.0
2	1.000	30.000	0.484	-0.522

